

Version	1
Date	02/23/2024
Page	Page 1 of 102
Author	TFS Operations

LIST OF SPECIALIZED EQUIPMENT AND MATERIALS FOR OIL AND GAS PROJECTS IN **UGANDA AND HARMONIZED SYSTEM CODES**

1.1 Production, Drilling and Wells equipment including:

S/N	DESCRIPTION OF EQUIPMENT AND MATERIALS	HS CODE
1	Slicklines equipment, tools, and accessories (Cables, drums, control units,	
	pressure control equipment, downhole cameras, grease injection units, Bails,	
	Depth measurement Equipment, rope sockets and sheaves)	
	Cables	7223.00.00
	Drums	8479.90.00
	Control units	8479.90.00
	Pressure control equipment	8479.89.00
	Downhole cameras	8525.89.00
	Grease injection units	8479.89.00
	Bails, (Elevator bails)	7326.19.00
	Depth measurement Equipment	9031.80.00
	Rope sockets	7326.90.90
	Sheaves	8483.50.00
2	Directional Drilling (DD) equipment and tools (Mud motors, Rotary steerable systems, whipstocks, drilling Jars, Directional drilling sensors:)	
	Mud motors	8431.43.00
	Rotary steerable systems	8431.43.00
	Whipstocks	8431.43.00
	Drilling Jars	8431.43.00
	Directional drilling sensors	9031.80.00
3	Measurement While Drilling (MWD) equipment and tools (Azimuthal density	3031.00.00
١	tools, Pressure and temperature sensors, Inclinometers, Magnetometers, Mud	
	pulse telemetry systems, Electromagnetic telemetry systems, Density and	
	porosity sensors, Flow meters, Vibration sensors, Weight on bit sensors)	
	Azimuthal density tools,	9030.89.00
	Pressure and temperature sensors,	9025.19.00
	,	9026.20.00
	Inclinometers,	9014.80.00
	Magnetometers,	9015.80.00
	Mud pulse telemetry systems,	9015.80.00
	Electromagnetic telemetry systems,	9015.80.00
	Density and porosity sensors,	9027.89.00
	Flow meters,	9026.10.00
	Vibration sensors,	9031.80.00
	Weight on bit sensors	9031.80.00
4	Logging While Drilling (LWD) equipment and tools (Gamma-ray detectors,	
-	Resistivity tools, Magnetic resonance tools, Formation density tools, Acoustic	
	tools, Neutron porosity tools, Azimuthal density tools, Imaging tools:	
1	Gamma ray detectors	9030.89.00
] 1	i Qaiiiiia iav uciculus	
	Resistivity tools	9030.89.00

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 2 of 102
Author	TFS Operations

S/N	DESCRIPTION OF EQUIPMENT AND MATERIALS	HS CODE
	Formation density tools	9030.89.00
	Acoustic tools	9015.80.00
	Neutron porosity tools	9027.89.00
	Azimuthal density tools	9030.89.00
	Imaging tools	9015.80.00
5	Bottom Hole Assembly (BHA) equipment and tools (subs, stabilizers, collars, Heavyweight pipes, drill pipe)	
	Subs,	8431.43.00
	Stabilizers,	8431.43.00
	Collars,	8431.43.00
	Heavy weight pipes,	8431.43.00
	Drill pipes	7304.22.00
		7304.23.00
6	Drill Bits and Nozzles (Roller cone bits, PDC (polycrystalline diamond compact) bits, Tungsten carbide insert (TCI) bits, Hammer, bits, Reamer bits, Stabilized bits)	
	Roller cone bits	8431.43.00
	PDC (polycrystalline diamond compact) bits	8431.43.00
	Tungsten carbide insert (TCI) bits,	8431.43.00
	Hammer, bits	8431.43.00
	Reamer bits	8431.43.00
	Stabilized bits	8431.43.00
7	Well engineering Data Transmission equipment (Gateways, Multiplexers, Transceivers, Bridges, Repeaters, Hubs, Network interface cards (NICs), Switches, Routers, and modems)	
	Gateways	8517.62.00
	Multiplexers,	8517.62.00
	Transceivers	8517.62.00
	Bridges	8517.62.00
	Repeaters	8517.62.00
	Hubs	8517.62.00
	Network interface cards (NICs)	8517.62.00
	Switches	8517.62.00
	Routers	8517.62.00
	Modems	8517.62.00
8	Fishing equipment, tools and accessories (Overshoots, Spears, Junk mills, Fishing magnets, Grapplers, Casing scrapers, Packer retrieving tools, Internal cutters,)	
	Overshoots,	8479.90.00
	Spears,	8479.90.00
	Junk mills,	8479.90.00
	Fishing magnets,	8505.11.00
	Grapplers,	8479.90.00
	Casing scrapers,	8479.90.00
	Packer retrieving tools,	8479.90.00
	Internal cutters	8479.90.00
9	Coiled Tubing equipment (Triplex Pump unit, Nitrogen pumps, skid pump units, coiled tubing unit, centrifugal pumps, CT yard spooler control), tools and accessories	3.1.3.33.00
	1 4000001100	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 3 of 102
Author	TFS Operations

S/N	DESCRIPTION OF EQUIPMENT AND MATERIALS	HS CODE
	Triplex Pump unit,	8413.50.00
	Nitrogen pumps,	8414.80.99
	Skid pump units,	8414.80.99
	Coiled tubing unit,	8428.90.00
	Centrifugal pumps,	8413.70.00
	CT yard spooler control,	8479.89.00
	Tools and accessories e.g., coiled tubing injector, coiled tubing hanger	8431.39.00
10	Oil Country Tubular Goods (OCTG) and accessories Casings, tools and accessories (centralizers, collar shoes, floating shoes, packers, bridge plugs, cement plugs, washers, balls,)	
	Centralizers,	8431.43.00
	Collar shoes,	8431.43.00
	Floating shoes,	8431.43.00
	Packers,	8479.89.00
	Bridge plugs,	8431.43.00
	Cement plugs,	3923.50.00
		4016.99.00
	Washers, balls	3926.90.00
		4016.93.00
11	Cementing, (Cement mixers, cementing pumps, Cementing heads, Float collars and shoes, foam balls, cement plugs)	
	Cement mixers	8474.31.00
	Cementing pumps	8413.50.00
	Cementing heads	7326.90.90
	Float collars and shoes	7326.90.90
	Foam balls	4016.99.00
	Cement plugs	3923.50.90
		4016.99.00
12	Drilling Rig Casing and Tubing handling equipment, accessories and spare parts (elevators, Power tongs, Slips, Spiders, JAM units)	
	Elevators	7326.90.90
	Power tongs	8479.89.00
	Slips	7326.90.90
	Spiders	8479.89.00
	JAM units	9031.80.00
13	Wellheads, Christmas trees, associated tools and accessories, Pressure gauges	
	Wellheads	7308.90.99
1	Christmas trees	8481.80.80
1	Associated well head tools and accessories	7308.90.99
		8481.90.00
	Pressure gauges	9026.20.00
14	Production, Completion, and workover equipment (artificial lift equipment, Screens, and blanks, etc.)	
	Artificial lift equipment	8413.60.00
1		8413.70.00
		8413.81.00
	Screens	8421.29.00
	Blanks e.g., drilling blanks	8431.43.00

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 4 of 102
Author	TFS Operations

S/N	DESCRIPTION OF EQUIPMENT AND MATERIALS	HS CODE
15	E-Logging tools and accessories (Acoustic Logs. Cement Bond Log. Cross-	9015.80.00
	Dipole Acoustic Log, Calliper Log, Chemical Logging, Density Log, Gamma	
	Log, Image Logs, Neutron Log tools, Spontaneous Potential well log tools)	
16	Perforation equipment, tools, and accessories e.g., Perforating gun	7326.90.90
17	Drilling fluid materials and additives	
	Activated Bentonite	3802.90.00
	Acrylic Drilling additive	3906.90.00
	Sodium Humate Additive	3913.90.00
	Chemical Mixture	3824.99.90
18	Coring equipment, tools, and accessories (wireline coring tools, vibratory	
	coring tools, percussion coring tools, rotary coring tools)	
	Wireline coring tools	8431.43.00
	Vibratory coring tools	8431.43.00
	Percussion coring tools	8431.43.00
	Rotary coring tools	8431.43.00
19	Waste Management equipment (waste production, collection, transfer, storage,	
	treatment, and utilization equipment	
	Mud filter	8421.29.00
	Vacuum pump	8414.80.99
	Screw conveyor	8428.39.00
	Storage tanks	7309.00.00
	Mud dewatering unit	8421.29.00
	Dryer	8419.39.00
	Utilization equipment	
20	Mud logging tools and accessories (Mud temperature sensor, Mud resistivity	
	tools, Gas chromatograph, Total organic carbon analyzer	
	Mud temperature sensor	9025.19.00
	Mud resistivity tools	9030.89.00
	Gas chromatograph	9027.20.00
	Total organic carbon analyzer	9027.50.00
21	Drilling Rig Derrick and crown block	7308.90.99
		8483.50.00
22	Drilling Rig Substructure and accessories	7308.90.99
23	Drilling Rig Travelling Block, accessories, and spare parts	8483.50.00
24	Drilling Rig Draw works and accessories	8425.31.00
25	Drilling Rig Rotary table, Its Driving Units, accessories, and spare parts	8431.43.00
26	Drilling Rig LER & Driller's Cabin	8431.43.00
	D.W. B. C. (10 to A/FB	7308.90.99
27	Drilling Rig Control System/VFD e.g., control panels	8537.10.00
28	Drilling Rig Power Plants, Battery energy storage systems, accessories, and	
	spare parts	0500 44 00
	Power Generating Sets	8502.11.00
		8502.12.00
		8502.13.00
	Ctatic converters	8502.20.00
	Static converters	8504.40.00
00	Storage batteries	8507.20.00
29	Drilling Rig Compressed Air Storage Tank for Substructure	7311.00.00
30	Drilling Rig Fuel tanks, lubricants, and various kinds of oil	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 5 of 102
Author	TFS Operations

S/N	DESCRIPTION OF EQUIPMENT AND MATERIALS	HS CODE
	Steel fuel tanks	7309.00.00,
	Oil and lubricants	2710.19.51
		3403.19.00
		3403.99.00
31	Drilling Rig Mud pumps, accessories, and spare parts	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
		8413.91.00
32	Drilling Rig Mud tanks, accessories, and spare parts	7309.00.00
33	Drilling Rig Top Drive System (TDS), accessories and spare parts	8431.43.00
34	Drilling Rig Well control equipment, accessories, and spare parts (Accumulator	
	units, Emergency shutdown system, Blowout prevents, Annular, Pipe rams	
	Accumulator units	8479.89.00
	Emergency shutdown system	8537.10.00
	Blowout prevents	8481.80.00
	Annular	8481.80.00
	Pipe rams	8481.80.00
35	Drilling Rig line and accessories	8431.43.00
36	Drilling Rig Mud Treatment Equipment (Sample storage and labeling system,	
	Data acquisition system, Hydrocyclone, Desander and desilter, Shale shaker,)	
	Sample storage and labelling system, e.g., storage tanks	7309.00.00
	Data acquisition system	9031.80.00
	Hydrocyclone	8421.29.00
	Desander and desilter	8421.29.00
	Shale shaker	8421.29.00
37	Drilling Rig Pipe racks	7308.90.99
38	Drilling Rig Material tub	7326.90.90
39	Drilling Rig Workshops, tools, accessories, and spare parts	8430.49.00
	- managan agama pama pama	8431.43.00
40	Drilling Rig Automation equipment, accessories, and spare parts	8430.49.00
	- mm·g···g···g·······	8431.43.00
41	Drilling Rig Wooden matting	4418.99.00
42	Drilling Rig Movement Systems	8479.89.00
43	Drilling Rig miscellaneous equipment including Fire system, Rig handling	0 11 0100100
	equipment and tools, lightning system, Foam system, Chiksans, Installation	
	platform for traveling block, BOP. Hoist & Trolley, Lighting tower, BOP storage	
	& test stumps, racks, etc.	
	Fire alarm system	8531.10.00
	Rig handling equipment and tools,	8428.90.00
	lightning system, e.g., surge suppressors -	8535.40.00
	Foam system,	8414.40.00
	Chiksans,	7326.90.90
	Installation platform for travelling block,	7308.90.99
	BOP.	8481.80.00
	Hoist & Trolley,	8425.11.00
	110.00 00 110.0009,	8716.80.00
	Paken tong	9405.41.00
	Lighting tower	9400.41 00

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 6 of 102
Author	TFS Operations

S/N	DESCRIPTION OF EQUIPMENT AND MATERIALS	HS CODE
		9405.49.00
	BOP storage & test stumps, racks etc.	7326.90.90
45	Drilling Rig Noise Control equipment, accessories, and spare parts	
	Drilling rig noise level meter	9030.89.00
	parts and accessories	9030.90.00
46	Drilling Rig Communication systems, CCTV, accessories, and spare parts	8517.62.00
		8525.89.00
47	Drilling Rig Subs	8431.43.00
48	Drilling Rig electric control equipment, accessories & Spare parts	8537.10.00
		8538.10.00
		8538.90.00
50	Drilling Rig Mast, accessories & Spare parts	7308.20.00
		7308.90.99
51	Drilling Rig Solids control equipment, accessories & Spare parts	
	Solid removal unit	8421.29.00
	Solids control equipment and spare parts	8421.99.00
53	Drilling Rig Standpipes, Manifolds accessories & Spare parts	8431.43.00
		8481.80.00
54	Drilling Rig auxiliary equipment, accessories & Spare parts	
	Hoist plug and adapters	8431.43.00
56	Well control emergency equipment (firefighting units, fire pumps, capping	
	stacks, hydraulic and conventional Athey Wagons and accessories, fully	
	stocked hose and monitor containers, hot tap tools, gate valve drilling units,	
	and cryogenic freeze packages.	
	Drilling rig firefighting units	8424.89.00
	Drilling rig fire pumps,	8413.50.00
	gg pp .;	8413.60.00
		8413.70.00
		8413.81.00
	Capping stacks	8481.80.00
	Hydraulic and conventional Athey Wagons and accessories	8716.80.00
	Fully stocked hose and monitor container including fire hoses	4009.31.00
	The state of the s	4009.32.00
		4009.41.00
		4009.42.00
		5909.00.00
	Hot tap tools	8207.50.00
	Gate valve drilling units	8459.29.00
	Cryogenic freeze packages	8418.69.20
57	Well testing Equipment. (Chemical injectors, storage tanks, surface test tree,	0410.00.20
J.	surface Safety Valve (SSV), data header, choke manifold, steam heat	
	exchanger, test separator, vertical surge tank, oil transfer pumps, oil diverter	
	manifold and burner.)	
	Chemical injectors	8413.50.00
	Chormod injectors	8413.60.00
		8413.70.00
		8413.81.00
	Storage tanks	7309.00.00
	Surface test tree,	9031.80.00
	Juliace lest fiee,	9031.00.00

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 7 of 102
Author	TFS Operations

S/N	DESCRIPTION OF EQUIPMENT AND MATERIALS	HS CODE
	Surface Safety Valve (SSV)	8481.80.00
	Data header	7326.90.90
	Choke manifold	8481.80.00
	Steam heat exchanger	8419.50.00
	Test separator	8421.29.00
	Vertical surge tank	7309.00.00
	Oil transfer pumps	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
	Oil diverter manifold	8481.80.00
	Burner.	8416.20.00

1.2 Oil field Chemicals

S/N	DESCRIPTION OF EQUIPMENT AND MATERIALS	HS CODES
1	Alkalinity Control Chemicals	
	Sodium Hydroxide	2815.11.00
	Sodium Carbonate (Soda Ash)	2836.20.00
	Citric Acid	2918.14.00
	Lime (Calcium Hydroxide)	2825.90.00
	Magnesium Oxide	2519.90.00
	Sodium Bicarbonate	2836.30.00
2	Treat Calcium Contamination chemicals e.g., Soda Ash -	2836.20.00
3	Fluid Loss control chemicals	
	Acrylic Polyelectrolyte	3906.90.00
	Activated Bentonite	3802.90.00
	Carboxymethyl Cellulose	3912.31.00
	Xanthan Gum	3913.90.00
	Chemical Mixture	3824.99.90
4	Viscosifier chemicals	
	Polyacrylamide	3906.90.00
	Carboxymethyl Cellulose	3912.31.00
	Xanthan Gum	3913.90.00
	Chemical Mixture	3824.99.90
5	Rheology Modifier chemicals	
	Activated Bentonite	3802.90.00
	Polyacrylamide	3906.90.00
6	Fluid Loss reducer chemicals	
	Acrylic Polyelectrolyte	3906.90.00
	Activated Bentonite	3802.90.00
	Carboxymethyl Cellulose	3912.31.00
	Xanthan Gum	3913.90.00
	Chemical Mixture	3824.99.90
7	Shale Inhibition chemicals e.g., Chemical Mixture	3824.99.00
8	Cuttings Encapsulation chemicals e.g., Acrylamide –	3906.90.00
9	Shale Inhibition chemicals e.g., Chemical Mixture –	3824.99.00
10	Anti-Accretion chemicals e.g., Phosphonates	2835.10.00

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 8 of 102
Author	TFS Operations

S/N	DESCRIPTION OF EQUIPMENT AND MATERIALS	HS CODES
11	Biocide chemicals	3808.92.10
		3808.92.90
12	Weighting Agent chemicals	
	Natural Baryte	2511.10.00
	Barium Sulphate	2833.27.00
	Hematite (Iron Oxide)	2821.10.00
	Chemical Mixture	3824.99.90
13	Lost circulation materials chemicals	
	Powder Marble	2517.41.00
	Powder Limestone	2517.49.00
	Chemical Mixture	3824.99.90
14	Cement chemicals	
	Alcohol Ethoxylate	3402.39.00
	Chemical Mixture	3824.99.90
	Styrene Butadiene	3903.90.00
15	Free Pipe Agent chemicals	3824.99.90
16	H2S Scavenger chemicals	3824.99.90
17	Thixo Additive chemicals	3824.99.90

1.3 Crude oil Processing

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
	a) Crude Treatment System	
1	Pig Receivers	8479.89.00
2	Pig Launchers	8479.89.00
3	Separator Packages	8421.29.00
4	Separators	8421.29.00
5	Basket Filters	8421.29.00
6	Crude Oil Exchangers	8419.50.00
7	Crude Oil Heaters	8419.89.00
8	Pumps	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
9	Oil Air Coolers	8419.50.00
10	On-Spec and Off-Spec Oil Storage Tanks	7309.00.00
	b) Gas Compression System	
1	Gas Compressor Packages	8414.80.10
		8414.80.99
2	Gas Compressor Inlet Coolers	8419.50.00
3	Gas Compressor Suction Drums	8421.39.10
4	Inlet Scrubbers	8421.39.10
5	Gas Compressors	8414.80.10
		8414.80.99
6	Gas Compressor Discharge Coolers	8419.50.00
7	Gas Compressor Discharge Drum	7309.00.00
8	Gas Compressor Suction Drum Pumps	8414.80.99
9	HP Fuel Gas Superheater	8419.89.00

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 9 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
10	HP Fuel Gas Filters	8421.39.10
	c) LPG Production System	
1	Three Phase Separator	8421.39.10
2	Fractional distillation equipment	8419.40.00
3	De-Ethaniser	8421.39.10
4	De-Ethaniser Reboiler	8419.89.00
5	LPG Tower e.g., Distillation tower	8419.40.00
6	LPG Reboiler	8419.89.00
7	LPG Overhead Condenser	8419.50.00
8	LPG Reflux Drum	8419.40.00
9	LPG Pumps	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
10	LPG Storage Vessels	7311.00.00
11	LPG Truck Loading Skid	8481.80.00
12	LPG Truck Loading Arms	8481.80.00
	d) Utility System	0.000.00
1	Flare System	8416.20.00
2	Flare Knockout Drum	8421.39.10
3	Basket Filters	8421.29.00
4	Flare Knockout Drum Pumps	8413.50.00
-	Tidio Miodicat Dianii ampo	8413.60.00
5	Enclosed Ground Flare Package	8417.80.00
6	Flare Ignition Package	8416.90.00
7	Water Seal Vessel	7309.00.00
8	Flare Stack	8416.20.00
	e) Diesel System	0410.20.00
1	Diesel Storage Tanks	7309.00.00
2	Basket Filters	8421.29.00
3	Diesel Transfer Pump	8413.50.00
١		8413.60.00
		8413.70.00
		8413.81.00
4	Diesel Filter Coalescer	8421.29.00
5	CPF Emergency Generator Package	8502.11.00
"	- Of 1 Emorgonoy Generator Labrage	8502.12.00
		8502.13.00
		8502.20.00
6	CPF Main Generator Package	8502.11.00
	S. F. Main Soliolator Facility	8502.12.00
		8502.13.00
		8502.20.00
7	Fuel Gas Surge Vessel	7309.00.00
8	Diesel Centrifuge	8421.19.00
9	Diesel Daily Tank	7309.00.00
	f) Instrument Air and Nitrogen System	
1	Air Compressor Package	8414.40.00
		8414.80.10

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 10 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
		8414.80.99
2	Air Compressor	8414.40.00
	•	8414.80.10
		8414.80.99
3	Instrument Air Dryer	8421.39.10
4	Wet Air Receiver	7311.00.00
5	Instrument Air Receiver	7311.00.00
6	Air/Oil Cooler	8419.50.00
7	Nitrogen Generation Package	8421.39.10
8	Compressors	8414.40.00
		8414.80.10
		8414.80.99
9	Air Dryer	8421.39.10
10	Air Receiver	7311.00.00
11	Air Pre Filters	8421.39.10
12	Air Filters	8421.39.10
13	PSA Adsorb Tower	8421.39.10
14	Nitrogen Receiver	7311.00.00
	g) Drain System	
1	Closed Drain Drum	7309.00.00
2	Closed Drain Pump	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
3	Oily Water Drum separator	8421.29.00
4	Oily Water Pump	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
5	API Separator	8421.29.00
6	Plastic Storm Basin	3926.90.90
7	Water Draw-Off Pump	8413.50.00
		8413.60.00
		8413.70.00
	010 : 0	8413.81.00
8	Oil Basin Pump	8413.50.00
		8413.60.00
		8413.70.00
	Cond Dunia Dit Dunna	8413.81.00
9	Sand Drain Pit Pump	8413.50.00 8413.60.00
		8413.70.00
		8413.81.00
	h) Heat Medium System	0413.01.00
1	Heat Medium System Heat Medium System Package	8419.89.00
2	Heat Medium System Package Heat Medium Circulation Pump	8413.50.00
	Tieat Mediatif Circulation Fulfip	8413.60.00
		8413.70.00
		8413.81.00
L		U-10.01.00

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 11 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
3	Heat Medium Expansion Vessel	7309.00.00
4	Heat Medium Make-Up Pump	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
5	Heat Medium Storage Tank	7309.00.00
6	Heat Medium Fired Heater	8419.89.00
7	Diesel Transfer Pump	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
8	Burner System with Blower	8416.20.00
9	Waste Heat Recovery Unit	8419.50.00
	i) Chemical Injection System	
1	Polyelectrolyte Injection Skid	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
2	Polyelectrolyte Tank	7309.00.00
3	Polyelectrolyte Injection Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
4	Reverse Demulsifier Injection Skid	8413.50.00,
	·	8413.60.00,
		8413.70.00,
		8413.81.00
5	Reverse Demulsifier Tank	7309.00.00
6	Reverse Demulsifier Injection Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
7	Agitators	8479.82.00
8	Antifoam Injection Skid	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
9	Antifoam Tank	7309.00.00
10	Antifoam Injection Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
<u> </u>		8413.81.00
11	Oxygen Scavenger Injection Skid	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
12	Oxygen Scavenger Injection Tank	7309.00.00
13	Oxygen Scavenger Injection Pump	8413.50.00,
		8413.60.00,

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 12 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
		8413.70.00,
		8413.81.00
14	Biocide Injection Skid	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
15	Biocide Injection Tank	7309.00.00
16	Biocide Injection Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
17	Sodium Hypochlorite Injection Skid	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
18	Sodium Hypochlorite Inhibitor Tank	7309.00.00
19	Sodium Hypochlorite Inhibitor Injection Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
21	Corrosion Inhibitor Injection Skid	8413.50.00,
		8413.60.00,
		8413.70.00,
22	Courseian labibitar Tank	8413.81.00
22	Corrosion Inhibitor Tank	7309.00.00
23	Corrosion Inhibitor Injection Pump	8413.50.00,
		8413.60.00,
		8413.70.00, 8413.81.00
24	Scale Inhibitor Injection Skid	8413.50.00,
24	Scale Illibitor Injection Skid	8413.60.00,
		8413.70.00,
		8413.81.00
25	Scale Inhibitor Tank	7309.00.00
26	Scale Inhibitor Injection Pump	8413.50.00.
20	Scale minibilion injection i ump	8413.60.00,
		8413.70.00,
		8413.81.00
i) Pr	oduced Water and Lake Water Treatment System and Water Injection	0110.01.00
Syst		
1	Skim Tank	8421.29.00
2	Flotation Feed Pump	8413.50.00,
	'	8413.60.00,
		8413.70.00,
		8413.81.00
3	Basket Filters	8421.29.00
4	Flotation Package	8421.29.00
5	Flotation unit	8421.29.00
6	Eductor Pump	8413.50.00,
		8413.60.00,

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 13 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
		8413.70.00,
		8413.81.00
7	Skimmed Oil Pump	8413.50.00,
	·	8413.60.00,
		8413.70.00,
		8413.81.00
8	Filter Feed Pump	8413.50.00,
	'	8413.60.00,
		8413.70.00,
		8413.81.00
9	Walnut Shell Filter Package	8421.29.00
10	Walnut Shell Filter	8421.29.00
11	Dual Media Filter Package	8421.29.00
12	Dual Media Filter	8421.29.00
13	Roots Blower	8413.60.00
14	Foul Water Tank	7309.00.00
15	Recycle Backwash Water Pump	8413.50.00,
13	Trocycle Backwash Water Fump	8413.60.00,
		8413.70.00,
		8413.81.00
16	Basket Filter	8421.29.00
17	WSF Backwash Pump	8413.50.00,
17	WOI Backwasii Fullip	8413.60.00,
		8413.70.00,
		8413.81.00
18	DMF Backwash Pump	8413.50.00,
10	DIVIF Backwash Fullip	8413.60.00,
		8413.70.00,
		8413.81.00
19	Motive Water Pump	8413.50.00,
13	inotive vvater i unip	8413.60.00,
		8413.70.00,
		8413.81.00
20	Foul Oil Recovery Tank	7309.00.00
21	Recycle Oil Pump	8413.50.00,
21	Necycle Oil i dilip	8413.60.00,
		8413.70.00,
		8413.81.00
22	Sludge Settle Drum	7309.00.00
23	Sludge Transfer Pump	8413.50.00,
23	Sidage Transier Fullip	8413.60.00,
		8413.70.00,
		8413.81.00
24	Water Transfer Pump	8413.50.00,
24	vvalei Halisiei Fullip	8413.60.00,
		8413.70.00,
		8413.70.00,
25	Studge Downtoring Deckage	
25	Sludge Dewatering Package	8421.29 .00
26	Drain Sump	8413.50.00,
		8413.60.00,

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 14 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
		8413.70.00,
		8413.81.00
27	Drain Pump	8413.50.00,
	'	8413.60.00,
		8413.70.00,
		8413.81.00
28	Sludge Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
29	Water Distribution Manifold	8481.80.00
30	Water Injection Pipeline Pig Launchers	8479.89.00
31	Deaerator Package	8421.21.00
32	Vacuum Deaerator	8421.21.00
33	Deaerator Vacuum Pump	8414.10.00
34	Buffer Drum e.g., made of steel –	7309.00.00
35	Make-Up Water Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
36	Injected Water Heater	8419.89.00
37	Water Injection Buffer Steel Tank	7309.00.00
38	Water Injection Booster Pump	8413.50.00,
	,	8413.60.00,
		8413.70.00,
		8413.81.00
39	Water Injection Pump	8413.50.00,
	,	8413.60.00,
		8413.70.00,
		8413.81.00
40	Water Displacement Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
41	Raw Water Sand Filter Package	8421.21.00
42	Sand Filter	8421.21.00
43	Sand Filter Backwash Pump	8413.50.00,
	·	8413.60.00,
		8413.70.00,
		8413.81.00
44	Centrifugal Blower	8414.59.00
45	Water Recycle Tank e.g., made of steel -	7309.00.00
46	Water Recycle Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
47	Service Water Tank e.g., made of steel -	7309.00.00
48	Deaerator Feed Pump	8413.50.00,
		8413.60.00,

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 15 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
		8413.70.00,
		8413.81.00
	j) Potable Water Treatment System	
1	Potable Water Treatment Package	8421.21.00
2	Utility Water Tank e.g., made of steel -	7309.00.00
3	Utility Water Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
4	Potable Water Tank e.g., made of steel -	7309.00.00
5	Backwash Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
6	Sand Filters	8421.21.00
7	Activated Carbon Filter	8421.21.00
8	Potable Water Pumps	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
9	Water Hydropneumatic Tank e.g., made of steel -	7309.00.00
10	Sewage Drain Pit e.g., made of plastic material -	3926.90.90
11	Lab Drain Pit e.g., made of plastic material -	3926.90.90
12	Submersible Sewage Pumps	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
13	Submersible Pumps	8413.70.00
	h) Fire Fighting Systems	
1	Fire Water tanks e.g., made of steel -	7309.00.00
2	Fire Water Jockey Pump Package	8413.50.00,
		8413.60.00,
		8413.70.00,
	Fire Water Leal on Brown	8413.81.00
3	Fire Water Jockey Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
	Lludro proumatic Tools of a mode of steel	8413.81.00
4	Hydro-pneumatic Tank e.g., made of steel -	7309.00.00
5	Basket Filters Diesel Driven Fire Water Pumps	8421.29.00
O	Diesei Driven File water Purilps	8413.50.00, 8413.60.00,
		8413.70.00,
		8413.81.00
7	Foam Proportion Pressure units	0413.01.00
	steel tank for compressed air	7211 00 00
		7311.00.00, 8424.89.00
0	fire suppression systems Portable Concentration Pump	8424.89.00
8	Portable Concentration Pump	8413.50.00,
		0413.00.00,

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 16 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
		8413.70.00,
		8413.81.00
9	Clean Agent Fire Extinguisher Systems	8424.89.00

1.4 Well pads:

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
1	Wellhead Control Panel	8537.10.00
2	Production Manifold Skid	8481.80.00
3	Multiphase Flow Meter Skids	9026.10.00,
		9026.80.00
4	Water Distribution Manifold	8481.80.00
5	Wellpad Injection Well Pig Receiver	8479.89.00
6	Closed Drain Drum Package e.g., made of steel -	7309.00.00
7	Closed Drain Drum Electric Heater	8419.89.00
8	Closed Drain Drum e.g., made of steel -	7309.00.00
9	Unloading Pump	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
10	Injection Packages	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
12	Spare Injection Pump	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
13	Corrosion Inhibitor Injection Package	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
14	Corrosion Inhibitor Tank e.g., made of steel -	7309.00.00
15	Corrosion Inhibitor Injection Pump	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
16	Demulsifier Injection Package	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
17	Demulsifier Tank e.g., made of steel -	7309.00.00
18	Demulsifier Injection Pump	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
19	Scale Inhibitor Injection Package	8413.50.00
		8413.60.00

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



	Version	1
Ī	Date	02/23/2024
ſ	Page	Page 17 of 102
Ī	Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
		8413.70.00
		8413.81.00
20	Scale Inhibitor Tank e.g., made of steel -	7309.00.00
21	Scale Inhibitor Injection Pump	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00
22	Portable Diesel Skid 8481.80.00	
23	Portable Diesel Day Tank e.g., made of steel -	7309.00.00
24	Diesel Filling Pump	8413.50.00
		8413.60.00
		8413.70.00
		8413.81.00

1.5 Pipeline and storage equipment and materials:

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
1.	Crude oil storage Tanks, Fuel tanks e.g., made of steel -	7309.00.00
2.	Steel Pipelines (pipelines), Valves/Fittings/Tie-ins	7303.00.00
		7304.11.00
		7304.11.19
		7305.11.00
		7305.12.00
		7305.13.00
		7306.11.00
		7306.19.00
		7307.11.00
		7307.19.00
		7307.21.00
		7307.22.00
		7307.23.00
		7307.29.00
		7307.91.00
		7307.92.00
		7307.93.00
		7307.99.00
		8481.10.00
		8481.30.00
		8481.40.00
		8481.80.00
3.	Power Generation Equipment /Electrical Equipment &bulk	0.001.01.00
	Transformers	8504.21.00
		8504.22.00
		8504.23.00
		8504.31.00
		8504.32.00
		8504.33.00
	Generators	8502.11.00
		8502.12.00

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 18 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
		8502.13.00
		8502.20.00
	E-houses	9406.10.90
		9406.20.90
		9406.90.90
	Shunt reactors	8504.50.00
	Panel boxes and controllers	8537.10.00
		8537.20.00
	Cables and conduits, etc. – stranded electrical wire (not insulated)	7312.10.00
	copper wire (not insulated)	7408.11.00
	ooppor mile (not inculated)	7408.19.00
	stranded copper wire (not insulated)	7413.00.10
	aluminium wire (not insulated)	7605.11.00
	alaminam wire (not insulated)	7605.11.00
	stranded aluminium wire (not insulated)	7614.10.00
	Stratiaca diaminiam wire (not insulated)	7614.90.00
	insulated wires and cables	8544.42.00
	insulated wires and cables	8544.49.00
		8544.60.00
	plastic conduits	3917.21.00
	placific contradito	3917.22.00
		3917.23.00
		3917.29.00
		3917.32.00
4.	Coatings & insulation Protection	
	Insulation material (PUF-Polyurethane) –	3909.50.00
	Heat trace Channel, e.g., heat trace systems	8516.80.00
	Pipe insulation jacket	3926.90.90
5.	Induction Bends, Heat tracing material, Launcher, Receiver, Valves, fiber optic, High Voltage cable	
	Induction Bends	7307.92.00
	Heat tracing material	8516.80.00
	Launcher, Receiver,	8479.89.00
	Valves	8481.80.00
	Fiber optic	8544.70.00
	High Voltage cable	8544.60.00
6.	Oil and Gas custody metering systems	9026.10.00
0.	on and odd oddiody motoring byotomo	9026.20.00
		9026.80.00
	BOLTS	
7.	1"140 mm STUD BOLT (CONT) B1 .1 CR-MO A193-B7 W/2 HVY HEX NUTS	
	A194-2H HOT-DIP GALV	
8.	1/2"50 mm STUD BOLT (CONT) B1 .1 316 SS A193-B8M CL.2 W/2 HVY HEX NUTS A194-8MA	
9.	1/2"70 mm STUD BOLT (CONT) B1 .1 316 SS A193-B8M CL.2 W/2 336 HVY HEX NUTS A194-8MA	
	•	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 19 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
10.	1/2"70 mm STUD BOLT (CONT) B1 .1 CR-MO A193-B7 W/2 HVY HEX NUTS	
	A194-2H HOT-DIP GALV	
11.	1/2"80 mm STUD BOLT (CONT) B1.1 316 SS A193-B8M CL.2 W/2 HVY HEX	
	NUTS A194-8MA	
12.	1/2"80 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/2 HVY HEX NUTS	
	A194-2H HOT-DIP GALV	
13.	1-1/4"180 mm STUD BOLT (CONT) B1 .1 CR-MO A193-B7 W/3 HVY HEX	
	NUTS A194-2H HOT-DIP GALV	
14.	1-1/4"260 mm STUD BOLT (CONT) B1.1 CR-MO A 193-B7 W/3 HVY HEX	
	NUTS A194-2H HOT-DIP GALV	
15.	1-1/4"300 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/3 HVY HEX	
40	NUTS A194-2H HOT-DIP GALV	
16.	1-1/8"180 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 <i>W/2</i> HVY HEX	
17.	NUTS A194-2H HOT-DIP GALV 1-1/8"220 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 <i>W/</i> 2 HVY HEX	
''.	NUTS A194-2H HOT-DIP GALV	
18.	1-1/8"290 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/3 HVY HEX	
10.	NUTS A194-2H HOT-DIP GALV	
19.	1-3/8"260 mm STUD BOLT (CONT) B1 .1 CR-MO A 193-B7 W/3 HVY HEX	
	NUTS A194-2H HOT-DIP GALV	
20.	1-3/8"280 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/3 HVY HEX	
	NUTS A194-2H HOT-DIP GALV	
21.	1-3/8"300 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/3 HVY HEX	
	NUTS A194-2H HOT-DIP GALV	
22.	1-3/8"380 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/3 HVY HEX	
	NUTS A194-2H HOT-DIP GALV	
23.	1-5/8"340 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/3 HVY HEX	
	NUTS A194-2H HOT-DIP GALV	
24.	1-5/8"350 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/3 HVY HEX	
25.	NUTS A194-2H HOT-DIP GALV 1-7/8"390 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/3 HVY HEX	
25.	NUTS A194-2H HOT-DIP GALV	
26.	1-7/8"400 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/3 HVY HEX	
20.	NUTS A194-2H HOT-DIP GALV	
27.	2"420 mm STUD BOLT (CONT) B 1.1 CR-MO A 193-B7 W/3 HVY HEX NUTS	
	A194-2H HOT-DIP GALV	
28.	3/4"110 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/2 HVY HEX NUTS	
	A194-2H HOT-DIP GALV	
29.	3/4"120 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/2 HVY HEX NUTS	
	A194-2H HOT-DIP GALV	
30.	3/4"130 mm STUD BOLT (CONT) B1.1 CR-MO A 193-B7 W/2 HVY HEX	
	NUTS A194-2H HOT-DIP GALV	
31.	3/4"210 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/2 HVY HEX NUTS	
	A194-2H HOT-DIP GALV	
32.	5/8"70 mm STUD BOLT (CONT) B1.1 316 SS A193-B8M CL.2 W/2 HVY HEX	
00	NUTS A194-8MA	
33.	5/8"90 mm STUD BOLT (CONT) B1 .1 316 SS A193-B8M CL.2 <i>W/2</i> HVY HEX	
	NUTS A194-8MA	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 20 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
34.	5/8"90 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/2 HVY HEX NUTS	
	A194-2H HOT-DIP GALV	
35.	5/8"100 mm STUD BOLT (CONT) B1 .1 316 SS A193-B8M CL.2 W/2 HVY	
	HEX NUTS A194-8MA	
36.	5/8"100 mm STUD BOLT (CONT) B1.1 CR-MO A193-B7 W/2 HVY HEX NUTS	
37.	A194-2H HOT-DIP GALV 5/8"120 mm STUD BOLT (CONT) B1.1 316 SS A193-B8M CL.2 W/2HVY HEX	
37.	NUTS A194-8MA	
38.	5/8"110 mm STUD BOLT (CONT) 81.1 316 SS A193-B8M CL.2 W/2 HVY HEX	
00.	NUTS A194-8MA	
39.	5/8"130 mm STUD BOLT (CONT) 81.1 316 SS A193-B8M CL.2 W/2 HVY HEX	
	NUTS A194-8MA	
40.	5/8"130 mm STUD BOLT (CONT) 81.1 CR-MO A193-B7 W/ 2 HVY HEX	
	NUTS A194-2H HOT-DIP GALV	
41.	5/8"150 mm STUD BOLT (CONT) 81.1 316 SS A193-B8M CL.2 W/2 HVY	
40	HEX NUTS A194-8MA	
42.	5/8"150 mm STUD BOLT (CONT) 81 .1 CR-MO A193-B7 W/ 2 HVY HEX NUTS A194-2H HOT-DIP GALV	
43.	5/8"160 mm STUD BOLT (CONT) 81.1 316 SS A193-B8M CL.2 W/2 HVY HEX	
45.	NUTS A194-8MA	
44.	5/8"170 mm STUD BOLT (CONT) 81.1 316 SS A193-B8M CL.2 W/2 HVY HEX	
	NUTS A194-8MA	
45.	5/8"180 mm STUD BOLT (CONT) 81 .1 CR-MO A193-B7 W/ 2 HVY HEX	
	NUTS A194-2H HOT-DIP GALV	
46.	5/8"200 mm STUD BOLT (CONT) 81 .1 316 SS A193-B8M CL.2 W/2 HVY	
47	HEX NUTS A194-8MA	
47.	5/8"210 mm STUD BOLT (CONT) 81.1 316 SS A193-B8M CL.2 W/2 HVY HEX NUTS A194-8MA	
48.	7/8"120 mm STUD BOLT (CONT) 81.1 CR-MO A193-B7 W/2 HVY HEX NUTS	
10.	A194-2H HOT-DIP GALV	
49.	7/8"130 mm STUD BOLT (CONT) 81.1 CR-MO A193-87 W/2 HVY HEX NUTS	
	A194-2H HOT-DIP GALV	
50.	7/8"150 mm STUD BOLT (CONT) 81.1 316 SS A193-88M CL.2 W/ 2 HVY	
	HEX NUTS A194-8MA	
51.	7/8"150 mm STUD BOLT (CONT) 8 1.1 CR-MO A193-B7 W/2 HVY HEX	
52.	NUTS A194-2H HOT-DIP GALV 7/8"170 mm STUD BOLT (CONT) 81 .1 CR-MO A193-B7 W/2 HVY HEX	
52.	NUTS A194-2H HOT-DIP GALV	
53.	7/8"190 mm STUD BOLT (CONT) 81.1 316 SS A193-B8M CL.2 W/2 HVY	
00.	HEX NUTS A194-8MA	
54.	7/8"190 mm STUD BOLT (CONT) 81.1 CR-MO A193-B7 W/ 2 HVY HEX	
	NUTS A194-2H HOT-DIP GALV	
55.	7/8"230 mm STUD BOLT (CONT) 81.1 316 SSA 193-B8M CL.2 W/2 HVY	
	HEX NUTS A194-8MA	
56.	7/8"230 mm STUD BOLT (CONT) 81.1 CR-MO A193-87 W/2 HVY HEX NUTS	
F.7	A194-2H HOT-DIP GALV	
57.	7/8"240 mm STUD BOLT (CONT) 81.1 CR-MO A193-B7 W/2 HVY HEX NUTS A194-2H HOT-DIP GALV	
	A 134-ZITTIOT-DIF GALV	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 21 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
58.	9.5x75mm, (3/8"X3") LG. QUICK ANCHOR BOLTS (ANCHOR OR WALL	
	MOUNT)	
59.	U-BOL T 50mm, (2") C/W MOUNTING BRACKET	
60.	CHANNEL- 'UNISTRUT' P1000 c/w U-BOLTS AND P-CLAMPS	
61.	Dia: 1 7/8", Length: 330 mm, Class 600 STUD BOLTS, 2 HEX NUTS, A193	
	GR. 87/ A194 GR. 2H ZINC/BICHROMATE TREATED OR HOT DIPPED	
	GALVANIZED	
62.	Dia: 2 5/8", Length: 440 mm, Class 900; STUD BOLTS, 2 HEX NUTS, A193	
	GR. 87/ A194 GR. 2H ZINC/BICHROMATE TREATED OR HOT DIPPED	
	GALVANIZED	
63.	Dia: 1 3/8", Length: 179 mm, Class 150; STUD BOLTS, 2 HEX NUTS, A193	
	GR. 87/ A194 GR. 2H ZINC/BICHROMATE TREATED OR HOT DIPPED	
	GALVANIZED	
64.	Dia: 2 1/8", Length: 350 mm, Class 900; STUD BOLTS, 2 HEX NUTS, A193	
	GR. 87/ A194 GR. 2H ZINC/BICHROMATE TREATED OR HOT DIPPED	
05	GALVANIZED	
65.	Dia: 1 3/4", Length:285 mm, Class 900; STUD BOLTS, 2 HEX NUTS, A193	
	GR. 87/ A194 GR. 2H ZINC/BICHROMATE TREATED OR HOT DIPPED	
66.	GALVANIZED Dia: 1 5/8",Length: 255 mm, Class 600 STUD BOLTS, 2 HEX NUTS, A193	
00.	GR. 87/ A194 GR. 2H ZINC/BICHROMATE TREATED OR HOT DIPPED	
	GALVANIZED	
67.	Dia: 1 1/8",Length: 135 mm, Class 150; STUD BOLTS, 2 HEX NUTS, A193	
07.	GR. 87/ A194 GR. 2H ZINC/BICHROMATE TREATED OR HOT DIPPED	
	GALVANIZED	
68.	Dia: 1 1/2",Length:220 mm. Class 900; STUD BOLTS, 2 HEX NUTS, A 193	
	GR. B7/ A194 GR. 2H ZINC/BICHROMATE TREATED OR HOT DIPPED	
	GALVANIZED	
69.	Dia, 1 1/4", Length: 190 mm, Class 600 STUD BOLTS, 2 HEX NUTS, A193	
	GR. B7/ A194 GR. 2H ZINC/BICHROMATE TREATED OR HOT DIPPED	
	GALVANIZED	
70.	Dia: 1 1/8", Length: 135 mm, Class 150; STUD BOLTS, 2 HEX NUTS, A193	
	GR. B7/ A194 GR. 2H ZINC/BICHROMATE TREATED OR HOT DIPPED	
L	GALVANIZED CONTROL OF THE CONTROL OF	
71.	9.5x75mm, (3/8"X3") LG. QUICK ANCHOR BOLTS (ANCHOR OR WALL	
70	MOUNT)	
72.	bolt 3/4", L=125mm, STUD BOLTS, 2 HEX NUTS, 2 WASHERS A193 GR. B7/	
1	A194 GR.2H, ZINC /BICHROMATE TREATED OR HOT DIPPED	
73.	U bolt 3/8", carbon steel and hot-dip galvanised as per BS EN ISO 1461, with	
13.	nuts and washers	
74.	U bolt 1/4", carbon steel and hot-dip galvanised as per BS EN ISO 1461, with	
'	nuts and washers	
75.	bolt 5/8", L=95mm, STUD BOLTS, 2 HEX NUTS, 2 WASHERS A193 GR. B7/	
' 0.	A194 GR.2H, ZINC /BICHROMATE TREATED OR HOT DIPPED	
1	GALVANIZED	
	PIPES	
76.	PIPE CAP 1500mm, (2") PIPE CAP	
77.	SCH. XS STEEL PIPE, HOT DIP GALVANIZED(50mm, (2")	
	. , , , , , , , , , , , , , , , , , , ,	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 22 of 102
Author	TFS Operations

 78. Pipe, 2" SCH160, SMLS, BE, ASME B36.10/API5L GR.B PSL2 79. Protection Steel Pipe DN25mm 80. Protection Steel Pipe DN50mm 81. 4" Diameter High Density Polyethylene pipe for drilling, crossing rivers and road reservation 82. High Density Polyethylene pipe cable protection pluo 83. 140mm steel pipe, wall thickness 4.5mm 84. cyclone desander, 20m3/h, 1.0MPa Vertical, carbon steel, including sand pipe and valve 85. lamp-pole, 6M HDG steel pipe and internal switch wire, foundation bolts and base 86. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE 87. PIPE, CARBON STEEL, 20" NPS, 26.19mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE 88. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE 89. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE 89. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BBRE 90. PIPE, CARBON STEEL, 16" NPS, 30.96mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 91. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 92. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 93. PIPE, CARBON STEEL, 10" NPS, 17.48mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 94. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 94. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 10" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 10" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 6" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS	CODE
 80. Protection Steel Pipe DN50mm 81. 4" Diameter High Density Polyethylene pipe for drilling, crossing rivers and road reservation 82. High Density Polyethylene pipe cable protection pluo 83. 140mm steel pipe, wall thickness 4.5mm 84. cyclone desander, 20m3/h, 1.0MPa Vertical, carbon steel, including sand pipe and valve 85. lamp-pole, 6M HDG steel pipe and internal switch wire, foundation bolts and base 86. PiPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 87. PIPE, CARBON STEEL, 20" NPS, 26.19mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 88. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 89. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 90. PIPE, CARBON STEEL, 16" NPS, 30.96mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 91. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 92. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 93. PIPE, CARBON STEEL, 10" NPS, 17.48mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 94. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 95. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, D	
 81. 4" Diameter High Density Polyethylene pipe for drilling, crossing rivers and road reservation 82. High Density Polyethylene pipe cable protection pluo 83. 140mm steel pipe, wall thickness 4.5mm 84. cyclone desander, 20m3/h, 1.0MPa Vertical, carbon steel, including sand pipe and valve 85. lamp-pole, 6M HDG steel pipe and internal switch wire, foundation bolts and base 86. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 87. PIPE, CARBON STEEL, 20" NPS, 26.19mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 88. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 89. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 90. PIPE, CARBON STEEL, 16" NPS, 30.96mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 91. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 92. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 93. PIPE, CARBON STEEL, 10" NPS, 17.48mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 94. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 94. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 95. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BBRE 96. PIPE, CARBON STEEL, 10" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BBRE 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BBRE COATED 98. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 8" NPS, 16.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BBRE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BBRE 99. PIPE, CAR	
Toad reservation	
Toad reservation	
 140mm steel pipe, wall thickness 4.5mm cyclone desander, 20m3/h, 1.0MPa Vertical, carbon steel, including sand pipe and valve lamp-pole, 6M HDG steel pipe and internal switch wire, foundation bolts and base PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE PIPE, CARBON STEEL, 20" NPS, 26.19mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED PIPE, CARBON STEEL, 16" NPS, 30.96mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E., BARE PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 12" NPS, 17.48mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 10" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 10" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE<td></td>	
 83. 140mm steel pipe, wall thickness 4.5mm 84. cyclone desander, 20m3/h, 1.0MPa Vertical, carbon steel, including sand pipe and valve 85. lamp-pole, 6M HDG steel pipe and internal switch wire, foundation bolts and base 86. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E. BARE 87. PIPE, CARBON STEEL, 20" NPS, 26.19mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E. BARE 88. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E. BARE 89. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E., FBE COATED 90. PIPE, CARBON STEEL, 16" NPS, 30.96mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E., BARE 91. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 92. PIPE, CARBON STEEL, 12" NPS, 17.48mm W.T. API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 93. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T. API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 94. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T. API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 95. PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T. API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 10" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 97. PIPE, CARBON STEEL, 1 O" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 99. PIPE, CARBON STEEL, 8" NPS, 16.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 99. PIPE, CARBON STEEL, 8" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 99. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 99. PIPE, CARBON ST	
 and valve lamp-pole, 6M HDG steel pipe and internal switch wire, foundation bolts and base PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE PIPE, CARBON STEEL, 20" NPS, 26.19mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E., FBE COATED PIPE, CARBON STEEL, 16" NPS, 30.96mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E., BARE PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 12" NPS, 17.48mm W.T. API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T. API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T. API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T. API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T. API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 10" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE PIPE, CARBON STEEL, 8" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. FBE COATED PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. FBE COATED PIPE,	
 85. lamp-pole, 6M HDG steel pipe and internal switch wire, foundation bolts and base 86. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE 87. PIPE, CARBON STEEL, 20" NPS, 26.19mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 88. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE 89. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 90. PIPE, CARBON STEEL, 16" NPS, 30.96mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E., BARE 91. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 92. PIPE, CARBON STEEL, 12" NPS, 17.48mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 93. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 94. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 95. PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 10" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 97. PIPE, CARBON STEEL, 10" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 	
 86. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE 87. PIPE, CARBON STEEL, 20" NPS, 26.19mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 88. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE 89. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL. B.E., FBE COATED 90. PIPE, CARBON STEEL, 16" NPS, 30.96mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E., BARE 91. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 92. PIPE, CARBON STEEL, 10" NPS, 17.48mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 93. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 94. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 95. PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 10" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BBARE 98. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 	
 87. PIPE, CARBON STEEL, 20" NPS, 26.19mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 88. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE 89. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL. B.E., FBE COATED 90. PIPE, CARBON STEEL, 16" NPS, 30.96mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 91. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 92. PIPE, CARBON STEEL, 12" NPS, 17.48mm W.T. API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 93. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 94. PIPE, CARBON STEEL. 10" NPS, 15.09mm W.T. API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 95. PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 1 O" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BBRE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BBRE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 	
 88. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E BARE 89. PIPE, CARBON STEEL, 16" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL. B.E., FBE COATED 90. PIPE, CARBON STEEL, 16" NPS, 30.96mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E., BARE 91. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 92. PIPE, CARBON STEEL, 12" NPS, 17.48mm W.T API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 93. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 94. PIPE, CARBON STEEL 10" NPS, 15.09mm W.T. API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 95. PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 1 O" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 	
 89. PIPE, CARBON STEEL, 16" NPS, 21 .44mm W.T., API SL GR. B (PSL-2), SMLS, DRL. B.E., FBE COATED 90. PIPE, CARBON STEEL, 16" NPS, 30.96mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E., BARE 91. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 92. PIPE, CARBON STEEL, 12" NPS, 17.48mm W.T API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 93. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E., BARE 94. PIPE, CARBON STEEL. 10" NPS, 15.09mm W.T API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 95. PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 1 O" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 99. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 99. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 90. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 	
SMLS. DRL, B.E., BARE 91. PIPE, CARBON STEEL, 16" NPS, 7.92mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 92. PIPE, CARBON STEEL, 12" NPS, 17.48mm W.T API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 93. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 94. PIPE, CARBON STEEL. 10" NPS, 15.09mm W.T API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 95. PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 1 O" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. FBE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E. BARE	
SMLS, DRL, B.E BARE 92. PIPE, CARBON STEEL, 12" NPS, 17.48mm W.T API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 93. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T. , API SL GR. B (PSL-2), SMLS. DRL, B.E., BARE 94. PIPE, CARBON STEEL. 10" NPS, 15.09mm W.T API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 95. PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 1 0" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E FBE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE	
SMLS, DRL, B.E., BARE 93. PIPE, CARBON STEEL, 10" NPS, 15.09mm W.T., API SL GR. B (PSL-2), SMLS. DRL, B.E., BARE 94. PIPE, CARBON STEEL. 10" NPS, 15.09mm W.T API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 95. PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 1 O" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E FBE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE	
2),SMLS. DRL, B.E., BARE 94. PIPE, CARBON STEEL. 10" NPS, 15.09mm W.T API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 95. PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 1 O" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E FBE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE	
 94. PIPE, CARBON STEEL. 10" NPS, 15.09mm W.T API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 95. PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 1 O" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E FBE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 	
 95. PIPE, CARBON STEEL, 10" NPS, 21.44mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 96. PIPE, CARBON STEEL, 1 O" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E FBE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL. B.E BARE 	
 96. PIPE, CARBON STEEL, 1 O" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., FBE COATED 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E FBE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL. B.E BARE 	
 97. PIPE, CARBON STEEL, 8" NPS, 12.70mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E., BARE 98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E FBE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL. B.E BARE 	
98. PIPE, CARBON STEEL, 8" NPS, 18.26mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E BARE 99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E FBE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL. B.E BARE	
99. PIPE, CARBON STEEL, 8" NPS, 6.35mm W.T., API SL GR. B (PSL-2), SMLS, DRL, B.E FBE COATED 100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL. B.E BARE	
100. PIPE, CARBON STEEL, 6" NPS, 10.97mm W.T., API SL GR. B (PSL-2), SMLS, DRL. B.E BARE	
SMLS, DRL, B.E BARE	
102. PIPE, CARBON STEEL, 6" NPS, 7.11mm W.T., API 5L GR. B (PSL-2), SMLS, DRL, B.E., BARE	
103. PIPE, CARBON STEEL, 6" NPS, 7.11mm W.T., API 5L GR. B (PSL-2), SMLS, DRL. B.E FBE COATED	
104. PIPE-4" SCH120, SMLS, BE: ASME 836.10/API 5L Gr. B PSL2	
105. PIPE-4" SCH80, SMLS, BE; ASME 836.10/API 5L Gr. B PSL2	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 23 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
106.	PIPE-4" SCH40, SMLS, BE; ASME 836.10/API 5L Gr. B PSL2	
107.	PIPE-4" MAN STD DESIGN, BELL AND SPIGOT TYPE END; FILAMENT	
	WOUND, ASTM D2310 TYPE 1 GRADE 1 CLASS F1	
108.	PIPE-4" MAN STD DESIGN, BELL AND SPIGOT TYPE TAPER/TAPER TYPE	
	END; FILAMENT WOUND, ASTM D2310 TYPE 1 GRADE 1 CLASS F1	
109.	PIPE-3" PIPE, CARBON STEEL, 4" NPS, 5.49mm W.T., API 5L GR. B (PSL-	
	2), SMLS, DRL, B.E., BARE	
110.	PIPE-3" SCH40, SMLS, BE; ASME 836.10/API 5L Gr. B PSL2	
111.	PIPE-3" SCH10S, SMLS/WELDED, EFW 100% RADIOGRAPHY, BE; ASME	
	836.10/836.19, ASTM A312 TP316UASTM A358 GRADE 316L CL 1	
112.	PIPE-3" MAN STD DESIGN, BELL AND SPIGOT TYPE TAPER/TAPER TYPE	
	END; FILAMENT WOUND, ASTM D2310 TYPE 1 GRADE 1 CLASS F1	
113.	PIPE-2" PIPE, CARBON STEEL, 2" NPS, 5.54mm W.T., API 5L GR. B I(PSL-	
	2), SMLS, DRL. B.E BARE	
114.	PIPE-2" SCH80, SMLS, BE; ASME 836.10/API 5L Gr. B PSL2	
115.	PIPE-2" PIPE, CARBON STEEL, 2" NPS, 5.49mm W.T., API 5L GR. B (PSL-	
	2), SMLS, DRL. B.E., BARE	
116.	PIPE-2" SCH40S, SMLS/WELDED, EFW 100% RADIOGRAPHY, BE; ASME	
	836.10/836.19, ASTM A312 TP316UASTM A358 GRADE 316L CL1	
117.	PIPE-2" MAN STD DESIGN, BELL AND SPIGOT TYPE END; FILAMENT	
	WOUND, ASTM D2310 TYPE 1 GRADE 1 CLASS F1	
118.	PIPE, CARBON STEEL, 2" NPS,8.74mm W.T., API 5L GR. B (PSL-2), SMLS,	
	DRL. B.E BARE	
119.	PIPE, CARBON STEEL, 1" NPS, 4.55mm W.T., API 5L GR. B (PSL-2), SMLS,	
	DRL, B.E., BARE	
120.	PIPE, CARBON STEEL, 1" NPS, 6.35mm W.T., API 5L GR. B (PSL-2), SMLS,	
	DRL, B.E BARE	
121.	PIPE,MAN STD DESIGN, 1" NPS, 4.55mm W.T. , FLAMENT WOUND, ASTM	
	D2310 TYPE1 GRADE 1 CLASS F1	
122.	1500mm, (2") SCH. XS STEEL PIPE, HOT DIP GALVANIZED	
123.	50mm, (2") PIPE CAP	
124.	DN25mm (Diameter Nominal) Protection Steel Pipe	
125.	DN50mm (Diameter Nominal) Protection Steel Pipe	
126.	GRE pipe 10", GLASS REINFORCED EPOXY, 10" NPS, PER 890 SPEC,	
467	CLASS STD	
127.	GRE pipe 8", GLASS REINFORCED EPOXY, 8" NPS, PER 890 SPEC,	
460	CLASS STD	
128.	GRE pipe 6", GLASS REINFORCED EPOXY, 6" NPS, PER 890 SPEC,	
400	CLASS STD	
129.	Copper - Nickel. Pipe (90/10) 4", SEAMLESS/WELDED, 108mmOD,	
420	4.0mmWT, EEMUA 144 SECT.1/SECT.2, UNS 7060X	
130.	Copper- Nickel. Pipe (90/10) 3", SEAMLESS/WELDED, 88.9mmOD,	
124	4.0mmWT. EEMUA 144 SECT.1/SECT.2, UNS 7060X	
131.	Copper- Nickel (90/10) 90° elbow 4", EQUAL TO PIPE THICKNESS, EEMUA	
420	144 SECT.1/SECT.2, UNS 7060X	
132.	Copper - Nickel (90/10) 90° tee 4"x2", EQUAL TO PIPE THICKNETSS,	
122	EEMUA 144 SECT.1/SECT.2, UNS 7060X	
133.	pipe 4", SCH10S, SMLS/WELDED, EFW, 100% RADIOGRAPHY, BE, ASME	
	836.10/836.19, ASTM A312 TP316UASTM A358 GRADE 316L CL1	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 24 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
134.	pipe 2", SCH40S, SMLS/WELDED, EFW, 100% RADIOGRAPHY, BE, ASME	
	836.10/836.19, ASTM A312 TP316UASTM A358 GRADE 316L CL 1	
135.	pipe 6", MAN STD DESIGN, BELLAND SPIGOT TYPE END, FILAMENT	
	WOUND, ASTM D2310 TYPE 1 GRADE 1 CALSS F1	
136.	pipe 4", MAN STD DESIGN, BELLAND SPIGOT TYPE END, FILAMENT	
	WOUND. ASTM D2310 TYPE 1 GRADE 1 CALSS F1	
137.	pipe 2", MAN STD DESIGN, BELLAND SPIGOT TYPE END, FILAMENT	
	WOUND, ASTM D2310 TYPE 1 GRADE 1 CALSS F1	
138.	20" PIPE , BE , SCH 100 , B36.10M ,CVN@ -29C (-20F)CS API 5L-X60N	
	PSL2 , SAW, DBL BTT, STRT SM, 100% X-RAY	
139.	20" PIPE , BE , SCH 120 , B36.10M ,CVN@ -29C (-20F)CS API 5L-X60N	
	PSL2 , SAW, DBL BTT, STRT SM, 100% X-RAY	
140.	18" PIPE , BE , SCH 100 , B36.10M ,CVN@ -29C (-20F)CS API 5L-X60N	
	PSL2 , SAW, DBL BTT, STRT SM, 100% X-RAY	
141.	18" PIPE, BE, SCH 80, B36.10MCS A671-CC60 CL. 22, EFW, DBL BTT,	
	STRT SM, 100% X-RAY	
142.	16" PIPE, BE, SCH 100, B36.10MITCS A333-6, SMLS	
143.	16" PIPE , BE , SCH 120 , B36.10MITCS A333-6 , SMLS	
144.	16" PIPE , BE , SCH 20 , B36.10MCS A106-B , SMLS	
145.	12" PIPE , BE , SCH 100 , B36.10MCSA106-B , SMLS	
146.	12" PIPE, BE, SCH 140, B36.10MITCS A333-6, SMLS	
147.	12" PIPE . BE , SCH 20 , B36.10MCSA106-B , SMLS	
148.	10" PIPE , BE, SCH 120 , B36.10MCSA106-B , SMLS	
149.	1 O" PIPE , BE , SCH 20 , B36.10MCSA106-B , SMLS	
150.	1 O" PIPE , BE , SCH 80 , B36.10MCSA106-B , SMLS	
151.	8" PIPE , BE, SCH 120, B36.10MCS A106-B , SMLS	
152.	8" PIPE , BE , SCH 20 , B36.10MCS A106-B , SMLS	
153.	8" PIPE, BE , STD , B36.10MCSA106-B , SMLS	
154.	6" PIPE , BE, STD, B36.10MCS A106-B, SMLS	
155.	6" PIPE , BE, XS , B36.10MCS A106-B , SMLS	
156.	4" PIPE , BE , SCH 120 , B36.10MCS A106-B, SMLS	
157.	4" PIPE , BE , SCH 160 , B36.10MCS A106-B , SMLS	
158.	4" PIPE , BE , STD , B36.10MCSA106-B , SMLS	
159.	4" PIPE, BE, XS, B36.10MCS A106-B, SMLS	
160.	4" PIPE , BE , XXS, B36.1 OMCS A 106-B , SMLS	
161.	3" PIPE , BE , SCH 160 , B36.10MCS A106-B , SMLS	
162.	3" PIPE , BE, STD, B36.10MCS A106-B, SMLS	
163.	3" PIPE , BE , XS , B36.10MCS A106-B , SMLS	
164.	3" PIPE , BE, XXS, B36.10MCS A106-B , SMLS	
165.	2" PIPE , BE , SCH 160 , B36.10MCS A106-B , SMLS	
166.	2" PIPE , BE , XS , B36.10MCS A106-B, SMLS	
167.	2" PIPE , BE , XXS , B36.10MCS A106-B , SMLS	
168.	1.1/2"PIPE, BE , XXS , B36.10MCS A106-B , SMLS	
169.	1" PIPE , BE , XXS , B36.10MCS A106-B , SMLS	
170.	1" PIPE, PE, XXS, B36.10M, GALV A53CS A106-B, SMLS, T&C (6000 FS)	
474	FLANGES	
171.	REMOTE MOUNT FLANGED SEAL SYSTEM	
172.	Flange 2" WNF, RF, CL600 ASME B16.5/A 105N	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 25 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
173.	Water purifier, 90m3/h, working pressure 0.4~ 0.6mpa Tubular type,	
	sterilization rate :?:99%, desion pressure 1.0mpa, SS304, flanoe connection	
174.	filter, dn80 1.0MPA Y model, 10 mesh, housing carbon steel, inner SS316,	
	flange connection	
175.	FLANGE, WELD NECK, CARBON STEEL, CL 600, 24" NPS, RF, BORE : 21	
	.562", ASTM A105N, PER ASME B16.5	
176.	FLANGE, WELD NECK, CARBON STEEL, CL 900, 24" NPS, RJ, BORE:	
	20.938", ASTM A694 F60, PER ASME B16.5	
177.	FLANGE, WELD NECK, CARBON STEEL, CL 150, 24" NPS, RF, BORE:	
	23.250", ASTM A105N, PER ASME B16.5	
178.	FLANGE, WELD NECK, CARBON STEEL, CL 900, 20" NPS, RJ, BORE:	
	20.938", ASTM A694 F60, PER ASME B16.5	
179.	FLANGE, WELD NECK, CARBON STEEL, CL 150, 16" NPS, RF, BORE:	
	15.376", ASTM A105N, PER ASME B16.5	
180.	FLANGE, WELD NECK, CARBON STEEL, CL 600, 16" NPS, RF,	
	BORE:14.312", ASTM A105N, PER ASME B16.5	
181.	FLANGE, WELD NECK, CARBON STEEL, CL 900, 16" NPS, RJ,	
	BORE:13.562", ASTM A105N, PER ASME B16.5	
182.	FLANGE, BLIND, CARBON STEEL, CL 150, 16" NPS, RF, ASTM A105N,	
100	PER ASME B16.5	
183.	FLANGE, WELD NECK, CARBON STEEL, CL 600, 12" NPS, RF, BORE:11	
404	.374", ASTM A105N, PER ASME B16.5	
184.	FLANGE, WELD NECK, CARBON STEEL, CL 600, 10" NPS, RF, BORE:	
185.	9.562", ASTM A105N, PER ASME B16.5 FLANGE, WELD NECK, CARBON STEEL, CL 150, 10" NPS, RF, BORE:	
100.	10.250", ASTM A105N, PER ASME B16.5	
186.	FLANGE, WELD NECK, CARBON STEEL, CL 900, 10" NPS, RJ,	
100.	BORE:9.062", ASTM A105N, PER ASME B16.5	
187.	FLANGE, WELD NECK, CARBON STEEL, CL 600, 8" NPS, RF, BORE:	
107.	7.625", ASTM A105N, PER ASME B16.5	
188.	FLANGE, WELD NECK, CARBON STEEL, CL 900, 8" NPS, RJ, BORE:7.187",	
	ASTM A105N, PERASME B16.5	
189.	FLANGE, WELD NECK, CARBON STEEL, CL 600, 6" NPS, RF, BORE:	
	5.761", ASTM A105N, PER ASME B16.5	
190.	FLANGE, WELD NECK, CARBON STEEL, CL 150, 6" NPS, RF, BORE:6.065",	
	ASTM A105N, PER ASME B16.5	
191.	FLANGE, WELD NECK, CARBON STEEL, CL 900, 6" NPS, RJ, BORE:5.501	
	", ASTM A105N, PER ASME B16.5	
192.	GRE flange 10". SOLID FLG, FF, MAN STD DESIGN TO SUIT CL150, ASTM	
	D2310 TYPE 1 GRADE 1 CLASS F	
193.	GRE flange 8", SOLID FLG, FF, MAN STD DESIGN TO SUIT CL 150,	
	ASTMD2310 TYPE 1 GRADE 1 CLASS F	
194.	GRE flange 6", SOLID FLG, FF, MAN STD DESIGN TO SUIT CL 150, ASTM	
	D2310 TYPE 1 GRADE 1 CLASS F	
195.	GRE blind flange 10", GLASS REINFORCED EPOXY, CL 150, 10" NPS,	
	FF,PER B90 SPEC, CLASS 150	
196.	GRE blind flange 8", GLASS REINFORCED EPOXY, CL 150, 10" NPS,	
	FF,PER B90 SPEC, CLASS 150	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 26 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
197.	Copper - Nickel (90/10) flange 4", SLIP-ON STUB END W/ BACKING	
	RING,FF, 20 BAR, EEMUA 145 SECT.2, UNS 7060X	
198.	Copper- Nickel (90/10) flange 2", SLIP-ON STUB END W/ BACKING RING,	
	FF, 20 BAR, EEMUA 145 SECT.2, UNS 7060X	
199.	Copper - Nickel (90/10) . blind flange 4", SLIP-ON STUB END W/ BACKING	
000	RING, FF, 20 BAR, EEMUA 145 SECT.2, UNS 7060X	
200.	Copper - Nickel (90/10) . blind flange 2", SLIP-ON STUB END W/ BACKING	
201.	RING, FF, 20 BAR, EEMUA 145 SECT.2, UNS 7060X flange 4", WNF, RF, CL 150, ASME B16.5/A182 F316L, SMOOTH FINISH	
201.	FACING 3.2-6.3um Ra	
202.	flange 2", WNF, RF, CL 150, ASME B16.5/A182 F316L, SMOOTH	
202.	FINISHFACING 3.2-6.3um Ra	
203.	blind flange 4", RF, CL 150, ASME B16.5/A182 F316L, SMOOTH FINISH	
	FACING 3.2-6.3µm Ra	
204.	blind flange 2", RF, CL 150, ASME B16.5/A182 F316L, SMOOTH FINISH	
	FACING 3.2-6.3µm Ra	
205.	flange 6", SOLID FLG, FF, MAN STD DESIGN TO SUIT CL 150, ASTM D2310	
	TYPE 1 GRADE 1 CALSS F	
206.	flange 4", SOLID FLG, FF, MAN STD DESIGN TO SUIT CL 150, ASTMD2310	
	TYPE 1 GRADE 1 CALSS F	
207.	flange 2", SOLID FLG, FF, MAN STD DESIGN TO SUIT CL 150, ASTMD2310	
200	TYPE 1 GRADE 1 CALSS F	
208.	blind flange 6", FLAT RING, CL 150 ASME B16.21 , NEOPRENE, 3 MM THICK	
209.	blind flange 4", FLAT RING, CL 150 ASME B16.21, NEOPRENE, 3 MM	
203.	THICK	
210.	blind flange 2", FLAT RING, CL 150 ASME B16.21, NEOPRENE, 3 MM THICK	
211.	20"WN FLG, CL900, RJ, SCH 100 ,B16.5 ,CVN@ -29C (-20F) CS A694-F60	
212.	20"WN FLG, CL900, RJ, SCH 120 ,B16.5 ,CVN@ -29C (-20F) CS A694-F60	
213.	18"WN FLG , CL 1500 , RJ , SCH 80 , B16.5CS A105N	
214.	18"WN FLG, CL900, RJ, SCH 100 ,B16.5 ,CVN@ -29C (-20F) CS A694-F60	
215.	16"WN FLG , CL900 , RJ, SCH 120 , B16.5ITCS A350-LF2 CL.1	
216.	12"WN FLG , CL1500 , RJ, SCH 100 , B16.5CS A105N	
217.	12"WN FLG, CL600 , RF, SCH 100, B16.5CS A105N	
218.	12"WN FLG, CL900, RJ, SCH 140, B16.5ITCS A350-LF2 CL.1	
219.	10"WN FLG, CL 1500, RJ, SCH 120 , B16.5CS A105N	
220.	10"WN FLG, CL900 , RJ , SCH 120 , B16.5CS A105N	
221.	10"WN FLG, CL900, RJ, SCH 140, B16.5ITCS A350-LF2 CL.1	
222.	8"WN FLG , CL150 , RF, SCH 20, B16.5CS A105N	
223.	8"WN FLG, CL 1500, RJ, SCH 120 , B16.5CS A105N	
224. 225.	8"WN FLG , CL 1500 , RJ, SCH 140 , B16.5CS A105N 8"WN FLG, CL900, RJ , SCH 120, B16.5CS A105N	
226.	6"WN FLG, CL150, RF, STD, B16.5CSA105N	
227.	6"WN FLG, CL 150, RF, XS, B16.5CS A105N	
228.	4"WN FLG , CL150 , RF, SCH 120 , B16.5CSA105N	
229.	4"WN FLG , CL 1500, RJ , SCH 120 , B16.5CS A105N	
230.	4"WN FLG , CL600 , RF, SCH 120 , B16.5CS A105N	
231.	4"WN FLG , CL600, RF , SCH 160 , B16.5CS A105N	
232.	4"WN FLG , CL600, RF , XS , B16.5CS A105N	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 27 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
233.	4"WN FLG, CL900, RJ, SCH 120, B16.5CS A105N	
234.	4"WN FLG, CL900, RJ, XXS, B16.5CS A105N	
235.	3"WN FLG, CL150, RF, SCH 160, B16.5CSA105N	
236.	3"WN FLG, CL 150, RF, SCH 40S, B16.5316/316L SS A182-F316/F316L	
237.	3"WN FLG , CL 150, RF, STD , B16.5CS A105N	
238.	3"WN FLG, CL 1500, RJ, SCH 160, B16.5CS A105N	
239.	3"WN FLG, CL600, RF, SCH 160, B16.5CS A105N	
240.	3"WN FLG , CL900 , RJ , XXS , B16.5CS A105N	
241.	2"WN FLG, CL 150, RF, SCH 40S, B16.5316/316L SS A182-F316/F316L	
242.	2"WN FLG, CL 150, RF, SCH 80S, B16.5904L SS A182-F904L	
243.	2"WN FLG, CL150, RF, XS, B16.5CS A105N	
244.	2"WN FLG, CL 1500, RJ, SCH 160, B16.5CS A105N	
245.	2"WN FLG, CL 1500, RJ, SCH 80S, B16.5904L SS A182-F904L	
246.	2"WN FLG, CL1500 , RJ, XS , B16.5CS A105N	
247.	2"WN FLG , CL 1500 , RJ , XXS , B16.5CS A105N	
248.	2"WN FLG, CL 1500, RJ, XS, B16.5CS A105N	
249.	2"WN FLG, CL300, RF, SCH 160, B16.5CS A105N	
250.	2"WN FLG, CL300, RF, SCH 40S, B16.5316/316L SS A182-F316/F316L	
251.	2"WN FLG , CL300, RF, XS , B16.5CS A105N	
252.	2"WN FLG , CL600 , RF , SCH 160, B16.5CS A105N	
253.	2"WN FLG , CL600 , RF , XS , B16.5CS A105N	
254.	2"WN FLG , CL600 , RF , XXS , B16.5CS A105N	
255.	1.5""WN FLG , CL150 , RF, XXS, B16.5CS A105N	
256.	1.5""WN FLG , CL 1500, RJ , SCH 80S, B16.5904L SS A182-F904L	
257.	1.5""WN FLG, CL1500, RJ, XXS, B16.5CS A105N	
258.	1"WN FLG, CL 150, RF, SCH 80S, B16.5316/316L SS A182-F316/F316L	
259.	1"WN FLG , CL 150 , RF, SCH 80S, B16.5904L SS A182-F904L	
260.	1"WN FLG , CL 150 , RF, XXS , B16.5CS A105N	
261.	1"WN FLG, CL 1500 , RJ , XXS, B16.5CS A105N	
262.	1"WN FLG, CL600, RF, XXS, B16.5CS A105N	
263.	WN FLG , CL600 , RF , XXS , B16.5CS A105N	
264.	8"BLIND FLG , CL150, RF , B16.5CS A105N	
265.	6"BLIND FLG, CL 150 , RF, B16.5CS A105N	
266.	4"BLIND FLG, CL150, RF, B16.5CS A105N	
267.	2"BLIND FLG , CL 150, RF , B16.53161316L SS A182-F316/F316L	
268.	2"BLIND FLG , CL150, RF , B16.5904L SS A182-F904L	
269.	2"BLIND FLG , CL150 , RF, B16.5CS A105N	
270.	2"BLIND FLG, CL 1500, RJ, B16.5904L SS A182-F904L	
271.	2"BLIND FLG , CL 1500, RJ, B16.5CS A105N	
272.	2"BLIND FLG , CL300 , RF, B16.5316/316L SS A182-F316/F316L	
273.	2"BLIND FLG, CL600, RF , B16.5CS A105N	
274.	1.5""BLIND FLG , CL 1500, RJ , B16.5904L SS A182-F904L	
275.	1"BLIND FLG , CL150 , RF , B16.5316/316L SS A182-F316/F316L	
276.	1"BLIND FLG , CL 150 , RF , B16.5904L SS A182-F904L	
277.	1"BLIND FLG, CL150 , RF , B16.5CS A105N	
278.	1"BLIND FLG, CL1500, RJ , B16.5CSA105N	
279.	1"BLIND FLG , CL600 , RF , B16.5CS A105N	
	GASKET	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 28 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
280.	20"GASKET, RJ, OCT, CL900, B16.5, B16.20SOFT IRON	
281.	18"GASKET, RJ, OCT, CL900, B16.5, B16.20SOFT IRON	
282.	16"GASKET, RJ, OCT, CL900, B16.5, B16.20SOFT IRON	
283.	12"GASKET, RJ, OCT, CL900, B16.5, B16.20SOFT IRON	
284.	12"GASKET, SPIRAL WOUND, 1/8" (3.2 MM) THK, 316L SS INNER RING,	
	316L SS OUTER RING , CL600 , B16.5 , B16.20316L SS-FG	
285.	10"GASKET, RJ , OCT , CL 1500 , B16.5, B16.20SOFT IRON	
286.	10"GASKET, RJ, OCT, CL900, B16.5, B16.20SOFT IRON	
287.	8"GASKET, RJ, OCT, CL1500, B16.5, B16.20SOFT IRON	
288.	8"GASKET, RJ, OCT, CL900 , B16.5 , B16.20SOFT IRON	
289.	8"GASKET, SPIRAL WOUND LOW STRESS, 118" (3.2 MM) THK, 316L SS	
	INNER RING, 316L SS OUTER RING, CL 150, B16.5, B16.20316L SS-FG	
290.	6"GASKET , SPIRAL WOUND LOW STRESS , 1/8" (3.2 MM) THK , 316L SS	
	INNER RING, 316L SS OUTER RING, CL 150, B16.5, B16.20316L SS- FG	
291.	4"GASKET , RJ, OCT , CL900 , B16.5, B16.20SOFT IRON	
292.	4"GASKET, SPIRAL WOUND, 1/8" (3.2 MM) THK, 316L SS INNER RING,	
	316L SS OUTER RING , CL600, B16.5. B16.20316L SS-FG	
293.	4"GASKET, SPIRAL WOUND LOW STRESS, 1/8" (3.2 MM) THK, 316L SS	
004	INNER RING, 316L SS OUTER RING, CL 150, B16.5, B16.20316L SS-FG	
294.	3"GASKET, RJ, OCT, CL900, B16.5, B16.20SOFT IRON	
295.	3"GASKET, SPIRAL WOUND, 1/8" (3.2 MM) THK, 316L SS INNER RING,	
200	316L SS OUTER RING, CL600 , B16.5 , B16.20316L SS-FG 3"GASKET, SPIRAL WOUND LOW STRESS , 1/8" (3.2 MM) THK , 316LSS	
296.	3 GASKET, SPIRAL WOUND LOW STRESS, 1/8 (3.2 MM) THK, 316LSS INNER RING, 316L SS OUTER RING, CL 150, B16.5, B16.20316L SS-FG	
297.	2"GASKET, RJ, OCT, CL 1500, B16.5, B16.20316 SS	
298.	2"GASKET , RJ, OCT , CL 1500, B16.5, B16.20SOFT IRON	
299.	2"GASKET, SPIRAL WOUND, 1/8" (3.2 MM) THK, 316L SS INNER RING,	
	316L SS OUTER RING , CL600. B16.5, B16.20316L SS-FG	
300.	2"GASKET, SPIRAL WOUND LOW STRESS, 1/8" (3.2 MM) THK, 316L SS	
	INNER RING, 316L SS OUTER RING, CL 150 , B16.5 , B16.20316L SS- FG	
301.	1.5""GASKET , RJ, OCT, CL 1500, B16.5, B16.20316 SS	
302.	1.5""GASKET , RJ, OCT , CL 1500, B16.5 , B16.20SOFT IRON	
303.	1.5""GASKET, SPIRAL WOUND, 1/8" (3.2 MM) THK, 316L SS INNER RING,	
	316L SS OUTER RING , CL600 , B16.5 , B16.20316L SS-FG	
304.	1.5""GASKET, SPIRAL WOUND LOW STRESS, 1/8" (3.2 MM) THK, 316L	
	SS INNER RING , 31 6L SS OUTER RING, CL 150 , B16.5 , B16.20316L SS-	
205	FG	
305.	1"GASKET, RJ, OCT, CL 1500, B16.5, B16.20SOFT IRON	
306.	1"GASKET, SPIRAL WOUND, 1/8" (3.2 MM) THK, 316L SS INNER RING,	
307.	316L SS OUTER RING , CL600. B16.5 , B16.20316L SS-FG 1"GASKET , SPIRAL WOUND LOW STRESS , 1/8" (3.2 MM) THK , 316L SS	
307.	INNER RING, 316L SS OUTER RING, CL 150, B16.5, B16.20316L SS-FG	
308.	Gasket 10", NEOPRENE, 5mm THICK, FLAT RING, CL 150, PER B90 SPEC,	
500.	CLASS 150	
309.	Gasket 8", NEOPRENE, 5mm THICK, FLAT RING, CL 150, PER B90 SPEC,	
509.	CLASS 150	
310.	Gasket 6", NEOPRENE, 3mm THICK, FLAT RING, CL 150, PER B90 SPEC,	
J . J .	CLASS 150	
	HDPE Casing	
	ı J	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 29 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
311.	HOPE casing flat sheet Casing size:500mm / HOPE	
	SIZE:2580mm*700mm*5mm	
312.	HOPE casing flat sheet Casing size:700mm / HOPE	
	SIZE:2580mm*700mm*5mm	
313.	HOPE casing tube Casing size: 500mm / HOPE SIZE:700mm, diameter :	
	800mm	
	Welding materials	
314.	E9018φ3.2mm	
315.	E7016φ3.2mm	
316.	ER70S-3φ1 .0mm	
317.	ER70S-6φ2.4mm	
318.	ER316L 2.4mm	
319.	ER385 2.4mm	
320.	E7018 3.2mm	
	Professional Material for Pipeline Hydro-Test And Intelligent Gauging	
	Work	
321.	pig receiver Φ610	
322.	Pig Launcher Φ610	
323.	Elliptical head Φ610	
324.	Welded gate valve DN50 25Mpa	
325.	Welded gate valve DN150 25Mpa	
326.	High-pressure elbow DN50 25Mpa	
327.	Needle valve DN15 25Mpa	
328.	Transition joint Internal 201 .5, External 1/2NPT 25Mpa	
329.	Forged internal thread plug DN50 25Mpa	
330.	Threaded plug External 1/2NPT 25Mpa	
331.	Threaded plug 1/2 NPT	
332.	Single thread head L245 DN50200mm 25Mpa	
333.	Single thread head DN50 PN250, Length 150mm	
334.	Single thread head L245 DN15100mm 25Mpa	
335.	Single thread head DN15 PN250, Length 180mm	
336.	Single thread head 4 inches, 15cm	
337.	Boss DN600-DN150 25Mpa	
338.	Boss DN600-DN50 25Mpa	
339.	Boss DN600-DN15 25Mpa	
340.	Boss DN50 PN250	
341.	Boss DN15 PN250	
342.	Carbon steel inner and outer ring metal wound gasket 2 inches class 600	
343.	Carbon steel inner and outer ring metal wound gasket 3 inches class 600	
344.	Carbon steel inner and outer ring metal wound gasket 4 inches class 600	
345.	Carbon steel inner and outer ring metal wound gasket 6 inches class 600	
346.	Carbon steel inner and outer ring metal wound gasket 8 inches class 600	
347.	Carbon steel inner and outer ring metal wound gasket 12 inches class 600	
348.	Carbon steel inner and outer ring metal wound gasket 16 inches class 600	
349.	Carbon steel inner and outer ring metal wound gasket 18 inches class 600	
350.	Carbon steel inner and outer ring metal wound gasket 20 inches class 600	
351.	Carbon steel inner and outer ring metal wound gasket 24 inches class 600	
352.	Butt welding flange 4 inches, class 600, RF	
353.	Butt welding flange 2 inches, class 600, RF	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 30 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
354.	Butt welding flange 2 inches, class 150, RF	
355.	Flange blind plate 2" CL600	
356.	Flange blind plate 4" CL600	
357.	Flange blind plate 6" CL600	
358.	Flange blind plate 8" CL600	
359.	Stainless steel ball valve DN50 2.SMpa	
360.	Eight straight plate pig launcher DN600	
361.	Magnetic pig launcher DN600	
362.	Tracker DN600	
363.	Guide plate DN600	
364.	Bowl-shaped pig bowt DN600	
365.	Flat plate pig bowt DN600	
366.	Isolation plate DN600	
367.	Diameter measuring plate DN600	
368.	Steel wire brush DN600	
369.	Sponge ball DN600	
370.	Pressure gauge buffer tube DN15 PN25Mpa	
371.	Double-ended threaded bolt M30140	
372.	Barley paper 0.7mm	
373.	Water supply pipe DN100	
374.	High-pressure rubber hose DN32 25MPa	
	Specialized Material for NDT	
375.	AUT test block Φ610	
376.	Film AGFA C5 (C7) 305M* 80CM	
377.	Developer solution G335	
378.	Fixer solution G 135	
379.	Dark bag 2020• 80	
380.	Dark bag 500•80	
381.	Dark bag 300•80	
382.	Sensitizing screen 2020•80•0.05	
383.	Sensitizing screen 500•80•0.05	
384.	Sensitizing screen 300• 80•0.05	
385.	Darkroom red light HG-II	
386.	Lead apron	
387.	Image quality indicator ASTM A type	
388.	Image quality indicator ASTM B type	
389.	Image quality indicator ASTM C type	
390.	Marker tape Φ610	
391.	Magnet Bar-shaped (for patches)	
392.	Digital lead code 0 to 9	
393.	Lead code	
394.	English lead code Center mark Up arrow	
395.	Lead box 26 letters	
396.	Magnetic patch frame 400mmx70mm	
397.	Black and white density strip DV-9A	
398.	Audio frequency alarm	
399.	Digital alarm	
400.	Warning tape Development and fixation	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 31 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
401.	Film washer cleaner Soft film	
402.	Film washer cleaner Soft film	
403.	Contrast enhancer	
404.	Red magnetic suspension liquid JB-T6064-A	
405.	Black magnetic suspension liquid JB-T6064-B3	
406.	Black light H-ST	
407.	Penetration test block NDT-1	
408.	Penetration test block A-30/1 oo	
409.	Color penetrant C-15/50	
410.	Measuring tube 2.5PK2.0 (9•9)	
411.	Magnetic particle test strip 2.SPK2.5 (9•9)	
412.	Magnetic particle test strip 5P 9•9 K2	
413.	Angle probe 5P 9•9 K2.5	
414.	Angle probe φ20-25	
415.	Angle probe Suitable for PXUT-350+	
416.	Angle probe SGB-6	
417.	Straight probe CSK-IA	
418.	Probe cable CSK-IIA-1	
419.	Ultrasonic test block CSK-IIA-2	
420.	Ultrasonic test block "Plate thickness greater than 20mmSensitivity test	
421.	Ultrasonic test block CSK-IIIA	
422.	Ultrasonic test block	
	Pipeline welding	
423.	Top plate	
424.	Lifting Air-bag φ610	
425.	Line blind φ610	
426.	External Line-up Clamp(Jackscrew) φ610	
427.	External Line-up Clamp (Hydraulic) φ610	
428.	External Line-up Clamp(Jackscrew) φ508	
429.	External Line-up Clamp(Jackscrew) φ457	
430.	External Line-up Clamp(Jackscrew) φ406	
431.	External Line-up Clamp(Jackscrew) φ304	
432.	External Line-up Clamp(Jackscrew) φ254	
433.	External Line-up Clamp(Jackscrew) φ230	
434.	External Line-up Clamp(Jackscrew) φ152	
435.	External Line-up Clamp(Jackscrew) φ102	
436.	Chain Flame Cutting Machine CG2-11 G	
437.	Track Cutting Machine 813	
438.	Magnetic Cutting Machine CG2-11	
439.	Ring-Shaped Flame Heater	
440.	Demagnetizer	
441.	Heat Treatment Equipment	
442.	Welding Electrode Oven	
443.	Toothless Saw	
444.	Hydraulic Wrench	
445.	Torque Wrench	
446.	Auto-matic welding workshop 610	
447.	welding workshop 610	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 32 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
448.	Field Joint Coating Paint products	
449.	Field Joint Coating HOPE Jacket	
450.	Field Joint Coating PUF	
451.	Valves (ball valves and gate valves) less 2 inches	
452.	Cable Tray	
453.	Steel structure buildings	
100.	Temporary importation equipment	
454.	Side boom with spare parts Model:DGY40G	
455.	Mobile welding workshop Model:YZDZ140	
456.	Generator/Generating sets Model: HDP63/GEP88/JHK-110GF/HDC188-	
400.	F/100GFPD	
457.	Excavator Model:SY375	
458.	Loader Model:WA470-3	
459.	Automatic Welding machine with spare parts Model:CPP900-WIN	
460.	Manual Welding machine with spare parts Model:WS5-400	
461.	Beveling Machine	
462.	Vacuum suction	
463.	Generator/Generating sets Model JC40GF Power:40KW	
464.	Generator/Generating sets Model JC240GF Power:240KW	
465.	LV Switchgear	
466.	Power distribute cabinet	
467.	Air Compressor	
468.	Air Booster Compressor	
469.	Centrifugal Pump (Water Injection)	
470.	Hydro Test Pump	
471.	Nitrogen Generator/Generating sets	
472.	Drying Machinery	
473.	Pig Launcher & Receiver	
474.	Dead Weight Tester	
475.	Pressure Recorder	
476.	Temperature Recorder	
477.	Deep well pump	
478.	Submersible pump	
479.	GPS	
480.	Air Dryer System	
481.	Vacuum Blasting System	
482.	Vacuum blasting Actuator	
483.	Sand blasting Pot	
484.	Plural Pump System	
485.	Spray Actuator	
486.	HDPE Welding Machine	
487.	PUF Foaming Machine	
488.	Manual PE Extruder	
489.	Airless Spray Machine	
490.	Welding control box	
491.	Vacuum Lifter	
492.	Operation Record Book	
493.	Hydraulic station	
	y and and diddien	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 33 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
494.	Internal Line-up Clamp	
495.	Swing frame	
496.	Axle	
497.	Vacuum Suction Cup	
498.	Welding trolley	
499.	Welding rod oven	
500.	Self-Generating Welding Machine	
501.	Toolbox	
502.	Degaussing equipment	
503.	Standard part of Vacuum Lifter	
504.	Welding torch	
505.	Pipelayer (with accessories)	
506.	Crawler cranes C with accessories)	
507.	Welding tractor	
508.	Hydraulic excavator	
509.	Loader(incl. 4units)	
510.	Beveling machine platform	
	Other construction materials	
511.	Lifting Air-bag φ1 .Sm	
512.	Agan arc welding gun 300A	
513.	Tungsten electrode 2.4mm	
514.	Tungsten electrode 3.00mm	
515.	Tungsten electrode holder 2.4mm	
516.	Tungsten electrode holder 3.0mm	
517.	Tungsten electrode tail tube	
518.	Tungsten electrode ceramic nozzle 12.5/60	
519.	Tungsten electrode ceramic nozzle 9.5/60	
520.	Tungsten electrode ceramic nozzle 9.5/41	
521.	Electrode holder 300A	
522.	Electrode holder 500A	
523.	Cable lug (cupreous) DT-120	
524.	Cable luQ C cupreous) 500A	
525.	Welding rod drying box 20kg	
526.	Thermostat container for electrode DHT-10 220/400"C	
527.	Magnetic CuttinQ Machine CG2-11	
528.	Chain Flame Cutting Machine CG2-11G 760	
529.	Ghain CG2-11	
530.	Cutting tip CG2-11	
531.	External Line-up Clamp C Hydraulic) φ610	
532.	External Line-up Clamp(Jackscrew) φ610	
533.	Ring-Shaped Flame Heater φ610	
534.	Auto-matic welding workshop	
535.	welding workshop	
536.	Quick-connector KDP70C(red)	
537.	Quick-connector KDP70C(black)	
538.	Quick socket KDZ70C(red)	
539.	Quick socket KDZ70C(black)	
540.	Argon gas flow regulator YQYL-2	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 34 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
541.	Diode module MMF200ZB040DK1	
542.	IGBT module GD75HFU120C1S (with G, E board)	
543.	Three-phase rectifier bridcie MDS75D-12	
544.	Miniature circuit breaker NDB1-63 C40A/3P	
545.	Gas valve DF2-3-B/24VDC	
546.	Rotary knob KYP27-16-6	
547.	Sensor HAS400-S/sp50	
548.	Fourteen-core socket BMS 3102S 20-27N+RG20	
549.	Fourteen-core plug BMS 3106P 20-27N 20A	
550.	Display board 2471	
551.	Main control board 1039	
552.	TIG arc initiation control board 2822	
553.	Output positive copper bar DXP-500-010020	
554.	Quick-connector 21 KA TFOSMPX	
555.	Agon arc welding gun head QQ-300A	
556.	Control transformer NB-500H-010026	
557.	Male head partition pneumatic joint PHB 8	
558.	Tungsten electrode holder <1>2.4 300A	
559.	Tungsten electrode holder <1>3.0(QQ300A)	
560.	Tungsten electrode ceramic nozzle 9#•60(QQ300A)	
561.	Tungsten electrode ceramic nozzle 12#•60(QQ300A)	
562.	Tungsten electrode tail tube QQ-300A	
563.	Seal ring QQ-300A	
564.	High-frequency Agon arc welding gun QQ-300A	
565.	Track disc spring CPP900 - W1 N	
566.	Track connecting block CPP900 - W1 N	
567.	Track locking bolt washer CPP900 - W1 N	
568.	Track locking screw CPP900 - W1 N	
569.	Rubber gasket CPP900 - W1 N	
570.	Track installation special wrench CPP900 - W1 N	
571.	Track adjustment pad CPP900 - W1N	
572.	Track adjustment pad CPP900 - W1 N	
573.	Track adjustment pad CPP900 - W1 N	
574.	Track adjustment pad CPP900 - W1N	
575.	Track extension bracket CPP900 - W1N	
576.	Track 813	
577.	Conductive nozzle 1.0*48	
578.	Conductive nozzle 1. 0*48	
579.	Conductive nozzle 1.2*55	
580.	Conductive nozzle 1.2*48	
581.	Conductive nozzle 1.2•55	
582.	Conductive nozzle lock nut CPP900 - W1 N	
583.	Wire quick plug male connector CPP900 - W1 N	
584.	Wire quick plug female connector CPP900 - W1N	
585.	Welding gun CPP900 - W1 N	
586.	Gun inner wire guide tube CPP900 - W1 N	
587.	Guide tube (including connector) CPP900 - W1 N	
588.	Gas hose quick connector CPP900 - W1 N	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



	Version	1
	Date	02/23/2024
	Page	Page 35 of 102
	Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE	
589.	Gas hood CPP900 - W1 N		
590.	Gas hood sealing ring CPP900 - W1 N		
591.	Synchronous belt CPP900 - W1N		
592.	Wire feed motor drive gear CPP900 - W1 N		
593.	Wire feed wheel CPP900 - W1 N		
594.	Wire feed wheel CPP900 - W1 N		
595.	Pressure wheel CPP900 - W1 N		
596.	Welding cart control line CPP900 - W1 N		
597.	Welding cart special wrench CPP900 - W1 N		
598.	Cart connection plate insulating sleeve CPP900 - W1 N		
599.	Cart connection plate insulating sleeve CPP900 - W1 N		
600.	Straightening mechanism glass cover plate CPP900 - W1 N		
601.	Swing protective cover CPP900 - W1 N		
602.	Angle sensor CPP900 - W1N		
603.	Air-electric hybrid block CPP900 - W1 N		
604.	Air-electric cable CPP900 - W1 N		
605.	Up and down stepper motor CPP900 - W1 N		
606.	Left and right stepper motor CPP900 - W1 N		
607.	Wire feed motor CPP900 - W1 N		
608.	Walking motor CPP900 - W1 N		
609.	Walking motor encoder CPP900 - W1 N		
610.	Coupler CPP900 - W1 N		
611.	Wire feeder outlet wire guide nozzle CPP900 - W1 N		
612.	Wire feeder inlet wire guide nozzle CPP900 - W1 N		
613.	Wire feed wheel connection insulated guide tube CPP900 - W1 N		
614.	Feedback line CPP900 - W1 N		
615.	Synchronous pulley- driven CPP900 -W1N		
616.	Synchronous pulley - driven CPP900 - W1 N		
617.	Synchronous belt tensioner CPP900 - W1N		
618.	Cart chassis handle CPP900 -W1N		
619.	Cart clampinci handle CPP900 -W1N		
620.	Wire reel locking nut CPP900 - W1 N		
621.	Wire feeder adjustment handle CPP900 - W1 N		
622.	Splash ciuard CPP900 - W1 N		
623.	Guide connection plate CPP900 - W1 N		
624.	Ball screw - horizontal CPP900 - W1 N		
625.	Ball screw - vertical CPP900 - W1 N		
626.	Welding extension board - right CPP900 - W1 N		
627.	Welding extension board - left CPP900 - W1 N		
628.	Welding gun wire guide tube connector CPP900 - W1 N		
629.	Welding gun wire guide tube copper sleeve CPP900 - W1 N		
630.	Cross slide plate splash cowhide coil CPP900 - W1N		
631.	Wire feed motor control line CPP900 - W1 N		
632.	Cart clamping wheel CPP900 - W1 N Cart wheel frame CPP900 - W1 N		
633.	Straightening mechanism CPP900 - W1 N		
634. 635.	Straightening mechanism CPP900 - WT N		
636.	Walking wheel bearing CPP900 - W1 N		
030.	waining wheel bearing OFF 300 - WT N		

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



	Version	1
	Date	02/23/2024
	Page	Page 36 of 102
	Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE	
637.	Walking drive wheel CPP900 - W1 N		
638.	Linear guide - horizontal CPP900 - W1 N		
639.	Linear guide - vertical CPP900 - W1 N		
640.	Tapered gas hood CPP900 -W1N		
641.	Welding wire spool components CPP900 - W1 N		
642.	Bracket pad CPP900 - W1 N		
643.	Rotating shaft CPP900 - W1 N		
644.	Positioning plate - right CPP900 - W1 N		
645.	Positioning plate - left CPP900 - W1 N		
646.	Pot piece CPP900 -W1N		
647.	Handheld box control line CPP900 - W1N		
648.	Handheld box control board CPP900 - W1N		
649.	Handheld box CPP900 - W1 N		
650.	Button battery CPP900 - W1 N		
651.	SD card CPP900 - W1 N		
652.	Parameter card CPP900 - W1 N		
653.	Core board CPP900 - W1 N		
654.	W1N main control board (with high-frequency acquisition) CPP900 -W1N		
655.	DSP board CPP900 - W1 N		
656.	Motion control bottom board CPP900 -W1N		
657.	Stepper motor drive board CPP900 - W1 N		
658.	Stepper motor driver CPP900 - W1 N		
659.	Touch screen CPP900 - W1 N		
660.	Touch panel CPP900 - W1 N pc 4 Imported		
661.	Wire feed motor driver CPP900 - W1 N		
662.	DC motor driver CPP900 - W1 N		
663.	Switchinci power supply (450W) CPP900 - W1 N		
664.	Slow-blow glass fuse tube CPP900 - W1 N		
665.	Control panel components CPP900 - W1 N		
666.	Wire feeder control box components CPP900 - W1 N		
667.	Main control board components CPP900 - W1N		
668.	IGBT module CPP900 - W1N		
669.	Air switch CPP900 - W1 N		
670.	Assembled cable socket black CPP900 - W1 N		
671.	Assembled cable socket red CPP900 - W1 N		
672.	Fast recovery diode module CPP900 - W1N		
673.	Aviation plug (16-core) CPP900 - W1N		
674.	Aviation socket (16-core) CPP900 - W1 N		
675.	Driver board components CPP900 • W1 N		
676.	Blade CPP900 • FM2428		
677.	Blade CPP900 • FM2428		
678.	Blade pad CPP900 • FM2428		
679.	Blade pad CPP900 • FM2428		
680.	Blade fastening screw CPP900 • FM2428		
681.	Eccentric wheel axle fastening bolt CPP900 • FM2428		
682.	Blade CPP900 • FM2428		
683.	Blade CPP900 • FM2428		
684.	Blade CPP900 • FM2428		

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 37 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
685.	Blade CPP900 • FM2428	
686.	Blade CPP900 • FM2428	
687.	Blade fastening screw CPP900 • FM2428	
688.	Blade fastening screw CPP900 • FM2428	
689.	Blade tension plate CPP900 • FM2428	
690.	Blade adjustment pad CPP900 · FM2428	
691.	Blade adjustment pad CPP900 • FM2428	
692.	Blade adjustment pad CPP900 • FM2428	
693.	Blade adjustment pad CPP900 • FM2428	
694.	Blade adjustment pad CPP900 • FM2428	
695.	Blade adjustment pad CPP900 • FM2428	
696.	304 grease nozzle CPP900 • FM2428	
697.	Blade seat copper slide block CPP900 · FM2428	
698.	Blade seat copper slide block pad -0.5 CPP900 • FM2428	
699.	Slide block adjustment special screw -2456 CPP900 • FM2428	
700.	Speed control valve CPP900 • FM2428	
701.	Precision speed control valve CPP900 • FM2428	
702.	Quick connector set CPP900. FM2428	
703.	Pressure gauge to pressure measurement point connection pipe CPP900 •	
	FM2428	
704.	Precision speed control valve CPP900 • FM2428	
705.	Blade seat limit block CPP900 · FM2428	
706.	Blade seat limit block top wire CPP900 • FM2428	
707.	Blade seat floating wheel bearing CPP900 • FM2428	
708.	Blade fastening special wrench CPP900 • FM2428	
709.	Multi-way valve assembly CPP900 • FM2428	
710.	Blade seat floating wheel -2428 CPP900 • FM2428	
711.	Guide wheel -2428 CPP900 • FM2428	
712.	Guide wheel bearing 6304-22 CPP900 • FM2428	
713.	Pressure gauoe 1 CPP900 • FM2428	
714.	Pressure gauge 2 CPP900 • FM2428	
715.	Multi-way valve core 1 CPP900 • FM2428	
716.	Multi-way valve core 2 CPP900 · FM2428	
717.	Multi-way valve core assembly CPP900 • FM2428	
718.	Multi-way valve base CPP900 • FM2428	
719.	Plate check valve CPP900 • FM2428	
720.	Plate throttle cutoff valve CPP900 • FM2428	
721.	Plate check valve CPP900 • FM2428	
722.	Filter -240 CPP900 • FM2428	
723.	Filter element -240 CPP900 • FM2428	
724.	Expanding boot adjustment pad -2428-3 CPP900 • FM2428	
725.	Expanding boot adjustment pad -2428-6 CPP900 • FM2428	
726.	Expanding boot adjustment pad -2428-8 CPP900 • FM2428	
727.	Expanding boot -2428 CPP900 • FM2428	
728.	Accumulator CPP900 • FM2428	
729.	Guide wheel CPP900 • FM2428	
730.	Quick male plug CPP900 • FM2428	
731.	Quick female plug CPP900 • FM2428	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 38 of 102
Author	TFS Operations

732. Quick male plug CPP900 • FM2428 733. Quick female plug CPP900 • FM2428 734. Quick male plug CPP900 • FM2428 735. Quick female plug CPP900 • FM2428 736. Hydraulic oil pipe CPP900 • FM2428 737. Liquid level gauge CPP900 • FM2428 738. Coupling spacer CPP900 • FM2428 739. Plate check throttle valve CPP900 • FM2428 740. Shock-resistant pressure gauge CPP900 • FM2428 741. Digital pressure gauge (with sensor) CPP900 • FM2428 742. Glass tube fuse CPP900 • FM2428 743. Glass tube fuse CPP900 • FM2428 744. Electromagnetic power main switch CPP900 • FM2428 745. Touch screen CPP900 • FM2428 746. Boat-shaped power switch CPP900 • FM2428 747. Battery power gauge CPP900 • FM2428 748. Battery CPP900 • PCC24 749. Remote control receiver box CPP900 • PCC24 750. Solenoid valve coil CPP900 • PCC24 751. Sensor splitter box CPP900 • PCC24 752. Walking wheel CPP900 • PCC24 753. Support wheel CPP900 • PCC24 754. Brake block CPP900 • PCC24 755. Pressure gauge CPP900 • PCC24 756. 1/2 quick connector CPP900 • PCC24 757. Cylinder shaft seal CPP900 • PCC24 758. Cylinder shaft seal CPP900 • PCC24 759. Filter regulator valve CPP900 • PCC24 750. Cylinder shaft seal CPP900 • PCC24 751. Two-way connector CPP900 • PCC24 752. Valking wheel CPP900 • PCC24 753. Cylinder shaft seal CPP900 • PCC24 754. Brake block CPP900 • PCC24 755. Cylinder shaft seal CPP900 • PCC24 756. Cylinder shaft seal CPP900 • PCC24 757. Cylinder shaft seal CPP900 • PCC24 758. Cylinder shaft seal CPP900 • PCC24 759. Filter regulator valve CPP900 • PCC24 760. Cylinder Shaft seal CPP900 • PCC24 761. Two-way connector CPP900 • PCC24 762. Air hose CPP900 • PCC24 763. Quick exhaust valve seal CPP900 • PCC24 764. Oil mist device CPP900 • PCC24 765. Single-electric two-position five-way solenoid valve CPP900 • PCC24 766. Mutner CPP900 • PCC24 777. Quick exhaust valve CPP900 • PCC24 778. Hand slide valve 3/8 interface CPP900 • PCC24 779. Quick exhaust valve CPP900 • PCC24 770. Quick exhaust valve CPP900 • PCC24 771. Double-electric two-position five-way solenoid valve CPP900 • PC	S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
733. Quick female plug CPP900 • FM2428 734. Quick male plug CPP900 • FM2428 735. Quick female plug CPP900 • FM2428 736. Hydraulic oil pipe CPP900 • FM2428 737. Liquid level gauge CPP900 • FM2428 738. Coupling spacer CPP900 • FM2428 739. Plate check throttle valve CPP900 • FM2428 739. Plate check throttle valve CPP900 • FM2428 739. Plate check throttle valve CPP900 • FM2428 740. Shock-resistant pressure gauge CPP900 • FM2428 741. Digital pressure gauge (with sensor) CPP900 • FM2428 742. Glass tube fuse CPP900 • FM2428 743. Glass tube fuse CPP900 • FM2428 744. Electromagnetic power main switch CPP900 • FM2428 745. Touch screen CPP900 • FM2428 746. Boat-shaped power switch CPP900 • FM2428 747. Battery power gauge CPP900 • FM2428 748. Battery CPP900 • PCC24 749. Remote control receiver box CPP900 • PCC24 750. Solenoid valve coil CPP900 • PCC24 751. Sensor splitter box CPP900 • PCC24 752. Walking wheel CPP900 • PCC24 753. Support wheel CPP900 • PCC24 754. Brake block CPP900 • PCC24 755. Pressure gauge CPP900 • PCC24 756. 1/2 quick connector CPP900 • PCC24 757. Cylinder shaft seal CPP900 • PCC24 758. Cylinder shaft seal CPP900 • PCC24 759. Filter regulator valve CPP900 • PCC24 760. Cylinder shaft seal CPP900 • PCC24 761. Two-way connector CPP900 • PCC24 762. Air hose CPP900 • PCC24 763. Quick exhaust valve seal CPP900 • PCC24 764. Oil mist device CPP900 • PCC24 765. 1/2 quick connector CPP900 • PCC24 766. Mutner CPP900 • PCC24 767. Cylinder connector CPP900 • PCC24 768. Quick exhaust valve seal CPP900 • PCC24 769. Filter regulator valve CPP900 • PCC24 760. United CPP900 • PCC24 761. Two-way connector CPP900 • PCC24 762. Air hose CPP900 • PCC24 763. Quick exhaust valve seal CPP900 • PCC24 764. Oil mist device CPP900 • PCC24 765. Tree-position five-way solenoid valve CPP900 • PCC24 767. Cylinder CPP900 • PCC24 768. Cylinder CPP900 • PCC24 779. Hand slide valve 3/8 interface CPP900 • PCC24 770. Quick exhaust valve CPP900 • PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 • PCC24 772. Hand slide val			
734. Quick male plug CPP900 • FM2428 735. Quick female plug CPP900 • FM2428 737. Liquid level gauge CPP900 • FM2428 738. Coupling spacer CPP900 • FM2428 739. Plate check throttle valve CPP900 • FM2428 739. Plate check throttle valve CPP900 • FM2428 739. Plate check throttle valve CPP900 • FM2428 740. Shock-resistant pressure gauge CPP900 • FM2428 741. Digital pressure gauge (with sensor) CPP900 • FM2428 742. Glass tube fuse CPP900 • FM2428 743. Glass tube fuse CPP900 • FM2428 744. Electromagnetic power main switch CPP900 • FM2428 745. Touch screen CPP900 • FM2428 746. Boat-shaped power switch CPP900 • FM2428 747. Battery power gauge CPP900 • FM2428 748. Battery power gauge CPP900 • FM2428 749. Remote control receiver box CPP900 • PCC24 749. Remote control receiver box CPP900 • PCC24 750. Solenoid valve coil CPP900 • PCC24 751. Sensor splitter box CPP900 • PCC24 752. Walking wheel CPP900 • PCC24 753. Support wheel CPP900 • PCC24 754. Brake block CPP900 • PCC24 755. Pressure gauge CPP900 • PCC24 756. 1/2 quick connector CPP900 • PCC24 757. Cylinder shaft seal CPP900 • PCC24 758. Cylinder shaft seal CPP900 • PCC24 759. Filter regulator valve CPP900 • PCC24 760. Cylinder seal ring CPP900 • PCC24 761. Two-way connector CPP900 • PCC24 762. A rinose CPP900 • PCC24 763. Guick exhaust valve seal CPP900 • PCC24 764. Oll mist device CPP900 • PCC24 765. If ye dick connector CPP900 • PCC24 766. Mutner CPP900 • PCC24 767. Cylinder Seal ring CPP900 • PCC24 768. Mutner CPP900 • PCC24 769. Oli cick exhaust valve seal CPP900 • PCC24 760. Single-electric two-position five-way solenoid valve CPP900 • PCC24 767. Cylinder CPP900 • PCC24 768. Cylinder CPP900 • PCC24 769. Three-position five-way solenoid valve CPP900 • PCC24 770. Quick exhaust valve Seal CPP900 • PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 • PCC24 772. Hand slide valve 3/8 interface CPP900 • PCC24 773. Oil cup CPP900 • PCC24 774. 610 alignment copper lining -1054 CPP900 • PCC24			
735. Quick female plug CPP900 • FM2428 736. Hydraulic oil pipe CPP900 • FM2428 737. Liquid level gauge CPP900 • FM2428 738. Coupling spacer CPP900 • FM2428 739. Plate check throttle valve CPP900 • FM2428 740. Shock-resistant pressure gauge CPP900 • FM2428 741. Digital pressure gauge (with sensor) CPP900 • FM2428 742. Glass tube fuse CPP900 • FM2428 743. Glass tube fuse CPP900 • FM2428 744. Electromagnetic power main switch CPP900 • FM2428 745. Touch screen CPP900 • FM2428 746. Boat-shaped power switch CPP900 • FM2428 747. Battery power gauge CPP900 • FM2428 748. Battery CPP900 • PCC24 749. Remote control receiver box CPP900 • PCC24 750. Solenoid valve coil CPP900 • PCC24 751. Sensor splitter box CPP900 • PCC24 752. Walking wheel CPP900 • PCC24 753. Support wheel CPP900 • PCC24 754. Brake block CPP900 • PCC24 755. Pressure gauge CPP900 • PCC24 756. 1/2 quick connector CPP900 • PCC24 757. Cylinder shaft seal CPP900 • PCC24 758. Cylinder shaft seal CPP900 • PCC24 759. Filter regulator valve CPP900 • PCC24 750. Cylinder shaft seal CPP900 • PCC24 751. Two-way connector CPP900 • PCC24 752. Walking shaft seal CPP900 • PCC24 753. Guick exhaust valve seal CPP900 • PCC24 754. Olj inder shaft seal CPP900 • PCC24 755. Pressure gauge CPP900 • PCC24 756. 1/2 quick connector CPP900 • PCC24 757. Cylinder shaft seal CPP900 • PCC24 758. Cylinder shaft seal CPP900 • PCC24 759. Filter regulator valve CPP900 • PCC24 760. Cylinder shaft seal CPP900 • PCC24 761. Two-way connector CPP900 • PCC24 762. Air hose CPP900 • PCC24 763. Quick exhaust valve seal CPP900 • PCC24 764. Oil mist device CPP900 • PCC24 765. Single-electric two-position five-way solenoid valve CPP900 • PCC24 767. Cylinder CPP900 • PCC24 768. Cylinder CPP900 • PCC24 769. Three-position five-way solenoid valve CPP900 • PCC24 770. Quick exhaust valve Sy8 interface CPP900 • PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 • PCC24 772. Hand slide valve 3/8 interface CPP900 • PCC24 773. Oil cup CPP900 • PCC24 774. 610 alignment copper lining -1054 CPP			
736. Hydraulic oil pipe CPP900 · FM2428 737. Liquid level gauge CPP900 · FM2428 738. Coupling spacer CPP900 · FM2428 739. Plate check throttle valve CPP900 · FM2428 740. Shock-resistant pressure gauge CPP900 · FM2428 741. Digital pressure gauge (with sensor) CPP900 · FM2428 742. Glass tube fuse CPP900 · FM2428 743. Glass tube fuse CPP900 · FM2428 744. Electromagnetic power main switch CPP900 · FM2428 745. Touch screen CPP900 · FM2428 746. Boat-shaped power switch CPP900 · FM2428 747. Battery power gauge CPP900 · FM2428 748. Battery CPP900 · PCC24 749. Remote control receiver box CPP900 · PCC24 750. Solenoid valve coil CPP900 · PCC24 751. Sensor splitter box CPP900 · PCC24 752. Walking wheel CPP900 · PCC24 753. Support wheel CPP900 · PCC24 754. Brake block CPP900 · PCC24 755. Pressure gauge CPP900 · PCC24 756. 1/2 quick connector CPP900 · PCC24 757. Cylinder shaft seal CPP900 · PCC24 758. Cylinder shaft seal CPP900 · PCC24 759. Filter regulator valve CPP900 · PCC24 760. Cylinder shaft seal CPP900 · PCC24 761. Two-way connector CPP900 · PCC24 762. Air hose CPP900 · PCC24 763. Quick exhaust valve seal CPP900 · PCC24 764. Oil mist device CPP900 · PCC24 765. Single-electric two-position five-way solenoid valve CPP900 · PCC24 766. Mutner CPP900 · PCC24 767. Cylinder CPP900 · PCC24 768. Cylinder CPP900 · PCC24 769. Three-position five-way solenoid valve CPP900 · PCC24 770. Quick exhaust valve CPP900 · PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 · PCC24 772. Hand slide valve 3/8 interface CPP900 · PCC24 773. Oil cup CPP900 · PCC24 774. 610 alignment copper lining -1054 CPP900 · PCC24			
733. Liquid level gauge CPP900 • FM2428 738. Coupling spacer CPP900 • FM2428 739. Plate check throttle valve CPP900 • FM2428 740. Shock-resistant pressure gauge CPP900 • FM2428 741. Digital pressure gauge (with sensor) CPP900 • FM2428 742. Glass tube fuse CPP900 • FM2428 743. Glass tube fuse CPP900 • FM2428 744. Electromagnetic power main switch CPP900 • FM2428 745. Touch screen CPP900 • FM2428 746. Boat-shaped power switch CPP900 • FM2428 747. Battery power gauge CPP900 • FM2428 748. Battery CPP900 • PCC24 749. Remote control receiver box CPP900 • PCC24 750. Solenoid valve coil CPP900 • PCC24 751. Sensor splitter box CPP900 • PCC24 752. Walking wheel CPP900 • PCC24 753. Support wheel CPP900 • PCC24 754. Brake block CPP900 • PCC24 755. Pressure gauge CPP900 • PCC24 756. 1/2 quick connector CPP900 • PCC24 757. Cylinder shaft seal CPP900 • PCC24 758. Cylinder shaft seal CPP900 • PCC24 759. Filter regulator valve CPP900 • PCC24 750. Cylinder seal ring CPP900 • PCC24 751. Sensor Splitter box CPP900 • PCC24 752. Walking wheel CPP900 • PCC24 753. Filter regulator valve CPP900 • PCC24 754. Single-electric two-position five-way solenoid valve CPP900 • PCC24 756. Mutner CPP900 • PCC24 767. Cylinder CPP900 • PCC24 768. Cylinder Spali seal CPP900 • PCC24 769. Single-electric two-position five-way solenoid valve CPP900 • PCC24 760. Mutner CPP900 • PCC24 761. Two-way connector CPP900 • PCC24 762. Mutner CPP900 • PCC24 763. Cylinder CPP900 • PCC24 764. Oil mist device CPP900 • PCC24 765. Single-electric two-position five-way solenoid valve CPP900 • PCC24 766. Mutner CPP900 • PCC24 767. Cylinder CPP900 • PCC24 768. Cylinder CPP900 • PCC24 769. Three-position five-way solenoid valve CPP900 • PCC24 770. Quick exhaust valve Si8 interface CPP900 • PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 • PCC24 772. Hand slide valve 3/8 interface CPP900 • PCC24 773. Oil cup CPP900 • PCC24			
738. Coupling spacer CPP900 • FM2428 739. Plate check throttle valve CPP900 • FM2428 740. Shock-resistant pressure gauge (PP900 - FM2428 741. Digital pressure gauge (with sensor) CPP900 - FM2428 742. Glass tube fuse CPP900 - FM2428 743. Glass tube fuse CPP900 - FM2428 744. Electromagnetic power main switch CPP900 - FM2428 745. Touch screen CPP900 - FM2428 746. Boat-shaped power switch CPP900 - FM2428 747. Battery power gauge CPP900 - FM2428 748. Battery CPP900 - PCC24 749. Remote control receiver box CPP900 - PCC24 750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 756. Pressure gauge CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder shaft seal CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick connector CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Cylinder shaft seal CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder seal ring CPP900 - PCC24 768. Cylinder seal ring CPP900 - PCC24 769. Oil mist device CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
739. Plate check throttle valve CPP900 • FM2428 740. Shock-resistant pressure gauge CPP900 - FM2428 741. Digital pressure gauge (with sensor) CPP900 - FM2428 742. Glass tube fuse CPP900 - FM2428 743. Glass tube fuse CPP900 - FM2428 744. Electromagnetic power main switch CPP900 - FM2428 745. Touch screen CPP900 - FM2428 746. Boat-shaped power switch CPP900 - FM2428 747. Battery power gauge CPP900 - FM2428 748. Battery CPP900 - PCC24 749. Remote control receiver box CPP900 - PCC24 750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Muter CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve CPP900 - PCC24 769. Three-position five-way solenoid valve CPP900 - PCC24 769. Three-position five-way solenoid valve CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
740. Shock-resistant pressure gauge CPP900 - FM2428 741. Digital pressure gauge (with sensor) CPP900 - FM2428 742. Glass tube fuse CPP900 - FM2428 743. Glass tube fuse CPP900 - FM2428 744. Electromagnetic power main switch CPP900 - FM2428 745. Touch screen CPP900 - FM2428 746. Boat-shaped power switch CPP900 - FM2428 747. Battery power gauge CPP900 - FM2428 748. Battery CPP900 - PCC24 749. Remote control receiver box CPP900 - PCC24 750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve CPP900 - PCC24 769. Three-position five-way solenoid valve CPP900 - PCC24 769. Three-position five-way solenoid valve CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper liming -1054 CPP900 - PCC24			
741. Digital pressure gauge (with sensor) CPP900 - FM2428 742. Glass tube fuse CPP900 - FM2428 743. Glass tube fuse CPP900 - FM2428 744. Electromagnetic power main switch CPP900 - FM2428 745. Touch screen CPP900 - FM2428 746. Boat-shaped power switch CPP900 - FM2428 747. Battery power gauge CPP900 - FM2428 748. Battery CPP900 - PCC24 749. Remote control receiver box CPP900 - PCC24 750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Uplinder CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve CPP900 - PCC24 769. Three-position five-way solenoid valve CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
742. Glass tube fuse CPP900 - FM2428 743. Glass tube fuse CPP900 - FM2428 744. Electromagnetic power main switch CPP900 - FM2428 745. Touch screen CPP900 - FM2428 746. Boat-shaped power switch CPP900 - FM2428 747. Battery power gauge CPP900 - FM2428 748. Battery CPP900 - PCC24 749. Remote control receiver box CPP900 - PCC24 750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 769. Three-position five-way solenoid valve (CPP900 - PCC24 769. Three-position five-way solenoid valve (CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-electric two-position five-way solenoid valve (CPP900 - PCC24 772. Hand side valve CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
743. Glass tube fuse CPP900 - FM2428 744. Electromagnetic power main switch CPP900 - FM2428 745. Touch screen CPP900 - FM2428 746. Boat-shaped power switch CPP900 - FM2428 747. Battery power gauge CPP900 - FM2428 748. Battery CPP900 - PCC24 749. Remote control receiver box CPP900 - PCC24 750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve CPP900 - PCC24 769. Three-position five-way solenoid valve CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
744. Electromagnetic power main switch CPP900 - FM2428 745. Touch screen CPP900 - FM2428 746. Boat-shaped power switch CPP900 - FM2428 747. Battery power gauge CPP900 - FM2428 748. Battery CPP900 - PCC24 749. Remote control receiver box CPP900 - PCC24 750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
745. Touch screen CPP900 - FM2428 746. Boat-shaped power switch CPP900 - FM2428 747. Battery power gauge CPP900 - FM2428 748. Battery CPP900 - PCC24 749. Remote control receiver box CPP900 - PCC24 750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
746. Boat-shaped power switch CPP900 - FM2428 747. Battery power gauge CPP900 - FM2428 748. Battery CPP900 - PCC24 749. Remote control receiver box CPP900 - PCC24 750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
747. Battery power gauge CPP900 - FM2428 748. Battery CPP900 - PCC24 749. Remote control receiver box CPP900 - PCC24 750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
748. Battery CPP900 - PCC24 749. Remote control receiver box CPP900 - PCC24 750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
749. Remote control receiver box CPP900 - PCC24 750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
750. Solenoid valve coil CPP900 - PCC24 751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24			
751. Sensor splitter box CPP900 - PCC24 752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
752. Walking wheel CPP900 - PCC24 753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24			
753. Support wheel CPP900 - PCC24 754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-Electric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24			
754. Brake block CPP900 - PCC24 755. Pressure gauge CPP900 - PCC24 756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24			
756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24			
756. 1/2 quick connector CPP900 - PCC24 757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	755.	Pressure gauge CPP900 - PCC24	
757. Cylinder shaft seal CPP900 - PCC24 758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	756.		
758. Cylinder shaft seal CPP900 - PCC24 759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	757.		
759. Filter regulator valve CPP900 - PCC24 760. Cylinder seal ring CPP900 - PCC24 761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	758.		
761. Two-way connector CPP900 - PCC24 762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	759.	Filter regulator valve CPP900 - PCC24	
762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	760.	Cylinder seal ring CPP900 - PCC24	
762. Air hose CPP900 - PCC24 763. Quick exhaust valve seal CPP900 - PCC24 764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	761.	Two-way connector CPP900 - PCC24	
764. Oil mist device CPP900 - PCC24 765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	762.		
765. Single-electric two-position five-way solenoid valve CPP900 - PCC24 766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	763.	Quick exhaust valve seal CPP900 - PCC24	
766. Mutner CPP900 - PCC24 767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	764.	Oil mist device CPP900 - PCC24	
767. Cylinder CPP900 - PCC24 768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	765.		
768. Cylinder CPP900 - PCC24 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	766.	Mutner CPP900 - PCC24	
 769. Three-position five-way solenoid valve (middle seal) CPP900 - PCC24 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24 	767.		
 770. Quick exhaust valve CPP900 - PCC24 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24 	768.		
 771. Double-€lectric two-position five-way solenoid valve CPP900 - PCC24 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24 	769.		
 772. Hand slide valve 3/8 interface CPP900 - PCC24 773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24 			
773. Oil cup CPP900 - PCC24 774. 610 alignment copper lining -1054 CPP900 - PCC24	771.	Double-€lectric two-position five-way solenoid valve CPP900 - PCC24	
774. 610 alignment copper lining -1054 CPP900 - PCC24	772.	Hand slide valve 3/8 interface CPP900 - PCC24	
	773.		
775. 610 alignment copper lining -1385 CPP900 - PCC24		610 alignment copper lining -1054 CPP900 - PCC24	
0 11 0	775.	610 alignment copper lining -1385 CPP900 - PCC24	
776. 610 alignment copper lining -1824 CPP900 - PCC24		610 alignment copper lining -1824 CPP900 - PCC24	
777. Cooner lining soring CPP900 - PCC24	777.		
778. Copper lining support assembly CPP900 - PCC24		11 0 11	
779. Copper lining connection plate CPP900 - PCC24	779.	Copper lining connection plate CPP900 - PCC24	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 39 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
780.	Total support CPP900 - PCC24	110 000
781.	Limit plate 1 CPP900 - PCC24	
782.	Limit plate 2 CPP900 - PCC24	
783.	Copper sleeve CPP900 - PCC24	
784.	Expanding boot adjustment pad -0.5mm CPP900 - PCC24	
785.	Expanding boot adjustment pad -1mm CPP900 - PCC24	
786.	Expanding boot adjustment pad -2mm CPP900 - PCC24	
787.	Expanding boot adjustment pad -5mm CPP900 - PCC24	
788.	Expanding boot pressure pad CPP900 - PCC24	
789.	Expanding boot CPP900 - PCC24	
790.	Expanding boot base pad CPP900 - PCC24	
791.	Expanding boot seat CPP900 - PCC24	
792.	Connecting rod + top rod CPP900 - PCC24	
793.	Starter YZDZ-140	
794.	Generator/Generating sets YZDZ-140	
795.	Front and rear lights YZDZ-140	
796.	Comprehensive electric meter on the distribution panel YZDZ-140	
797.	24V horn YZDZ-140	
798.	Fuse in the fuse box YZDZ-140	
799.	Composite button on the driver's floor start panel YZDZ-140	
800.	24V power relay YZDZ-140	
801.	Main circuit breaker in the distribution panel YZDZ-140	
802.	380V circuit breaker (Schneider) in the distribution panel YZDZ-140	
803.	220V circuit breaker (Schneider) in the distribution panel YZDZ-140	
804.	Engine computer board YZDZ-140	
805.	Relay above the fuse box YZDZ-140	
806.	Battery valve on the hydraulic valve YZDZ-140	
807.	Hydraulic oil radiator fan assembly YZDZ-140	
808.	Starter DGY 40	
809.	Generator/Generating sets DGY 40	
810.	Start key switch DGY 40	
811.	Front and rear lights DGY 40	
812.	24V power relay DGY 40	
813.	Horn DGY40	
814.	Oil pressure sensor DGY40	
815.	24V solenoid valve on the hydraulic valve DGY40	
816.	Starter 572R	
817.	Generator/Generating sets 572R	
818.	Starter CAT583T	
819.	Generator/Generating sets CAT583T	
820.	Oil induction plug Deping	
821.	Water temperature sensor Deping	
822.	Start switch Deping	
823.	Radiator fan assembly Deping	
824.	Starter Deping	
825.	Generator/Generating sets Deping	
826.	Oil induction plug CPP900	
827.	Water temperature sensor CPP900	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 40 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
828.	Start switch CPP900	
829.	Radiator fan assembly CPP900	
830.	Starter CPP900	
831.	Generator/Generating sets CPP900	
832.	Starter	
833.	Generator/Generating sets	
834.	Oil induction plug	
835.	Water temperature sensor	
836.	Speed sensor	
837.	380V circuit breaker (Delixi) in the distribution panel	
838.	220v circuit breaker (Delixi) in the distribution panel	
839.	Main circuit breaker in the distribution panel	
840.	Current meter (Delixi) on the generator distribution panel	
841.	Voltage meter (Delixi) on the generator distribution panel	
842.	Frequency meter (Delixi) on the generator distribution panel	
843.	Composite switch assembly in the driver's cab YZDZ-180	
844.	Distribution panel Computer board on the start panel YZDZ-180	
845.	Water temperature sensor YZDZ-180	
846.	Oil induction plug YZDZ-180	
847.	Computer board for the walking engine YZDZ-180	
848.	Display screen in the driver's cab YZDZ-180	
849.	Multifunctional instrument on the distribution panel YZDZ-180	
850.	Damping switch YZDZ-180	
851.	Battery clamp YZDZ-180	
852.	Solenoid valve at the hydraulic oil tank YZDZ-180	
853.	Solenoid valve on the hydraulic valve YZDZ-180	
854.	Speed sensor YZDZ-180	
855.	120AH battery YZDZ-180	
856.	24V reverse buzzer YZDZ-180	
857.	Solar magnetic warning light YZDZ-180	
858.	380V aviation plug socket on the distribution panel YZDZ-180	
859.	220V aviation plug socket on the distribution panel YZDZ-180	
860.	380V aviation PIUCI head matching YZDZ-180	
861.	220V aviation plug head matching YZDZ-180	
862.	Distribution panel start computer board YZDZ-180	
863.	Emergency stop switch on the distribution panel YZDZ-180	
864.	Engine computer board for the generator set YZDZ-180	
865.	24V power relay for the walking engine YZDZ-180	
866.	Starter	
867.	Generator/Generating sets	
868.	Oil induction plug pc 2 Imported	
869.	Water temperature sensor	
870.	Speed sensor	
871.	380V circuit breaker (Delixi) in the distribution panel	
872.	220V circuit breaker (Delixi) in the distribution panel	
873.	Main circuit breaker in the distribution panel	
874.	Starter	
875.	Generator/Generating sets	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 41 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
876.	Oil induction plug	
877.	Water temperature sensor	
878.	Speed sensor	
879.	380V circuit breaker (Delixi) in the distribution panel	
880.	220V circuit breaker (Delixi) in the distribution panel	
881.	Main circuit breaker in the distribution panel	
882.	Starter	
883.	Generator/Generating sets	
884.	Oil induction plug	
885.	Water temperature sensor	
886.	Speed sensor	
887.	380V circuit breaker (Delixi) in the distribution panel	
888.	220V circuit breaker (Delixi) in the distribution panel	
889.	Main circuit breaker in the distribution panel	
890.	Head car inflation pump	
891.	Power box assembly (electromagnetic starter)	
892.	Oil filter element LF3349	
893.	Diesel filter element FS36210	
894.	Diesel filter element FF5767	
895.	Fuel-water separator FS36230	
896.	Air filter element AF26531	
897.	Fan belt 8PK1464	
898.	Fan belt 8PK1425	
899.	Fan belt 8PK1763	
900.	Belt tensioner YZDZ140	
901.	Engine water pump YZDZ140	
902.	Oil pressure sensor YZDZ140	
903.	Speed sensor YZDZ140	
904.	Fan blade YZDZ140	
905.	Crankshaft front oil seal QSB5.9-C210-30	
906.	Crankshaft rear oil seal QSB5.9-C210-30	
907.	Cylinder liner QSB5.9-C210-30	
908.	Piston QSB5.9-C210-30	
909.	Piston ring QSB5.9-C210-30	
910.	Cylinder head gasket QSB5.9-C210-30	
911.	Valve chamber cover gasket QSB5.9-C210-30	
912.	Timing shell gasket QSB5.9-C210-30	
913.	Overhaul kit QSB5.9-C210-30	
914.	High-pressure common rail pipe QSB5.9-C210-30	
915.	Fuel injector QSB5.9-C210-30	
916.	Crankshaft angle sensor QSB5.9-C210-30	
917.	Camshaft angle sensor QSB5.9-C210-30	
918.	Electronic fuel injection pump QSB5.9-C210-30	
919.	Oil pump metering unit QSB5.9-C210-30	
920.	Common rail pressure sensor QSB5.9-C210-30	
921.	Hydraulic cylinder balance valve YZDZ140	
922.	Hydraulic oil radiator YZDZ140	
923.	Track plate YZDZ140	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 42 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
924.	Track plate screwYZDZ140	
925.	Walking hydraulic oil pipe YZDZ140	
926.	Rotary motor assembly YZDZ140	
927.	Track tensioning cylinder YZDZ140	
928.	Track tensioning cylinder oil seal YZDZ140	
929.	Supoort wheel YZDZ140	
930.	Carry wheel YZDZ140	
931.	Radiator assembly M0156	
932.	Hydraulic oil inlet filter element YZDZ140	
933.	Hydraulic oil return filter element YZDZ140	
934.	Cylinder gasket QSB5.9-C210-30	
935.	Valve chamber cover gasket QSB5.9-C210-30	
936.	Intake and exhaust valves QSB5.9-C210-30	
937.	Valve stem seal QSB5.9-C210-30	
938.	Four matching QSB5.9-C210-30	
939.	Connecting rod bearing QSB5.9-C210-30	
940.	Main bearing QSB5.9-C210-30	
941.	Water temperature sensor QSB5.9-C210-30	
942.	Full vehicle pad QSB5.9-C210-30	
943.	Lower water pipe QSB5.9-C210-30	
944.	Small water pipe QSB5.9-C210-30	
945.	1015 Camshaft QSB5.9-C210-30 pc 5 Imported	
946.	Tappet QSB5.9-C210-30	
947.	Push rod QSB5.9-C210-30	
948.	Crankshaft rear oil seal seat QSB5.9-C210-30	
949.	Engine steady QSB5.9-C210-30	
950.	Oil pump QSB5.9-C210-30	
951.	Turbocharger QSB5.9-C210-30	
952.	Diesel oil transfer pump QSB5.9-C210-30	
953.	Water pump QSB5.9-C210-30	
954.	Fan bracket QSB5.9-C210-30	
955.	Oil filter element LF9009	
956.	Oil filter element LF670	
957.	Oil filter element LF777	
958.	Diesel filter element FS1212	
959.	Air filter element DGY 40	
960.	Generator belt DGY 40	
961.	Injector assembly DGY40	
962.	PT pump DGY40	
963.	Shutdown solenoid valve DGY40	
964.	Rear axle oil filter element DGY 40	
965.	Track plate DGY40	
966.	Track plate screw DGY40	
967.	Solenoid valve DGY40	
968.	Oil pressure sensor DGY40	
969.	Crowbar wire rope DGY 40	
970.	Crane hook wire rope DGY 40	
971.	Wire rope clip DGY40	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 43 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
972.	Hydraulic cylinder oil seal DGY 40	
973.	Hydraulic oil inlet filter element DGY40	
974.	Hydraulic oil return filter element DGY 40	
975.	Cylinder liner DGY 40	
976.	Piston DGY 40	
977.	Piston ring DGY 40	
978.	Cylinder head gasket DGY 40	
979.	Valve chamber cover lower gasket DGY40	
980.	Valve chamber cover upper gasket DGY 40	
981.	Connecting rod bearing DGY40	
982.	Main bearing DGY40	
983.	Crankshaft front oil seal DGY 40	
984.	Crankshaft rear oil seal DGY 40	
985.	Diesel pipe 10mm	
986.	Diesel pipe 8mm	
987.	Oil filter element Perkins 2654407	
988.	Diesel filter element Perkins 26560201	
989.	Sediment cup DX150	
990.	Air filter element Perkins 26510342	
991.	Electronic diesel pump assembly HDP63	
992.	Fuel injector HDP63	
993.	Rotor pump HDP63	
994.	Fan belt HDP63	
995.	Belt tensioner HDP63	
996.	Fan bracket HDP63	
997.	Engine water pump HDP63	
998.	Crankshaft front oil seal HDP63	
999.	Crankshaft rear oil seal HDP63	
1000.	Diesel oil transfer pump HDP63	
1001.	Radiator assembly HDP63	
1002.	Radiator shock pad HDP63	
1003.	Diesel filter FF5052	
1004.	Fuel-water separator FS1280	
1005.	Air filter AF1811	
1006.	Oil filter Perkins 2654403	
1007.	Diesel filter Perkins 26560143/45	
1008.	Air filter Perkins 26510353	
1009.	Engine assembly QSB5.9-C210-30	
1010.	Engine assembly QSB6.7-G4	
1011.	Inflation pump triangular belt	
1012.	Inflation pump belt cover	
1013.	Inflation pump pulley (large)	
1014.	Inflation pump pressure valve	
1015.	Inflation pump breather valve	
1016.	Inflation pump head	
1017.	Inflation pump piston	
1018.	Komatsu 470 air filter 600-181-1580/600-181-1680	
1019.	Komatsu 470 oil filter 600-211-1231	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 44 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
1020.		
1021.		
	Komatsu 470 corrosion-resistant filter 600-411-1151	
	Hydraulic cylinder balance valve YZDZ140	
	Hydraulic oil radiator YZDZ140	
	Track plate YZDZ140	
	Track chain link YZDZ140	
	Track chain pin YZDZ140	
	Track chain link pin YZDZ140	
	Track plate screwYZDZ140	
	Walking hydraulic oil pipe YZDZ140	
	Rotary reducer assembly YZDZ140	
	Rotary motor assembly YZDZ140	
	Track tensioning cylinder YZDZ140	
	Track tensioning cylinder oil seal YZDZ140	
	Support wheel YZDZ140	
	Carry wheel YZDZ140	
	Hydraulic oil inlet filter element YZDZ140	
	Hydraulic oil inter inter element YZDZ140 Hydraulic oil return filter element YZDZ140	
	Hydraulic oil return litter element YZDZ140	
	Small crane swing cylinder oil seal YZDZ140	
	Small crane swing cylinder oil seal YZDZ140 Small crane swing second cylinder oil seal YZDZ140	
	Small crane telescopic cylinder oil seal (extension one) YZDZ140	
	Small crane telescopic cylinder oil seal (extension two) YZDZ140	
	Telescopic cylinder oil pipe hollow screw YZDZ140	
	Cylinder lifting cylinder balance valve YZDZ140	
	Cylinder lifting cylinder oil seal YZDZ140	
	Cylinder lifting cylinder on sear 12D2140 Cylinder lifting cylinder operation valve YZDZ140	
1048.		
1049.		
1050.		
1050.	U	
1051.		
1052.	0	
1053.		
1055.		
1056.		
1056.	Track chain pin DGY 40 Track chain link pin DGY40	
1057.		
1056.		
1060.	Scraper wire rope DGY 40	
1060.	Crane hook wire rope DGY 40	
1061.	Crane hook wire rope clamp DGY40	
	Crawler wire rope clamp DGY 40 Crawler wire rope clamp DGY 40	
1063.		
1064.	Hydraulic cylinder oil seal DGY 40 Hydraulic oil inlet filter element DGY40	
1065.		
1066.	Hydraulic oil return filter element DGY40	
1067.	Rear axle oil filter element DGY40	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 45 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
1068.		110 0002
1069.		
	Crane hook hoist oil seal repair kit DGY40	
	Track tensioning cylinder oil seal DGY40	
1071.		
	Walking pump DGY40	
1074.		
1075.		
	Single-side support wheel DGY40	
	Double-side support wheel DGY40	
	Final drive ring gear DGY40	
	Final drive ring gear bolt DGY40	
1080.		
1081.		
1082.		
1083.		
	Hydraulic oil pipe large quick connector DPFM1224	
1085.		
1086.		
	Hydraulic oil inlet PiPe clamp DPFM1225	
	Pilot oil pipe Loader 470	
	Bucket hydraulic cylinder oil seal Loader 470	
	Loader inner tube Loader 470	
1091.		
1092.		
1093.	M38 countersunk screw (stepper motor fixing plate screw)	
1094.	M38 hex screw (vertical and horizontal slider linear guide screw)	
1095.	M412 hex screw (stepper motor fixing screw)	
1096.	M416 hex screw (main drive wheel locking screw)	
1097.	M44 set screw (straightening mechanism guide tube fixing screw)	
1098.	M48 countersunk screw (vertical slider sealing plate screw)	
1099.	M48 hex screw (horizontal slider assembly cover plate screw)	
1100.	M510 hex screw (stepper motor assembly plate fixing screw)	
1101.		
1102.		
	M516 hex screw (belt tensioner fixing screw)	
1104.	M616 countersunk screw (wire feeding plate fixing screw)	
1105.	M616 hex screw (tensioning wheel screw)	
1106.	MB nut (tensioning wheel locking screw)	
1107.	M46 set screw (driven wheel side fixing top)	
1108.	M315 hex screw (handheld box body fixing screw)	
1109.	1179 M38 cross screw (handheld box control board fixing screw)	
1110.	Knife seat limit set screw Hexagon socket head screw GB fT 80 M12x80	
1111.	Knife seat limit block top screw nut M12	
1112.	Hydraulic motor repair kit 075 hydraulic motor (including shaft seal and flow	
	distribution Plate end face seal	
1113.	Combination gasket 1 1/4 oil pipe quick connector	
1114.	Combination gasket 1 1/2 oil pipe quick connector	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 46 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
1115.	Combination gasket 1/4 oil pipe quick connector	
	O-ring 37x3.5 quick connector extended sleeve (603)	
1117.		
1118.	O-ring 63x3.5 filter and large valve block and thick valve block and thin valve block	
1119.	O-ring 12x1.9 pressure difference transmitter	
1120.	O-ring 12x1 .9 (outer diameter 18 oil pipe of multi-way valve)	
1121.	O-ring 15x 1.9 (outer diameter 22 oil pipe of multi-way valve)	
	O-ring 22x 1.9 (outer diameter 30 oil pipe of multi-way valve)	
1123.	Gear pump O-ring 101.27x2.65 (gear pump)	
	Tight boot screw-2428 Hexagon head screw M12x35	
1125.	Tight boot flat washer-2428 Outer diameter 30 mm, hole diameter 13 mm, thickness 3 mm	
1126.	O-ring Outer diameter 35• wire diameter 2.5 (gear pump valve block seal)	
1127.	O-ring Inner diameter 38* wire diameter 3.5 (variable pump joint seal)	
1128.	O-ring Outer diameter 40* wire diameter 3.1 (red filter seal)	
1129.	O-ring Outer diameter 432.5 (main pump valve block seal)	
1130.	O-ring Outer diameter 43 wire diameter 2.75 (SAE joint seal)	
1131.	O-ring Outer diameter 44• wire diameter 3 (A-type pressure pipe joint seal)	
1132.	0-ring Outer diameter 45* wire diameter 3 (main valve block seal of the head filter)	
1133.	0-ring Outer diameter so• wire diameter 3 (gear pump valve block seal)	
1134.	0-ring Outer diameter 63* wire diameter 3.5 (head filter seal)	
1135.	0-ring Inner diameter 418* wire diameter 5. 7 (tank seal)	
1136.	Combination gasket M16 (diesel coarse filter seal)	
1137.	Combination gasket M33 (gear pump valve block seal)	
1138.	Combination gasket G1/4 sensor or throttle small quick connector	
1139.	Combination gasket G3/8 diesel fine filter seal	
1140.	Combination gasket G1/2 diesel fine filter seal	
1141.	Spring joint	
1142.	Spring	
1143.	Knife rod 25'	
1144.	Knife rod 22'	
	Knife rod 30'	
	Knife rod -14'	
1147.		
1148.	Tightening wedge block	
1149.	Tightening screw	
1150.	Adjusting knife shim	
1151.	Adjusting knife wrench	
1152.	Knife rod tightening screw	
1153.	Center pin	
1154.	Follow wheel assembly § 100	
1155.	Follow wheel assembly §76	
1156.	0.75 set screw wire	
1157.	Multi-way valve	
1158.	Speed control valve	
1159.	Tightening valve	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 47 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
1160.	Quick advance (retreat) valve	
1161.	Knife seat copper slide	
1162.	Guide wheel	
1163.	Bearing 32905	
1164.	Bearing 32906	
1165.	Oil filter	
1166.	Diesel fine filter	
1167.	Air filter	
1168.	Blade R2.4	
1169.	Blade R1.2	
1170.	Knife pad R2.4	
1171.	Knife pad R1 .2	
1172.	Blade fixing screw	
1173.	Inner hexagon wrench Matching blade fixing screw	
1174.	Windproof shed	
1175.	Container	
1176.	Internal Bending Machine	
	CCTV, WIFI system and Access control system	
1177.	Industrial Television System with Installation Tools	
1178.	Outdoor PTZ Domes camera	
1179.	NVR (8 discs)	
1180.	Monitor terminal	
1181.	Monitor	
1182.	6T hard drive	
1183.	Switch(24 ports RJ45)	
1184.	Optical-electrical converter	
1185.	Optical-electrical converter mounted on 19" cabinet	
1186.	19" cabinet	
1187.	4-core armored direct buried FOC	
1188.	UTP-6e(305m/box)	
1189.	ODF (12 ports)	
1190.	Optical cable terminal box	
1191. 1192.	Single core SC optical patchcord Dual core LC optical patchcord	
1193.	4m CCTV pole	
1193.	ground cage pc	
1195.	Waterproof box	
1196.	Metal flexible tube	
1190.	Access control system with Installation Tools	
1198.	Pedestrian gate	
1199.	Face recognition terminal	
1200.	Facial terminal channel bracket	
1200.	Facial terminal sunshade	
1201.	ID card	
1202.	Access control switch	
1204.	card sender	
1205.	metal doors	
1206.	Production and living area Pedestrian gate(swipe card)	
.200.	1. Todacao. and irring area i edeciment gare(ompered)	1

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 48 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
1207.	Production and living area Pedestrian gate	110 CODE
1207.	Optical-electrical converter	
1200.	Switch(8 RJ45 2 SFP)	
1210.	Single core SC optical patchcord	
1211.	Dual core LC optical patchcord	
1211.	ACS waterproof box	
1213.	WIFI system with Installation Tools	
1213.	WAN firewall	
1214.	AC wireless controller	
1216.	AP	
1217.	Switch(2 RJ45 24 SFP)	
1217.	Switch(8 RJ45 48 SFP)	
1210.	Switch(8 RJ45 2 SFP)	
	19" cabinet	
1220.	4-core armored direct buried FOC	
1221.	UTP-6e(305m/box)	
1222.	ODF (12 ports)	
1223.	Optical cable terminal box	
1224.	Single core SC optical patchcord	
1225.	Dual core LC optical patchcord	
	Water proof box	
1227.	Metal flexible tube	
1220.	Access control system with Installation Tools	
1230.	Pedestrian gate	
	Face recognition terminal	
1231.	Facial terminal channel bracket	
1232.	Facial terminal sunshade	
1234.	ID card	
1234.	Access control switch	
1236.	card sender	
1237.	metal doors	
1237.	Production and living area Pedestrian gate(swipe card)	
1230.	Production and living area Pedestrian gate(swipe card) Production and living area Pedestrian gate	
1240.	Optical-electrical converter	
1241.	Switch(8 RJ45 2 SFP)	
	Single core SC optical patchcord	
	Dual core LC optical patchcord	
	ACS Water proof box	
	WIFI system with Installation Tools	
	WAN firewall	
1247.	AC wireless controller	
1248.	AP	
1249.	Switch (2 RJ45 24 SFP)	
1250.	Switch (8 RJ45 48 SFP)	
1251.	Switch(8 RJ45 2 SFP)	
1251.	19" cabinet	
1252.	4-core armored direct buried FOC	+
1253.	UTP-6e(305m/box)	
1204.	0 1 F -0e(30011/00X)	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 49 of 102
Author	TFS Operations

S/N	DESCRIPTION OF MATERIALS AND EQUIPMENT	HS CODE
1255.	ODF (12 ports)	
1256.	Optical cable terminal box	
1257.	Single core SC optical patchcord	
1258.	Dual core LC optical patchcord	
1259.	Water proof box	

1.6 Crude oil refining equipment and materials including;

1	Reactor Equipment	8419.89.00
2	Tower Vessels e.g., Distillation tower –	8419.40.00
3	Tubular Furnaces	8514.19.00
4	Product Coils	
5	Coolers	8419.50.00
6	Heaters	8419.89.00
7	Heat Exchangers	8419.50.00
8	Tank Vessels	7309.00.00
9	Pumps	8413.50.00,
		8413.60.00,
		8413.70.00,
		8413.81.00
10	Boiler Equipment (e.g., Steam Boilers, Hot Water Boilers, Heat Recovery Steam	8402.11.00,
	Generator),	8402.12.00,
		8402.19.00

1.7 Geological, geochemical and geophysical survey equipment including:

1	Gravimeters	9015.80.00
2	Gravitational wave sensors	9015.80.00
3	Magnetometers	9015.80.00
4	Receivers	8479.89.00
5	Energy sources such as vibrators and explosives	9015.80.00

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 50 of 102
Author	TFS Operations

1.8 Other specialised materials and equipment for upstream and midstream facilities

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
1.	OVERSHOTS	OVERSHOTS 11-3/4"	DRILLING SERVICES	8431431000
2.	OVERSHOTS	STANDARD GUIDE 11-3/4"*48"	DRILLING SERVICES	8431431000
3.	OVERSHOTS	OVER SIZE GUIDE 11-3/4"*5"	DRILLING SERVICES	8431431000
4.	OVERSHOTS	EXTENSION SUB 11-3/4"*36"	DRILLING SERVICES	8431431000
5.	OVERSHOTS	OVER SIZE GUIDE 10-5/8"*12"	DRILLING SERVICES	8431431000
6.	OVERSHOTS	OVER SIZE GUIDE 8-1/8"*8-1/2"	DRILLING SERVICES	8431431000
7.	OVERSHOTS	STANDARD GUIDE 5-3/4"*6"	DRILLING SERVICES	8431431000
8.	OVERSHOTS	OVER SIZE GUIDE 5-3/4"*8-1/8"	DRILLING SERVICES	8431431000
9.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 5 1/2"	DRILLING SERVICES	8431431000
10.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 5 5/8"	DRILLING SERVICES	8431431000
11.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 5 3/4"	DRILLING SERVICES	8431431000
12.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 5 7/8"	DRILLING SERVICES	8431431000
13.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing Size 6"	DRILLING SERVICES	8431431000
14.	OVERSHOTS	BASKET GRAPPLE 11-3/4 "fishing Size 6 1/2"	DRILLING SERVICES	8431431000
15.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing Size 6 5/8"	DRILLING SERVICES	8431431000
16.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing Size 6 3/4"	DRILLING SERVICES	8431431000
17.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing Size 6 7/8"	DRILLING SERVICES	8431431000
18.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 7"	DRILLING SERVICES	8431431000
19.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 7 1/8"	DRILLING SERVICES	8431431000
20.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 7 1/4"	DRILLING SERVICES	8431431000
21.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 7 3/8"	DRILLING SERVICES	8431431000
22.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 7 1/2"	DRILLING SERVICES	8431431000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 51 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
23.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 7 5/8"	DRILLING SERVICES	8431431000
24.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 7 3/4"	DRILLING SERVICES	8431431000
25.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 7 7/8"	DRILLING SERVICES	8431431000
26.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 8"	DRILLING SERVICES	8431431000
27.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 8 1/8"	DRILLING SERVICES	8431431000
28.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 8 1/4"	DRILLING SERVICES	8431431000
29.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 8 3/8"	DRILLING SERVICES	8431431000
30.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 8 1/2"	DRILLING SERVICES	8431431000
31.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 8 5/8"	DRILLING SERVICES	8431431000
32.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 8 3/4"	DRILLING SERVICES	8431431000
33.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing size 8 7/8"	DRILLING SERVICES	8431431000
34.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing Size 9"	DRILLING SERVICES	8431431000
35.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing Size 9 1/2"	DRILLING SERVICES	8431431000
36.	OVERSHOTS	BASKET GRAPPLE 11-3/4" fishing Size 9 5/8"	DRILLING SERVICES	8431431000
37.	OVERSHOTS	OVERSHOTS 10-5/8"	DRILLING SERVICES	8431431000
38.	OVERSHOTS	STANDARD GUIDE 10-5/8"*48"	DRILLING SERVICES	8431431000
39.	OVERSHOTS	EXTENSION SUB 10-5/8"*36"	DRILLING SERVICES	8431431000
40.	OVERSHOTS	OVERSHOTS 8-1/8"	DRILLING SERVICES	8431431000
41.	OVERSHOTS	STANDARD GUIDE 8-1/8"*48"	DRILLING SERVICES	8431431000
42.	OVERSHOTS	EXTENSION SUB 8-1/8"*36"	DRILLING SERVICES	8431431000
43.	OVERSHOTS	OVERSHOTS 5-3/4"	DRILLING SERVICES	8431431000
44.	OVERSHOTS	EXTENSION SUB 5-3/4"*36"	DRILLING SERVICES	8431431000
45.	OVERSHOTS	RELEASING SPEAR used in 9-5/8"casin11	DRILLING SERVICES	8431431000
46.	OVERSHOTS	RELEASING SPEAR used in 7" ~7-5/8" casing	DRILLING SERVICES	8431431000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 52 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
47.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 5 5/8"	DRILLING SERVICES	8431431000
48.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 5 3/4"	DRILLING SERVICES	8431431000
49.	OVERSHOTS	BASKET GRAPPLE I 0-5/8" fishing size 5 7/8"	DRILLING SERVICES	8431431000
50.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing Size 6"	DRILLING SERVICES	8431431000
51.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing Size 6 1/8"	DRILLING SERVICES	8431431000
52.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing Size 6 1/4"	DRILLING SERVICES	8431431000
53.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing Size 6 3/8"	DRILLING SERVICES	8431431000
54.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing Size 6 1/2"	DRILLING SERVICES	8431431000
55.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing Size 6 5/8"	DRILLING SERVICES	8431431000
56.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing Size 6 3/4"	DRILLING SERVICES	8431431000
57.	OVERSHOTS	BASKET GRAPPLE I 0-5/8" fishing Size 6 7/8"	DRILLING SERVICES	8431431000
58.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 7"	DRILLING SERVICES	8431431000
59.	OVERSHOTS	BASKET GRAPPLE I 0-5/8" fishing size 7 1/8"	DRILLING SERVICES	8431431000
60.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 7 1/4"	DRILLING SERVICES	8431431000
61.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 7 3/8"	DRILLING SERVICES	8431431000
62.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 7 1/2"	DRILLING SERVICES	8431431000
63.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 7 5/8"	DRILLING SERVICES	8431431000
64.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 7 3/4"	DRILLING SERVICES	8431431000
65.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 7 7/8"	DRILLING SERVICES	8431431000
66.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 8"	DRILLING SERVICES	8431431000
67.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 8 1/8"	DRILLING SERVICES	8431431000
68.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 8 1/4"	DRILLING SERVICES	8431431000
69.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 8 3/8"	DRILLING SERVICES	8431431000
70.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 8 1/2"	DRILLING SERVICES	8431431000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 53 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
71.	OVERSHOTS	BASKET GRAPPLE 10-5/8 " fishing size 8 5/8"	DRILLING SERVICES	8431431000
72.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 8 3/4"	DRILLING SERVICES	8431431000
73.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing size 8 7/8"	DRILLING SERVICES	8431431000
74.	OVERSHOTS	BASKET GRAPPLE 10-5/8" fishing Size 9"	DRILLING SERVICES	8431431000
75.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 2 7/8"	DRILLING SERVICES	8431431000
76.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 3 1/2"	DRILLING SERVICES	8431431000
77.	OVERSHOTS	BASK.ET GRAPPLE 8-1/8" fishing size 3 5/8"	DRILLING SERVICES	8431431000
78.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 3 3/4"	DRILLING SERVICES	8431431000
79.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 3 7/8"	DRILLING SERVICES	8431431000
80.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 4"	DRILLING SERVICES	8431431000
81.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 4 1/8"	DRILLING SERVICES	8431431000
82.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 4 1/4"	DRILLING SERVICES	8431431000
83.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 4 3/8"	DRILLING SERVICES	8431431000
84.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 4 1/2"	DRILLING SERVICES	8431431000
85.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 4 5/8"	DRILLING SERVICES	8431431000
86.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 4 3/4"	DRILLING SERVICES	8431431000
87.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 4 7/8"	DRILLING SERVICES	8431431000
88.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 5"	DRILLING SERVICES	8431431000
89.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 5 1/8"	DRILLING SERVICES	8431431000
90.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 5 1/4"	DRILLING SERVICES	8431431000
91.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 5 3/8"	DRILLING SERVICES	8431431000
92.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 5 1/2"	DRILLING SERVICES	8431431000
93.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 5 5/8"	DRILLING SERVICES	8431431000
94.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 5 3/4"	DRILLING SERVICES	8431431000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 54 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
95.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 5 7/8"	DRILLING SERVICES	8431431000
96.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing Size 6"	DRILLING SERVICES	8431431000
97.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing Size 6 1/8"	DRILLING SERVICES	8431431000
98.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing Size 6 1/4"	DRILLING SERVICES	8431431000
99.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing Size 6 3/8"	DRILLING SERVICES	8431431000
100.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing Size 6 1/2"	DRILLING SERVICES	8431431000
101.	OVERSHOTS	BASKET GRAPPLE 8-1 /8" fishing Size 6 5/8"	DRILLING SERVICES	8431431000
102.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing Size 6 3/4"	DRILLING SERVICES	8431431000
103.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing Size 6 7/8"	DRILLING SERVICES	8431431000
104.	OVERSHOTS	BASKET GRAPPLE 8-1/8" fishing size 7"	DRILLING SERVICES	8431431000
105.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 2 1/2"	DRILLING SERVICES	8431431000
106.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 2 5/8"	DRILLING SERVICES	8431431000
107.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 2 3/4"	DRILLING SERVICES	8431431000
108.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 2 7/8"	DRILLING SERVICES	8431431000
109.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 3"	DRILLING SERVICES	8431431000
110.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 3 1/8"	DRILLING SERVICES	8431431000
111.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 3 1/4"	DRILLING SERVICES	8431431000
112.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 3 3/8"	DRILLING SERVICES	8431431000
113.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 3 1/2"	DRILLING SERVICES	8431431000
114.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 3 5/8"	DRILLING SERVICES	8431431000
115.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 3 3/4"	DRILLING SERVICES	8431431000
116.	OVERSHOTS	BASKET GRAPPLE 5-3/4 "fishing size 3 7/8"	DRILLING SERVICES	8431431000
117.	OVERSHOTS	BASKET GRAPPLE 5-3/4 "fishing size 4"	DRILLING SERVICES	8431431000
118.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 4 1/8"	DRILLING SERVICES	8431431000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 55 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
119.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 4 1/4"	DRILLING SERVICES	8431431000
120.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 4 3/8"	DRILLING SERVICES	8431431000
121.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 4 1/2"	DRILLING SERVICES	8431431000
122.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 4 5/8"	DRILLING SERVICES	8431431000
123.	OVERSHOTS	BASKET GRAPPLE 5-3/4" fishing size 4 3/4"	DRILLING SERVICES	8431431000
124.	JUNK BASKET	JUNK BASKET (Reverse circulating) 17-1/2 "&16; od:15"; with milling shoes; buckle type:7-5/8reg box	DRILLING SERVICES	8431431000
125.	JUNK BASKET	JUNK SUB (Reverse circulating) 12-1/4""OD:11"	DRILLING SERVICES	8431431000
126.	MAGNET	MAGNET 17-1/2" & 1", OD:15"	DRILLING SERVICES	8505119000
127.	LEAD IMPRESSION BLOCKS	LEAD IMPRESSION BLOCKS 17-1/2" & 16"OD:15"; Buckle type: 7-5/8REG BOX	DRILLING SERVICES	8309900000
128.	LEAD IMPRESSION BLOCKS	LEAD IMPRESSION BLOCKS 12-1/4""ODΦ290 ; Buckle type : 6- 5/8REG BOX	DRILLING SERVICES	8309900000
129.	LEAD IMPRESSION BLOCKS	LEAD IMPRESSION BLOCKS 8-1/2" ODΦ203 ; Buckle type : NC50B(410)	DRILLING SERVICES	8309900000
130.	JUNK BASKET	JUNK BASKET (Reverse circulating)17-1/2"&16" OD: 12-1/4"	DRILLING SERVICES	8431431000
131.	TAPER TAP	TAPER TAP 5-7/8"DP, ID: 4.25"	DRILLING SERVICES	8431432000
132.	TAPER TAP	TAPER TAP "DP;ID: 2.750"	DRILLING SERVICES	8431432000
133.	TAPER TAP	TAPER TAP 3-1/2"DP, ID: 2-1/8"	DRILLING SERVICES	8431432000
134.	TAPER TAP	TAPER TAP 9"O C, ID : 3"	DRILLING SERVICES	8431432000
135.	TAPER TAP	TAPER TAP 8"DC, ID: 2-13/16"	DRILLING SERVICES	8431432000
136.	TAPER TAP	TAPER TAP 6-1/2"DC; ID : 2-1/4"	DRILLING SERVICES	8431432000
137.	TAPER TAP	TAPER TAP 4-3/4"DC : ID : 2-1/4"	DRILLING SERVICES	8431432000
138.	Die Collars	SAFETY JOINTS OD: 8": 6-5/8" REG BOXx6-5/8" REG PIN	DRILLING SERVICES	8205590000
139.	Die Collars	Die Collars 5-7/8"DP, OD : 7"	DRILLING SERVICES	8205590000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 56 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
140.	Die Collars	Die Collars 5"DP; OD : 6.625"	DRILLING SERVICES	8205590000
141.	Die Collars	Die Collars 3-1/2"DP; OD : 5"	DRILLING SERVICES	8205590000
142.	fish cup	fish cup 17-1/2"&16"OD: 12-7/8"	DRILLING SERVICES	8431431000
143.	fish cup	fish cup 12-1/4""OD:9-5/8"	DRILLING SERVICES	8431431000
144.	fish cup	fish cup 8-J/2"OD:6-5/8"	DRILLING SERVICES	8431431000
145.	fish cup	fish cup 6"OD:5"	DRILLING SERVICES	8431431000
146.	CASING SCRAPPER	CASING SCRAPPER 9-5/8"Casing (4-I/2"REG BOX/PIN)	DRILLING SERVICES	8431431000
147.	CASING SCRAPPER	CASING SCRAPPER13-3/8Casing (6 5/8"REG BOX/PIN)	DRILLING SERVICES	8431431000
148.	CASING SCRAPPER	CASING SCRAPPER 7" Casing (3- 1/2"REG BOX/PIN)	DRILLING SERVICES	8431431000
149.	Drift diameter gauge	DP drift 5-7/8" Sl35 ID4-1/4"	DRILLING SERVICES	9017300000
150.	Drift diameter gauge	DP drift 5" S 135	DRILLING SERVICES	9017300000
151.	Drift diameter gauge	DP drift 3.5" S135	DRILLING SERVICES	9017300000
152.	Drift diameter gauge	DP drift 5-7/8" S135	DRILLING SERVICES	9017300000
153.	Drift diameter gauge	DP drift 5" S135	DRILLING SERVICES	9017300000
154.	Drift diameter gauge	DP drift 3.5" S135	DRILLING SERVICES	9017300000
155.	Drift diameter gauge	DP drift 9" S135	DRILLING SERVICES	9017300000
156.	Drift diameter gauge	DP drift 8" S135	DRILLING SERVICES	9017300000
157.	Drift diameter gauge	DP drift 6-1/2" S135	DRILLING SERVICES	9017300000
158.	Drift diameter gauge	DP drift 4-3/4" S135	DRILLING SERVICES	9017300000
159.	Float valve core	Float valve core 5F-6R	DRILLING SERVICES	8481804090
160.	Float valve core	Float valve core 5R	DRILLING SERVICES	8481804090
161.	Float valve core	Float valve core 4R	DRILLING SERVICES	8481804090
162.	Float valve core	Float valve core 3-1/2F	DRILLING SERVICES	8481804090
163.	Float valve core	Float valve core 2F-3R	DRILLING SERVICES	8481804090

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 57 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
164.	Lifter	(Lifter150T) BFSJ-19/35	DRILLING SERVICES	8425190000
165.	Float Valve	Float Valve 7-5/8" REG BOX x 7-5/8" REG BOX	DRILLING SERVICES	8481804090
166.	Float Valve	Float Valve 7-5/8"REG BOX x 7-5/8"REG PIN	DRILLING SERVICES	8481804090
167.	Float Valve	Float Valve 7-5/8" REG BOX x 6-5/8" REG BOX	DRILLING SERVICES	8481804090
168.	Float Valve	Float Valve 6-5/8" REG BOX x 6-5/8" REG PIN	DRILLING SERVICES	8481804090
169.	Float Valve	Float Valve 6-5/8" REG BOX x 6-5/8" REG BOX	DRILLING SERVICES	8481804090
170.	Float Valve	Float Valve 4-1/2" REG BOX x 4-1/2" IF BOX	DRILLING SERVICES	8481804090
171.	Float Valve	Float Valve 4-1/2" REG PIN x 4-1/2" IF BOX	DRILLING SERVICES	8481804090
172.	Float Valve	Float Valve 4-1/2" IF BOX x 4-1/2" IF PIN	DRILLING SERVICES	8481804090
173.	Float Valve	Float Valve 3-1/2" REG BOX x 3-1/2" IF BOX	DRILLING SERVICES	8481804090
174.	Float Valve	Float Valve 3-1/2" IF BOX x J-1/2" IF PIN	DRILLING SERVICES	8481804090
175.	Crossover	Crossover 7-5/8" REG PIN x 6-5/8" REG BOX	DRILLING SERVICES	7307990000
176.	Crossover	Crossover XT57 BOX x 4- I/2" IF PIN	DRILLING SERVICES	7307990000
177.	Crossover	Crossover XTS7 BOX x 4-1/2" IF BOX	DRILLING SERVICES	7307990000
178.	Crossover	Crossover XT57 PJN x 4-1/2" IF BOX	DRILLING SERVICES	7307990000
179.	Crossover	Crossover XT57 BOX x 4-I/2" IF PIN (Special for pressure test)	DRILLING SERVICES	7307990000
180.	Crossover	Crossover XT57 PIN x 4-1/2" IF BOX (Special for pressure test)	DRILLING SERVICES	7307990000
181.	Crossover	Crossover XT57BOX x 4-1/2" REG BOX	DRILLING SERVICES	7307990000
182.	Crossover	Crossover 4-1/2" IF PIN x 3-1/2" IF PIN	DRILLING SERVICES	7307990000
183.	Crossover	Crossover 4-1/2" IF BOX x 3-1/2" IF PIN	DRILLING SERVICES	7307990000
184.	Crossover	Crossover 4-1/2" IF PIN x 4-1/2" IF PIN	DRILLING SERVICES	7307990000
185.	Crossover	Crossover 4- 1/2" REG BOXx4-1/2" IF BOX	DRILLING SERVICES	7307990000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 58 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
186.	Crossover	Crossover 3-1/2" REG BOX x -1/2" IF BOX	DRILLING SERVICES	7307990000
187.	Saver Sub	Saver Sub XT57 pin X 7-5/8"REG BOX	DRILLING SERVICES	7326901900
188.	Adjustable elbow	Adjustable elbow 2" 1502male*2" 1502female Side Entry Sub	DRILLING SERVICES	8431431000
189.	Side Entry Sub	Side Entry Sub 2" 1502male*2" 1502 female*2" 1502female	DRILLING SERVICES	7307990000
190.	Double pin sub	Double pin sub 2" 1502male*2" 1502male	DRILLING SERVICES	7307190000
191.	Double box sub	Double box sub 2" 1502female*2" 1502female	DRILLING SERVICES	7907002000
192.	Casing pressure test plug	Casing pressure test plug I 8-5/8"	DRILLING SERVICES	8431431000
193.	Casing pressure test plug	Casing pressure test plug 13-3/8"	DRILLING SERVICES	8431431000
194.	Casing pressure test plug	Casing pressure test plug 9-5/8"	DRILLING SERVICES	8431431000
195.	Casing pressure test plug	Casing pressure test plug 7"	DRILLING SERVICES	8431431000
196.	Stabilizer 21· 3/4STB	(Stabilizer) BFSJ-33/35	DRILLING SERVICES	8431431000
197.	Hole Opener 24"	(Hole Opener) BFSJ-35/35	DRILLING SERVICES	8431431000
198.	Drilling Jar	8" Drilling Jar	LWD services	84314310
199.	Drilling Jar	6-3/4" Drilling Jar	LWD services	84314310
200.	Drilling Jar	4-3/4" Drilling Jar	LWD services	84314310
201.	Drilling Jar Maintenance Kit	8" Drilling Jar Maintenance Kit/WB-J-203	LWD services	84314310
202.	Drilling Jar Maintenance Kit	6-3/4" Drilling Jar Maintenance Kit/WB-J-165	LWD services	84314310
203.	Drilling Jar Maintenance Kit	4-3/4" Drilling Jar Maintenance Kit/WB-J-121	LWD services	84314310
204.	Drilling Jar Testing Platform	120T Drilling Jar Testing Platform	LWD services	84314310
205.	Dual cell HTHP consistometer		Solids Control	9026209090
206.	Pressurized curing chamber		Cementing	8479899990
207.	Benchtop Consistometer		Cementing	9031809090

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 59 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
208.	Static Gel Strength Cement Analyzer		Cementing	9031809090
209.	HP/HT filter press		Cementing	9015800090
210.	Viscometer 12 speeds		Cementing	9027809900
211.	Atmospheric consistometer		Cementing	9031809090
212.	Hydraulic crushing press		Cementing	9031809090
213.	Constant speed blender		Cementing	8479820090
214.	Electronic balance		Cementing	8423829010
215.	Mud Balance		Cementing	9025800000
216.	Pressurized mud balance		Cementing	9025800000
217.	Wettability test apparatus		Cementing	9025191000
218.	Dual cell water Curing Bath		Cementing	8419899090
219.	Thermostatic water bath		Cementing	8419899090
220.	BP Sedimentation tube		Cementing	3917220000
221.	VIcat Apparatus		Cementing	8479909090
222.	Water chlorides test kit		Cementing	84 79909090
223.	Picnometer		Cementing	7017200000
224.	Expansion measurement testing equipment		Cementing	4 7326901900
225.	Drilling rig, LR80DB Mast	LR80DB	DRILLING SERVICES	
226.	Mast	Mast complete equipment	DRILLING SERVICES	7308900000
227.	Substructure Move device	Complete substructure	DRILLING SERVICES	7308900000
228.	Oil/Water /Electric System	Complete mobile equipment	DRILLING SERVICES	8428909090
229.	Substructure Move device	Oil/Water/Electric System	DRILLING SERVICES	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 60 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
230.	Drilling Tool, Attachment tools, Hoisting lines	Drilling tool, Attachment tools, Hoistin lines	DRILLING SERVICES	7326901900
231.	Spare parts box (Wellhead mechanized tools)	Wellhead mechanized tools	DRILLING SERVICES	4009420000
232.	Fire system	Fire system	DRILLING SERVICES	8424100090
233.	BOP control unit	BOP control unit	DRILLING SERVICES	847989999
234.	Crown block	Crown block	DRILLING SERVICES	8483500000
235.	Driller room	Driller room	DRILLING SERVICES	8537209000
236.	Traveling block	Traveling block	DRILLING SERVICES	8483500000
237.	Drawworks	Drawworks	DRILLING SERVICES	8425319000
238.	Rotary table driving device	Rotary table driving device	DRILLING SERVICES	8479819000
239.	Mud pump set	Mud pump set	DRILLING SERVICES	8413910000
240.	The pipe column automation system	The pipe column automation system	DRILLING SERVICES	9032899099
241.	Solid control system	Solid control system	DRILLING SERVICES	8474390000
242.	Doghouse(left)/80D 2.21PFL10- 197	Doghouse(left)/80D 2.21PFL10-197	DRILLING SERVICES	9406900090
243.	Doghouse(right)/80D2.21PFR10- 198	Doghouse(right)/80D2.21PFR10-198	DRILLING SERVICES	9406900090
244.	Catwalk	Catwalk	DRILLING SERVICES	8431431000
245.	Pipe rack 8000x1070	Pipe rack 8000x1070	DRILLING SERVICES	8431431000
246.	5T Pneumatic winch (Flange connection)	5T Pneumatic winch (Flange connection)	DRILLING SERVICES	8431431000
247.	5T Pneumatic winch	5T Pneumatic winch	DRILLING SERVICES	8431431000
248.	Measuring inclined winch 3.J7000(F)	Measuring inclined winch 3.J7000(F)	DRILLING SERVICES	8431431000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 61 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
249.	F1.2i-MR/E18039 Pneumatic manned winch	F1.2i-MR/E18039 Pneumatic manned winch	DRILLING SERVICES	8431431000
250.	DL/ZR-10 Manned work baskets	DL/ZR-10 Manned work baskets	DRILLING SERVICES	8431431000
251.	1.5T Pneumatically rotate the cat's head	1.5T Pneumatically rotate the cat's head	DRILLING SERVICES	8431431000
252.	Dead rope holder /JZG562.	Dead rope holder /JZG562.	DRILLING SERVICES	8431431000
253.	Hydraulic double drum inverted rope machine	Hydraulic double drum inverted rope machine DSJ/YS2.15-0I	DRILLING SERVICES	8431431000
254.	Blowout preventer hoisting mobile device	Blowout preventer hoisting mobile device	DRILLING SERVICES	8426119000
255.	Rig power control system	Rig power control system	DRILLING SERVICES	8431431000
256.	Spare parts box	Peripheral monitoring unit/YTZJ-03	DRILLING SERVICES	8517623990
257.	Spare parts box	Thermal imaging systems/DMS-TI16	DRILLING SERVICES	8517623990
258.	Spare parts box	Diesel generator room/FDJF80D2.21	DRILLING SERVICES	8502131000
259.	Steel and wood foundation	Steel and wood foundation/4000x2000x200	DRILLING SERVICES	7326901900
260.	Barracks	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
261.	Single room	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
262.	Double room	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
263.	Quadruple room	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
264.	Eight-person room	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
265.	Well field office	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
266.	Well field meeting room	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
267.	Restaurant (Chinese/Foreign each one)	Barracks 80D2.21YF	DRILLING SERVICES	9406900090

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 62 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
268.	Shower toilet/Shower room	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
269.	Infirmary	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
270.	Storage room	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
271.	Laundry room	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
272.	Guardhouse	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
273.	Mud laboratory	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
274.	Thermostatic material room	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
275.	Electrician's room	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
276.	Machine room	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
277.	Container	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
278.	Paint storage warehouse	Barracks 80D2.21YF	DRILLING SERVICES	9406900090
279.	Sledges	Barracks 80D2.21YF	DRILLING SERVICES	7326901900
280.	Drilling rig noise reduction system/JZXT-80D2.21	Drilling rig noise reduction system/JZXT-80D2.21	DRILLING SERVICES	8431499900
281.	Diesel tanks/YG60+60+30m3	Diesel tanks/YG60+60+30m3	DRILLING SERVICES	7326909000
282.	Diesel Reserve tank	Diesel tanks/YG60+60+30m3	DRILLING SERVICES	7326909000
283.	Diesel tank	Diesel tanks/YG60+60+30m3	DRILLING SERVICES	7326909000
284.	Daily diesel tank	Diesel tanks/YG60+60+30m3	DRILLING SERVICES	7326909000
285.	Suit water tank/TZSG100-80D2.21	Suit water tank/TZSG100-80D2.21	DRILLING SERVICES	7309000000
286.	Living water tank 50m3 SHSGS0-80D2.21	Living water tank 50m3 SHSGS0-80D2.21	DRILLING SERVICES	7309000000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 63 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
287.	t Wave screen)	t Wave screen)	DRILLING SERVICES	8609002900
288.	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8609002900
289.	Backup tong teeth	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
290.	Brake pads	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
291.	Top drive upper valve	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
292.	Top drive lower valve	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
293.	Backup tong pin shaft sealing bag	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
294.	Backup piston	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
295.	Backup clamp key	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
296.	Outer snap ring			

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 64 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
297.	Backup tong tightening hydraulic cylinder circlip	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
298.	Drill pipe slip body	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
299.	Backup pintle	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
300.	Backup tong seal	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
301.	Backup oil cylinder sealing bag	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
302.	Blowout prevention roller	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
303.	Roller	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
304.	IBOP execution cylinder sealing bag	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
305.	Straight through oil cup	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 65 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
306.	Oil Suction Filter element	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
307.	filter element	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
308.	O-ring	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
309.	Pulley	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
310.	brake hose	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
311.	Accumulator hose	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
312.	Spare pipeline	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
313.	Explosion proof electromagnetic directional valve	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
314.	Explosion proof electromagnetic directional valve	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 66 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
315.	 Hydraulic control check valve (Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others) 		DRILLING SERVICES	8431390000
316.	Hydraulic pump set	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
317.	Seal package for tilt cylinder	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
318.	Lube oil flow switch	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
319.	Gear pump assembly	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
320.	Potentiomenter coupling	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
321.	DC power supply	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
322.	322. Filter purification Power supply (Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)		DRILLING SERVICES	8431390000
323.	Brake chopper control board	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 67 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
324.	Communication board	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
325.	Motor starter	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
326.	Three phase power phase sequence relay	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
327.	Backup tong guide sleeve	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
328.	Driving wheel	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
329.	Timing belt	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
330.	Flushing pipe Assembly	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
331.	Flushing packaging	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
332.	Central tube	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 68 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
333.	Seal ring	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
334.	Central tube circlip	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
335.	Pipe punching tooling assembly	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
336.	HTL pulse encoder interface module	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
337.	APEX HOLDER	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
338.	VICTAULIC COUPLING	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
339.	HYDROCYCONE BODY	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
340.	TRIANGULAR NUT	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
341.	VICTAULIC URETHANE ELBOW	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 69 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
342.	VICTAULIC BALL VALVE	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
343.	GAUGE	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
344.	BULKHEAD PROTECTOR	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
345.	STARTER MANUAL	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
346.	UPPER SECTION	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
347.	UPPER BAND	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
348.	MIDDLE SECTION	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
349.	LOWER BAND	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
350.	LOWER SECTION	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 70 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
351.	APEX1.250	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
352.	THREAD ON CONE TIP	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
353.	VICTAULIC ZERO-FLEX COUPLING	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
354.	VICTAULIC SNAP COUPLING	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
355.	FLOAT MOUNT	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
356.	REAR CROSS SUPPORT	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
357.	SIDE SUPPORT RUBBER	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
358.	Ceram cylinder liner Φ 160	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
359.	Ceram cylinder liner Φ 170	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 71 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
360.	Ceram cylinder liner Φ 180	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
361.	Locking ring locking ring AH130101-0518	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
362.	O-RING 200x7.00FPM	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
363.	Cylinder seal ring Φ 220	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
364.	Cylinder seal ring Φ 200	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
365.	The cover assembly AH160201- 012300	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
366.	The cover seal ring AH160201- 0122B1	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
367.	Special Piston for Ceramic cylinder liner AH010004-0700	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
368.	The piston rubber Φ 160	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 72 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
369.	Special Piston for Ceramic cylinder liner AH010004-0800	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
370.	The piston rubber Φ170	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
371.	Special Piston for Ceramic cylinder liner AH010004-0900	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
372.	The piston rubber Φ180	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
373.	Piston seal AH100101-0515B1	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
374.	High Pressure valve assembly (API 7H) AH000002- 0900B1	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
375.	Valve rubber AH000002-0903B1	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
376.	Valve spring AH100101-0529	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
377.	Piston lock nut M39x3	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 73 of 102
Author	TFS Operations
Autiloi	11 5 Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
378.	Stem guide AH000002- 120101000	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
379.	High pressure filter assembly AH160201- 020200B1	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
380.	Shear relief valve JA-3H	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
381.	Shear relief valve AH000006- 0304B1	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
382.	Piston assembly AH000006- 010300	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
383.	Double scale shock gauge YTN150-F200 70MPa	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
384.	Backing ring BX152	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
385.	Wear-resistant plate Φ 190	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
386.	Wear disc sealing ring AH160201- 0115	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 74 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
387.	Packing box AH130101-0404	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
388.	Oil seal ring AH130101-0405	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
389.	Skeleton double lip oil seal 127x158.75x15.9	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
390.	Locking spring AH130101-0407	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
391.	O-RING 160x7.00NBR	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
392.	O-RING 125x7.00NBR	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
393.	Sealing gasket AH130101-0415	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
394.	The seal ring BX169	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
395.	The seal ring BX155	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 75 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
396.	High temperature air bag assembly AK755201-0400B1	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
397.	Shear pinAH000006-0308	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
398.	Discharge pipe seal ring AH160201- 0114	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
399.	O-RING 345x7.00FPM	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
400.	O-RING 185x7.00FPM	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
401.	O-RING 128x7.00FPM	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
402.	Safety valve AF-E20/0.8	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
403.	Spray pipe Assembly AH160201- 012000B3	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
404.	Air fort air hose assembly AH10010I-210700	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 76 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
405.	Cross head hole cover gasket AH130101-15	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
406.	Rubber strip 40x8x5800	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
407.	Anaerobic adhesive Loctite 243 locking agent	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
408.	Sealing gasket AH220201-12	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
409.	Double scale pressure gauge YTN60 1.6MPa/230PSI NPTI/4	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
410.	Double scale pressure gauge Y-60 0-25MPa/3630PSI NPTI/4"	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
411.	Angle shut-off valve NPT 1/2 "'-70 MPa 1	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
412.	Air filter C-M60x2	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
413.	Group narrow V blet SZV25J- 8000	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 77 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
414.	Rubber tube assembly 19 I -DID- 1650	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
415.	Rubber tube assembly D19x1-600	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
416.	Rubber tube assembly D25x1-600	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
417.	Hose L=360	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
418.	Cylinder seal ring AH160201- 0113	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
419.	Suction cylinder assembly AH160201-0110Bl	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
420.	Discharge cylinder assembly AH160201-010400	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
421.	Bottom guide AH130101-0412	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
422.	Gasket unit AH100101-041700	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 78 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
423.	TZG01high-pressure rubber hose 381-10 (M26X1.5, 24°Light series)	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
424.	TZG10high-pressure rubber hose 372-12 (M30X2, 24°Light series)	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
425.	TZG23high-pressure rubber hose 481-05(M16X1.5, 24°Light series)	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
426.	TZG28 high-pressure rubber hose381-08 (M22X1.5,24°Light series)	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
427.	TZG34 high-pressure rubber hose372-16 (M42X 2 . 24°Heavy series)	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
428.	TZG35high-pressure rubber hose481-20(M45X2. 24°Light series)	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
429.	TZG38high-pressure rubber hose381-06(M18X1.5,24°Light series)	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
430.	Built-up rubber padФ 22	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
431.	Built-up rubber padФ 33	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 79 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
432.	Built-up rubber padΦ 27	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
433.	Built-up rubber padФ 14	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
434.	Screw clamp rollerS153-120	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
435.	MOTER BME-392-007C	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
436.	Self-aligning roller bearing22311TN1/ W33	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
437.	VD seal ring VD110A-NBR	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
438.	VD seal ringVD130A NBR	(Top drive system spare parts, Vibrating screen spare parts, Mud pump spare parts, Iron roughneck spare parts, Pipelines and pipeline joints and others)	DRILLING SERVICES	8431390000
439.	Assembly, landing ring 18-5/8 CP,	0 RING, SIZE AS-568-27610.984 ID X .139 W 90D	Well-heads and	4016.93.00.90
	CHH, TH,TB,SEC,A,B,TH,XMT,	RING, SEAL TYPE "T" FOR 7-5/8" CSG. (70 DURO OIL	associated services	
	IVVCV	PACKING DOVETAIL 9.2" ID X 3/8" CS NITRILE		
		"S" SEAL RING NOM 5-1/2" OD- H2S SERVICE- 200		
		SEAL RING 3.750 OD X .375 THK		
		0-RING FOR 18-5/8" X 20" DIVERTER		
		0-RING SPLICED 17.00 X .210 CROSS BIAS CUT		

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 80 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
		0-RING FOR BOP TESTER		
		0-RING FOR WEAR BUSHING		
		0-RING FOR UPPER WEAR BUSHING		
		0-RING FOR BOP TESTER		
		0-RING FOR TUBING HANGER RUNNING TOOL		
		0-RING FOR 7-5/8" CASING HANGER RUNNING		
		0 -RING FOR 7-5/8" CASING HANGER RUNNING		
440.	Assy Section wellhead Adapter,	STUD, CONTINUOUS, 7/8-9 UNC-2A X 6.00 INCH	Well-heads and	7318.15.48.90
	XMT, TWCV, Section B	STUD, CONTINUOUS, 1-1/8-8 UN-2A X 7.00 INCH	associated services	
		STUD, CONTINUOUS, 7/8-9 UNC-2A X 6.00 INCH		
		STUD, CONTINUOUS, 5/8-11 UNC-2A X 4.50 INCH		
		STUD, CONTINUOUS, 3/4-10 UNC-2A X 5.25 INCH		
441.	Assy, slip Hanger, LR, CHH	NUT, HEAVY HEX, 7/8-9 UNC-28 PER ASME 8 18.2.2,	Well-heads and	7318.16.99.90
		NUT, HEAVY HEX, 1-1/8-8 UN-2.8 PER ASME	associated services	
		NUT, HEAVY HEX, 7/8-9 UNC-28 PERASME B18.2.2,		
		NUT, HEAVY HEX, 5/8 -11 UNC-28 PER ASME		
		NUT, HEAVY HEX, 3/4-10 UNC-28 PER ASME 818.2.2,		
		RETAINING RING-WIRE MESH-NOM.7-5/8		
442.	, , , , , , , , , , , , , , , , , , , ,	Landing ring (if relevant)	Well-heads and	7326.90.98.90
	Riser, Diverter, Drill adapt	11" or 13 5/8" long wear bushing	associated services	
		11" or 13 5/8" short wear bushing		
		GASKET, 11" CF-11, AISI 316 SST XYLAN COATED,		
		RING GASKET, API TYPE RX-24, OCTAGONAL,		
		RING GASKET, API TYPE RX-37, OCTAGONAL, LOW		

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 81 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
		RING GASKET, API TYPE RX-31, OCTAGONAL,		
		RING GASKET, API TYPE RX-23, OCTAGONAL, LOW		
		RING GASKET, API TYPE RX-37, OCTAGONAL, LOW		
443.	F-CUP TESTER ASSY,F/ 10-3/	Wellhead clean out tool with 4" DP S135-14 ppf XT39 (TBC) top box connection	Wellheads and associated services	8424.30.90.00
444.	F-CUP tester assy, WB, BOP	Wellhead housing starting on 10 3/4" casing	Wellheads and	8479.89.97.90
	tester, WBRT, GV, O Rings, Gasket	7 5/8" Rotating fluted mandrel hanger+ seal	associated services	
	Gasket	Tubing hanger with 10 penetrations		
		7 5/8" emergency slip hanger		
		Wellhead housing starting on 10 ¾ casing		
		7 5/8" Rotating fluted mandrel hanger+ seal		
		Tubing hanger with 1 penetration		
		Tubing bonnet & Tree cap		
		7 5/8" emergency slip hanger		
		Wellhead housing starting on 10 3/4" casing		
		7 5/8" Rotating fluted mandrel hanger+ seal		
		Tubing bonnet & Tree cap		
		7 S/811 emergency slip hanger		
		18 5/8" Drilling adapter		
		18 5/8" diverter adapter		
		13 5/8" x 5,000 psi drilling riser & adapter for Item 1		
		13 5/8'1 x 5,000 psi drilling riser & adapter for Items		
		7 5/8" rotating fluted mandrel hanger running tool		
İ		7 5/8" seal assembly/pack-off		

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 82 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
		Tubing hanger running tool		
		Wear bushing running/retrieving tool with 4" DP		
445.	SEAL RING, STUD, NUT	Tubing bonnet & Tree cap	Wellheads and	8479.90. 70.99
		10 3/4" casing hanger running tool (if relevant)	associated services	
		ASSY, LOWER WEAR BUSHING, FOR 11" SINGLE		
446.	RING GASKET, API RX-31, ST	4" H type Two way check valve	Wellheads and	8481.30.91.99
		4" H type Two way check valve	associated services	
		411 H type Two way check valve		
447.	Ring Gasket, Nuts, O Ring	Christmas tree with split valves (option 1) + 3	Wellheads and	8481.80.63.90
		A annulus exit with split valves (option 1) +2	associated services	
	B annulus exit			
		Christmas tree with split valves (option 1) + 3		
		A annulus exit with split valves (option 1)		
		B annulus exit		
		Christmas tree with split valves (option 1)+ 3		
		B annulus exit (if relevant)		
		4 1/16" x 2,000 psi flanged manual gate valve		
		4 1/16" x 3,000 psi flanged manual gate valve		
448.	0 RING, SIZE AS-568-355, 44	10 3/4" tester cup with4" OP S 135 - 14 ppf - XT39	Wellheads and	9026.90.00.00
		7 5/8' tester cup with 4' OP S 135 -14 ppf - XT39	associated services	
		11" or 13 5/8" tester plug with 4" DP S 135 - 14 ppf		
449.	Roro Chassis - Day Cab+ Transport CIP Mombasa	RORO Trucks	Transport cuttings	
450.	- Roro Backend			

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 83 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
451.	-Roro Pump			
452.	- Tanks/ Bullets			
453.	Roro Chassis - Sleeper Cab+ Transport CIP Mombasa			
454.	- Roro Backend			
455.	- Roro Pump			
456.	- Tanks/ Bullets			
457.	Roro Trailer	Roro Trailer		
458.	Flatbed Chassis (Truck Tractor) +Transport to CIP Mombasa	Truck tractor		
459.	Flatbed Trailer	Flatbed trailer		
460.	Tanks I Bullets (Ochre color)	RORO Tank		
461.	Forklift (10 Tons, Skip Turner)	Forklift	Drill cuttings handling	
462.	Wilden pump (3 inch)	Wilden pump	Rigside liquid transfer	
463.	LDV Service Van - Service Van Backend	Service van backend	Provide on-road support for trucks	
464.	TDU Units & peripheral	HTDU Unit and support	Cuttings cleaning	
465.	TDU:Overhead crane with backhoe		Relocation of equipment on rig move	
466.	Swinglift Trailer	Trailer		
467.	80m3 heavy-duty drilling cutting containers	Cuttings container		
468.	2.5m3 drilled cutting skips	Skips		
469.	ETP second train (effluent treatment plant)	Memcon ETP train		

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 84 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
470.	GCL Liner	Landfill cell liner		
471.	Posi Drain liner			
472.	1.5mm HDPE liner			
473.	2mm HDPE liner			
474.	Crane			
475.	VSD Skid (STRUCTURE WITH ROOF, LOW VOLTAGE LIGHTS AND PLUGS, MEDIUM/HIGH VOLTAGE ELECTRICS, TESTING & CERTIFICATION)	VOLTAGE LIGHTS AND	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	9032.89
476.	Solder: Swifsolder liquid solder	95/5 Solder -N- Flux, Black swan, stock	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	8810.90.2000
477.	Tube Cutter	Swagelok Tube Cutter	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	8203.40.00
478.	Vise Grip	Wrench, vise Grip 10R	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	8204.12.0000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 85 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
479.	Screw drivers	SCREWDRIVER: BLADE, 5/16X 6 INCH BLACK OXIDE T	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	8205.40.0000
480.	Tool: set, field service, pump 387, 400, 450 series, motor, 456 series PN 0912071	Tool: Shaft setting, CT PMP to LT PMP D4300N/D5800N, 400	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	8205.59.8000
481.	Cable Splicing tools	Iron, soldering: 300 Watt American Beauty 3178-220v 50/60 Cycle	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	8205.60.0000
482.	Safety padlock for lockout	Padlock: Safety lockout non conductive, one key per lock master lock 410 Red	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	8301.10.8000
483.	Enerpac	Enerpac	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	8413.20.0000
484.	Gas lift latches	Latch :BK-2 1 in 17-4 PH Revision :AB	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	8479.90.9596

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 86 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
485.	Gas lift valves IPO	Valve: Orifice 1 in BKO-3 16/64 Nitrile/viton Revision :AA	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	8481.80.99
486.	Cables	Cables : Redamax 400 #2, 5KV (2/1 ETBE-400.025GR)	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	8544.60.4000
487.	Tool: Protector filling unit, single oil and vacuum 220v 50HZ 1 phase all series	Tool: Protector filling unit, single oil and vacuum 220v 50HZ 1 phase all series	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	9031.80.8085
488.	Jet-Lube Kopr-Kote-Copper based/High Temperature/EP Lubricant/Anti-seize	Jet-Lube Kopr-Kote-Copper based/High Temperature/EP Lubricant/Anti-seize	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	2710.19.3080
489.	Lubriplate 630 AA, 16oz	Lubriplate 630 AA, 16oz	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	
490.	REDA Oil	Fluid,Motor: Lubsyn R&O 220, REDA #6, 5 Gallon	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	2710. 20.9000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 87 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
491.	Chem-Clean 50 55 gallons	Chem-clean 50 55 gallons	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	2815.12.0000
492.	True grit Hand Clnr - 4 case	True Grit Hand Clnr- 4 case	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	3401.30.5000
493.	Contact cleaner CRC	Degreaser: Electrical Grade, 20 OZ can super degreaser, CRC 03110 or Electrical contact cleaner	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	3402.13.90
494.	SP-350 CRC Rust (Corrosion inhibitor)	SP-350 CRC Rust (Corrosion inhibitor), 5 Liter	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	3403. 11 .2000
495.	WD-40	WD-40	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	3403.19.1000
496.	Best-o-Life 72733, 5gal	Best-o-Life 72733, 5gal	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 88 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
497.	Grease Lubricant	Compound: Electrical Insulating, DOW Corning	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	3403.99.90
498.	Loctite Blue/Red	Loctite Blue/Red	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	3506.10.5000
499.	CRC SP-400	CRC SP-400, 5 liter	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	3824.99.9297
500.	Hose Assembly - Spir-Star Hose	Hose Assembly- Spir- Star Hose, 15'000 PSI W.P x 45'000 PSI (3:1) 5mts overall length c/w G1/4" BSPP Swivel Nut Females both ends, AISIS 316,Swagged-c/w Adaptor both ends + S71-3 SteelQC Coupler/ Nipple either ends - test certification of hose /ID Tag on hose/Hose used for Hydraulic oil, Chemical Injection	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	391 7.39.0010
501.	Splicing Tape	Tape: TEF PS-SIL ADHES 11N X 0035 X 10YD RL	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	3919.90.20
502.	Duct Tape	Duct tape	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 89 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
503.	8"x 1500' Stretch Film -4 case	8"x 1500' Stretch Film -4 case	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	3920.69.0000
504.	PTFE tape	PTFE tape	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	3920.99.2000
505.	Plastic tool box without tray	Tool box, plastic: 23 Inch Long C/W Lift- Out Tray	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	3923.10.9000
506.	O-RING #141	O-RING #141	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	3926.90.4510
507.	SEAL, BONDED, 2.688	SEAL, BONDED, 2.688 X. 188 Cross section, Nitrile, 4140(80)	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	
508.	Web Slings (2t,)	Web Slings (2t,)	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 90 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
509.	Arc Flash Face Shield	Replacement face shield, Arc flash, 12 CAL/CM2, ANSI Z87.1 USE W/P/N 2005002	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	
510.	Bumper	Bumper	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	
511.	Hose Assembly	Hose: Assembly, Alemite # A-908-A, 48	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	4009.22.0050
512.	Electrical rubber Gloves	Gloves: Linemen, Rubber Size 11, #14-20B, 17KV	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	4015. 19.00
513.	Shipping gaskets	Gasket, Shipping : All equipment, 400-540 Series	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	4016.93.5050
514.	MLE rubber gaskets		UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 91 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
515.	0-rings	O-Rings 2-228, 2-233, 2-237, 2-241	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	
516.	Leather for the electrical gloves	Protector: Leather, for Rubber gloves; Stringer 520-6 Size 10 or equal	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	4203.29. 10
517.	Barrier tape	Barrier tape	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	5907.90.00
518.	Emery Cloth 50 / 100 / 150 Grit	Cloth, Handy Roll: 1.5 In X 50 yds, 50-X Grit, N	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	6805.10.00
519.	Silicone Screen 120 grit 25/pk	Silicone Screen 120 grit 25/pk	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	
520.	ECR 38MM X 50 M 240 Grit Emery Cloth Roll	ECR 38MM X 50 M 240 Grit Emery Cloth Roll PN: 221624	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	6805.20.000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 92 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
521.	Fibre Glass tape	Tape: 1 X 60 YD Glass cloth Acrylic press sensitive	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	70 19.51.00
522.	Solder. acid core	Solder: Acid core 09 3 D, 5LB SPOOL 50% TIN	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	7106.92.0000
523.	Band: Stainless steel 302 strap : 0.25 X 3/4, 85 LB Coil	Banding Stainless steel 302 strap: .025 X 3/4	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	
524.	Buckles	Seal Cable Stainless steel 302: 64-PB	UPPER COMPLETION, ARTIFICIAL LIFT EQUIPMENT AND ASSOCIATED SERVICES	
525.	Inlet 1st Compression Stage Air Cooler	Air Cooled Heater Exchanger Package	The purpose of the air cooled heater exchange	8419.50.9000
526.	Inlet 2nd Compression Stage Air Cooler		package is for interstage cooling in the gas compression train which is	
527.	Inlet 3rd Compression Stage Air Cooler		performed by fin -fan air coolers. This is to prevent	
528.	Inlet 4th Compression Stage Air Cooler		isssues with wax deposition due to	
529.	Outlet 4th Compression Stage Air Cooler		seperator liquid carry over the gas outlet	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 93 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
530.	Inlet 1st Compression Stage Air Cooler		temeperature is maintained at or above 60	
531.	Inlet 2nd Compression Stage Air Cooler		deg C ie above the blended crude WAT.	
532.	Inlet 3rd Compression Stage Air Cooler			
533.	Inlet 4th Compression Stage Air Cooler			
534.	Outlet 4th Compression Stage Air Cooler			
535.	HM Trim Cooler			
536.	Certified transportation lifting beam/Spreader beam, Slings and shackles ror Air coolers			73089000
537.	Specialist Installation & Maintenance Tools for Air coolers			8419.50.9000
538.	Recommended Spare parts for Start-Up & Commissioning tor Air coolers			
539.	CPF - Nitrogen Generation Package	Nitrogen Generation Package	To produce nitrogen at the correct purity (by	84051000
540.	Specialist Lifting Equipment for Nitrogen Generation Package		removing off-spec nitrogen/oxygen from the compressed air) and to	73089000
541.	Special Tools required for erection, commissK>ning,		ensure adequate nitrogen	84051000

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 94 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
	operation and maintenance for nitrogen generation package		is provided to consumers requiring inert buffer gas,	
542.	Recommended Spare Parts for installation and commissioning for nitrogen generation package		purging /blanketing of vessels and tanks, flare system and utility users.	
543.	Operator Workstation, consisting of monitor, keyboard and mouse connected to a nonredundant MMS network for vie'Ning dala and displays.	Machine Monitoring Systems	Monitor certain parameters such as Vibration, and temperature on specific rotating machinery in order to provide a protective function as well as condition monitoring to aid preventative maintenance planning.	84714100, 85285210, 84716060,8471 6070
544.	Engineering Laptop with configuration capability and ability to connect directly at the VTMS racks independent of the MMS network.		Engineering Laptop has configuration capability and ability to connect directly at the VTMS racks independent of the MMS network.	84713000
545.	Colour laser printer to interface with Operator Workstation detailed in Item 1.		The printer Interfaces with Operator Workstation	84433210

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 95 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
546.	Operator Workstation, consisting of monitor, keyboard, and mouse. Connected to the Corporate Network (connectivity to MMS Mirror server via DMZ firewall) for viewing data and displays.		The operator system connects to the Corporate Network (connectivity to the MMS Mirror server via DMZ firewall) The cabinets are to accommodate Machinery	84714100 85285210 8471606-0 84716070
547.	Cabinets to accommodate Machinery Package Supplier provided VTMS racks, Cabinets		The cabinets are to accommodate Machinery package Supplier provided VTMS racks. The VTMS racks are mounted within dedicated cabinets and acquire the data from the sensors mounted to the machines. These VTMS racks then interface with a software-based System which serves as the user interface	
548.	CPF - Fire Water - Jockey Pump	Diesel Firewater and Jockey Pumps	The jockey pumps are provided to maintain adequate pressure in the flfewa1er distribution system.	8413708990
549.	CPF - Fire Water - Diesel Pump		The diesel FW pumps arc provided to take suction	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 96 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
			from the Firewater Storage Tank.	
550.	Main System Pressure Relief Valve, Loose supply in Cast Iron Materials		In the event that one of the firewater users in a fire	
551.	waste cone for Pressure Relief Valve		zone are used (e.g. deluge valve opened, monitor"	
552.	10 "venturi Type Flow Meter. Loose Supply in Cast Iron Materials		actuated, etc.) then the pressure in the fire water ringmain will drop	
553.	Minimum Stable Flow Protection		beyond the capacity of	
554.	Sunroof for Fire Water Pumps - Controller Only		the Firewater Jockey Pump to maintain it. In this event	
555.	Sunroof for Joekey Pumps- Controller Only		pressure sensors/transmitters	
556.	Primary Starting System - NiCAD batteries, Diesel Firewater Pumps		will initiate the automatic start of the duty Diesel	
557.	Recommended Spare parts for start-up & commissioning for Diesel Firewater and Jockey pump		Firewater Pumps through the Fire Gas System In the the event that one	
558.	Special Tools and Lifting Equipment - Common Lifting Beam with Sling -Independently verified by a 3rd Party		ofUlese duty pumps falls to start the stand-by Diesel Firewater Pump will start.	
559.	(One beam is suitable for ALL offered packages)+ Gas Charging Kit for Hydraulic Starting System		Diesel will be provided to diesel day tanks, the tanks working capacity will be sufficient to enable at least 8 hours operation at the	

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 97 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
			engine full load fuel consumption	
560.	JBR-01-Corrosion Inhibitor Injection Packages,	Chemical Injection Package	The Chemcal Injection Packages are designed to provide chemicals for	90328900
561.	JBR-01- Demulsifier Injection Packages.		injection at strategic locations throughout the CPF to enhance performance, and reduce fouling, corrosion, and biological growth. Independent packages are assigned to each area to avoid long chemical injection supply and distribution lines, which may potentially degrade the chemicals due to the large inventory contained within the pipework	
562.	6"PIPE SMLS API 5L BE API-5L- L415 PSL2	SMLS Pipe	The pipe will be used ill the oil production and	73041900
563.	8" PIPE SMLS API 5L BEAPI-5L- L415 PSL2		water injection lines in the North area.	
564.	10" PIPE SMLS API 5L BE API- 5L-L415 PSL2			
565.	12" PIPE SMLS API 5L BE API- 5L-L-15 PSL2			

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 98 of 102
Author	TFS Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	HS CODE
566.	16" PIPE SMLS API 5L BE Api-5- L-15 PSL2			
567.	Pump hydraulic unit & headpiece - unit one	Pumps	The purpose of the hydraulic pumps is for	84137059
568.	Pump hydraulic unit & headpiece - unit two		water abstraction from the lake. The pumps are bespoke design and have	
569.	Column Pipes		been stipulated to meet	
570.	MV Motor Unit 1		the specific needs of the	
571.	MV Motor unit 2		Tilenga Project.	
572.	Bulk barite API grade Barite		D&C Fluids Services	250810
573.	Bentonite			
574.	Sodium Formate, 95% purity dry PF-CONA			2915120000
575.	Sodium Formate, 95% purity dry PF-CONA (in sacks)			
576.	Sodium Carbonate Na2C03			
577.	Potassium formate			
578.	XC polymer PF-XC (WBM viscosity modifier)			39139090
579.	Bulk CaC03 ground marble CaC03			3824999999
580.	Citric acid PF-CACIO			
581.	SBM Primary emulsifier PF-MOEMUL1			
582.	SBM Secondary emulsifier PF-MOCOAT1			

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



_		Г.
	Version	1
	Date	02/23/2024
	Dato	02/20/2021
	Page	Page 99 of 102
	i agc	1 agc 33 01 102
	Author	TEC Operations
	Author	TFS Operations

S/ N	GENERAL DESCRIPTION
583.	SBM Wetting Agent PF-MOWET1
584.	SBM fluid loss polymeric reducer PF-MOHFR I LT)
585.	Organic Clay PF-MOGEL
586.	SBM visosifier PF-MOVIS
587.	Pluging Agent PF-E2CARB
588.	SBM thinner PF-MOTHIN
589.	Ground marble 10 μ PF-CARB 1 $O\mu$
590.	Ground Marble 50 μ PF-CARB 50μ
591.	Ground marble 150 μ PF·CARB 150μ
592.	Ground marble 2,000 μ PF-CARB 2000μ
593.	cellulosic fiber Lost Circulation Material PF-STP
594.	Sodium Formate brine Biocide PF-ZKS-1
595.	Sodium Formate brine Corrosion Inhibitor PF-CA101
596.	Diatomaceous earth PF-DE
597.	Pipe Free Agent PF- LUBE
598.	Polyamine PF-UHIB
599.	LCM PF-MOBLN1
600.	LCM PF-M0BLN2

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 100 of 102
Author	TFS Operations

	GENERAL DESCRIPTION	REQUISITION TITLE	PUR
601.	LCM PF-MOBLN3		
602.	NABM Low-end Rheo modifier (PF-FSHSV)		
603.	Supersweep t PF-SV\EEP)		
604.	Bit Balling detergent (PF-CIDE)		
605.	Surfactant PF-JWY-1		
606.	Sodium pyrophosphate(SAPP)		
607.	G cement(API G Cement. a type of Portland cement)		Cementing Serv
608.	ANTIFOAM AGENT 1 C-DF60L		
609.	DISPERSANTS 1C-F41S		
610.	EXPANDING AGENTS C-B20		
611.	FLUID LOSS ADD.2 C-F80S		
612.	FLUID LOSS ADD.3 C-F86S		
613.	GAS CONTROL ADD 3 C-GS12L		
614.	EXTENDERS 2 C-P81L		
615.	THIXOTROPIC AOD C-T97S		
616.	RETARDER 1 (low to mid temp) C-R21L		
617.	SUSPENDING ADD.2 C-SA62L		
618.	SPACERS C-S30S		
619.	SPACERS C -S32S		
620.	Spacer Fibers C-L64		
621.	Bulk CaC03 ground marble CaC03		

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
Page	Page 101 of 102
Author	TFS Operations

	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	
22.	SURFACTANTS (synthetic base oil) C-W31L			
623.	LCM polypropylen fibers C-L62S			
624.	Lost Circulation Material C-L66S			
625.	Flow stablizer PE-FLS			
526.	HCL 15% HCL			
527.	Corrosion inhibitors for above acids PA-C023			
28.	Mutual Solvent PA-MU2			
29.	Corrosion inhibitors for above acids PA-C023		Cementing Laboratory (@DSB)	
30.	Mutual Solvent PA-MU2			
31.	Static Gel Strength Cement Analyzer			
32.	HP/HT fitter press			
33.	Atmospheric consistomeler			
34.	Hydraulic crushing press			
35.	Pressurized mud balance			
36.	Picnometer			
37.	Roller Oven(5 -Roller)		D&C Fluids Laboratory	
38.	Aging Cell		(@ DSB)	
39.	Model 900 Viscometer			
40.	Marsh Funnel Viscometer			
41.	Low Pressure Filtration			
642.	HPHT Filter Press			

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.



Version	1
Date	02/23/2024
24.0	02/20/202
Page	Page 102 of 102
	: «ge :•= e: :•=
Author	TFS Operations
, tati ioi	11 0 Operations

S/ N	GENERAL DESCRIPTION	REQUISITION TITLE	PURPOSE	нs с
643.	Mud Balance			
644.	50 ml Oil and Water Relort			
645.	Hamilton beach 3speed mixer			
646.	Heating Stirrer			
647.	Electronic Balance			

- The list of specialised materials and equipment for oil and gas projects will be updated from time to time.
 The Uganda Revenue Authority will review and confirm/update the HS codes of the respective specialised materials and equipment.